



J & A ELECTRONICS LI-POLY CELL PRODUCTS LIST

- Version 1.0

NO.	MODEL NO	VOLTAGE	CAPACITY (mAh)	THICKNESS (mm)	WIDTH (mm)	LENGTH (mm)
1	JA-203658P	3.7V	300	2.0	36.0	58.0
2	JA-222757P	3.7V	280	2.2	27.0	57.0
3	JA-223464P	3.7V	450	2.2	34.0	64.0
4	JA-223452P	3.7V	320	2.2	34.0	52.0
5	JA-252640P	3.7V	160	2.5	26.0	40.0
6	JA-253658P	3.7V	450	2.5	36.0	58.0
7	JA-252025P	3.7V	80	2.5	20.0	25.0
8	JA-263441P	3.7V	350	2.6	34.0	41.0
9	JA-282933P	3.7V	180	2.8	29.0	33.0
10	JA-282943P	3.7V	300	2.8	29.0	43.0
11	JA-284279P	3.7V	900	2.8	42.0	79.0
12	JA-283562P	3.7V	600	2.8	35.0	62.0
13	JA-292737P	3.7V	200	2.9	27.0	37.0
14	JA-293450P	3.7V	500	2.9	34.0	50.0
15	JA-293455P	3.7V	520	2.9	34.0	55.0
16	JA-294057P	3.7V	610	2.9	40.0	57.0
17	JA-301730P	3.7V	90	3.0	17.0	30.0
18	JA-304246P	3.7V	530	3.0	42.0	46.0
19	JA-301730P	3.7V	110	3.0	17.0	30.0
20	JA-302430P	3.7V	155	3.0	24.0	30.0
21	JA-301848P	3.7V	210	3.0	18.0	48.0
22	JA-302248P	3.7V	260	3.0	22.0	48.0
23	JA-303533P	3.7V	280	3.0	35.0	33.0
24	JA-303040P	3.7V	300	3.0	30.0	40.0
25	JA-303442P	3.7V	340	3.0	34.0	42.0
26	JA-303545P	3.7V	360	3.0	35.0	45.0
27	JA-303048P	3.7V	380	3.0	30.0	48.0
28	JA-303754P	3.7V	550	3.0	37.0	54.0
29	JA-304255P	3.7V	600	3.0	42.0	55.0
30	JA302248P	3.7V	260	3.0	22.0	48.0
31	JA-303545P	3.7V	360	3.0	35.0	45.0
32	JA-322248P	3.7V	280	3.2	22.0	48.0
33	JA-333157P	3.7V	520	3.3	31.0	57.0
34	JA-333658P	3.7V	670	3.3	36.0	58.0
35	JA-334566P	3.7V	900	3.3	45.0	66.0
36	JA-334688P	3.7V	1400	3.3	46.0	88.0
37	JA-333157P	3.7V	530	3.3	31.0	57.0
38	JA-343048P	3.7V	450	3.4	30.0	48.0
39	JA-343760P	3.7V	700	3.4	37.0	60.0
40	JA-352030P	3.7V	150	3.5	20.0	30.0
41	JA-352430P	3.7V	190	3.5	24.0	30.0
42	JA-355585P	3.7V	1600	3.5	55.0	85.0
43	JA-352131P	3.7V	200	3.5	21.0	31.0
44	JA-353040P	3.7V	350	3.5	30.0	40.0
45	JA-353640P	3.7V	440	3.5	36.0	40.0
46	JA-353545P	3.7V	450	3.5	35.0	45.0
47	JA-353455P	3.7V	600	3.5	34.0	55.0
48	JA-354050P	3.7V	620	3.5	40.0	50.0
49	JA-354250P	3.7V	700	3.5	42.0	50.0

50	JA-3543120P	3.7V	1800	3.5	43.0	120.0
51	JA-353939P	3.7V	2500	3.5	39.0	39.0
52	JA-352342P	3.7V	320	3.5	23.0	42.0
53	JA-352936P	3.7V	350	3.5	29.0	36.0
54	JA-353040P	3.7V	300	3.5	30.0	40.0
55	JA-353535P	3.7V	350	3.5	35.0	35.0
56	JA-353545P	3.7V	450	3.5	35.0	45.0
57	JA-351428P	3.7V	90	3.5	14.0	28.0
58	JA-363450P	3.7V	580	3.6	34.0	50.0
59	JA-364364P	3.7V	1000	3.6	43.0	64.0
60	JA-375055P	3.7V	900	3.7	50.0	55.0
61	JA-374850P	3.7V	900	3.7	48.0	50.0
62	JA-383450P	3.7V	620	3.8	34.0	50.0
63	JA-381330P	3.7V	100	3.8	13.0	30.0
64	JA-381822P	3.7V	100	3.8	18.0	22.0
65	JA-381730P	3.7V	140	3.8	17.0	30.0
66	JA-382535P	3.7V	280	3.8	25.0	35.0
67	JA-382245P	3.7V	330	3.8	22.0	45.0
68	JA-383048PP	3.7V	430	3.8	30.0	48.0
69	JA-383562P	3.7V	800	3.8	35.0	62.0
70	JA-3845135P	3.7V	2400	3.8	45.0	135.0
71	JA382245P	3.7V	350	3.8	22.0	45.0
72	JA-382535P	3.7V	280	3.8	25.0	35.0
73	JA-382745P	3.7V	430	3.8	27.0	45.0
74	JA-383136P	3.7V	380	3.8	31.0	36.0
75	JA-383450P	3.7V	680	3.8	34.0	50.0
76	JA-383842P	3.7V	530	3.8	38.0	42.0
77	JA-381223P	3.7V	70	3.8	12.0	23.0
78	JA-383561P	3.7V	920	3.8	35.0	61.0
79	JA-401235P	3.7V	135	4.0	12.0	35.0
80	JA-401425P	3.7V	100	4.0	14.0	25.0
81	JA-401430P	3.7V	130	4.0	14.0	30.0
82	JA-402025P	3.7V	135	4.0	20.0	25.0
83	JA-402033P	3.7V	200	4.0	20.0	33.0
84	JA-402035P	3.7V	220	4.0	20.0	35.0
85	JA-403048P	3.7V	550	4.0	30.0	48.0
86	JA-403450P	3.7V	680	4.0	34.0	50.0
87	JA-402833P	3.7V	330	4.0	28.0	33.0
88	JA-402540P	3.7V	350	4.0	25.0	40.0
89	JA-402248P	3.7V	380	4.0	22.0	48.0
90	JA-402646P	3.7V	400	4.0	26.0	46.0
91	JA-402060P	3.7V	430	4.0	20.0	60.0
92	JA-403040P	3.7V	450	4.0	30.0	40.0
93	JA-404279P	3.7V	1000	4.0	42.0	79.0
94	JA-405050P	3.7V	1000	4.0	50.0	50.0
95	JA-404859P	3.7V	1100	4.0	48.0	59.0
96	JA-405070P	3.7V	1400	4.0	50.0	70.0
97	JA-042538P	3.7V	350	4.0	25.0	38.0
98	JA-043040P	3.7V	310	4.0	30.0	40.0
99	JA-401430P	3.7V	120	4.0	14.0	30.0
100	JA401443P	3.7V	180	4.0	14.0	43.0
101	JA-401730P	3.7V	150	4.0	17.0	30.0
102	JA-402035P	3.7V	200	4.0	20.0	35.0
103	JA-402248P	3.7V	380	4.0	22.0	48.0
104	JA-403040P	3.7V	450	4.0	30.0	40.0

105	JA-403048P	3.7V	600	4.0	30.0	48.0
106	JA-405050P	3.7V	1000	4.0	50.0	50.0
107	JA-405585P	3.7V	1900	4.0	55.0	85.0
108	JA-402030P	3.7V	180	4.0	20.0	30.0
109	JA-401221P	3.7V	60	4.0	12.0	21.0
110	JA-411230P	3.7V	95	4.1	12.0	30.0
111	JA-411235P	3.7V	120	4.1	12.0	35.0
112	JA-411430P	3.7V	120	4.1	14.0	30.0
113	JA-412025P	3.7V	150	4.1	20.0	25.0
114	JA-411230P	3.7V	95	4.1	12.0	30.0
115	JA-411235P	3.7V	120	4.1	12.0	35.0
116	JA-412025P	3.7V	150	4.1	20.0	25.0
117	JA-422030P	3.7V	180	4.2	20.0	30.0
118	JA-421740P	3.7V	200	4.2	17.0	40.0
119	JA-422338P	3.7V	300	4.2	23.0	38.0
120	JA-422040P	3.7V	300	4.2	20.0	40.0
121	JA-423048PP	3.7V	450	4.2	30.0	48.0
122	JA-422040P	3.7V	280	4.2	20.0	40.0
123	JA-425563P	3.7V	1400	4.2	55.0	63.0
124	JA-432030PP	3.7V	180	4.3	20.0	30.0
125	JA-432055P	3.7V	420	4.3	20.0	55.0
126	JA-433048P	3.7V	580	4.3	30.0	48.0
127	JA-433466P	3.7V	1000	4.3	34.0	66.0
128	JA-434255P	3.7V	1000	4.3	42.0	55.0
129	JA-434279P	3.7V	1500	4.3	42.0	79.0
130	JA-432055P	3.7V	420	4.3	20.0	55.0
131	JA-434279P	3.7V	1550	4.3	42.0	79.0
132	JA-443441P	3.7V	630	4.4	34.0	41.0
133	JA-449877P	3.7V	3500	4.4	98.0	77.0
134	JA-452025PP	3.7V	130	4.5	20.0	25.0
135	JA-451730P	3.7V	180	4.5	17.0	30.0
136	JA-451834P	3.7V	220	4.5	18.0	34.0
137	JA-452030P	3.7V	220	4.5	20.0	30.0
138	JA-452033P	3.7V	230	4.5	20.0	33.0
139	JA-452035P	3.7V	260	4.5	20.0	35.0
140	JA-452248P	3.7V	430	4.5	22.0	48.0
141	JA-455585P	3.7V	2200	4.5	55.0	85.0
142	JA-4525130P	3.7V	1350	4.5	25.0	130.0
143	JA-453485P	3.7V	1300	4.5	34.0	85.0
144	JA-455585P	3.7V	2200	4.5	55.0	85.0
145	JA-462430P	3.7V	280	4.6	24.0	30.0
146	JA-463450P	3.7V	750	4.6	34.0	50.0
147	JA-462035P	3.7V	300	4.6	20.0	35.0
148	JA-462430P	3.7V	300	4.6	24.0	30.0
149	JA-4745135P	3.7V	2600	4.7	45.0	135.0
150	JA-484497P	3.7V	2200	4.8	44.0	97.0
151	JA-0545135P	3.7V	3000	5.0	45.0	135.0
152	JA-0548125P	3.7V	3000	5.0	48.0	125.0
153	JA-0548135P	3.7V	3100	5.0	48.0	135.0
154	JA-0553135P	3.7V	3200	5.0	53.0	135.0
155	JA-501235P	3.7V	160	5.0	12.0	35.0
156	JA-501430P	3.7V	150	5.0	14.0	30.0
157	JA-502030P	3.7V	250	5.0	20.0	30.0
158	JA-502033P	3.7V	300	5.0	20.0	33.0
159	JA-502035P	3.7V	320	5.0	20.0	35.0

160	JA-502236P	3.7V	340	5.0	22.0	36.0
161	JA-502338P	3.7V	380	5.0	23.0	38.0
162	JA-505065P	3.7V	1700	5.0	50.0	65.0
163	JA-505070P	3.7V	1850	5.0	50.0	70.0
164	JA-505075P	3.7V	2000	5.0	50.0	75.0
165	JA-505085P	3.7V	2300	5.0	50.0	85.0
166	JA-505585P	3.7V	2500	5.0	55.0	85.0
167	JA-505590P	3.7V	2600	5.0	55.0	90.0
168	JA-501417PP	3.7V	50	5.0	14.0	17.0
169	JA-501419PP	3.7V	65	5.0	14.0	19.0
170	JA-501422PP	3.7V	80	5.0	14.0	22.0
171	JA-501230P	3.7V	130	5.0	12.0	30.0
172	JA-502030PP	3.7V	200	5.0	20.0	30.0
173	JA-502430P	3.7V	300	5.0	24.0	30.0
174	JA-501747P	3.7V	350	5.0	17.0	47.0
175	JA-502540P	3.7V	430	5.0	25.0	40.0
176	JA-503048PP	3.7V	540	5.0	30.0	48.0
177	JA-503040P	3.7V	550	5.0	30.0	40.0
178	JA-503450PP	3.7V	680	5.0	34.0	50.0
179	JA-503048P	3.7V	700	5.0	30.0	48.0
180	JA-503450P	3.7V	850	5.0	34.0	50.0
181	JA-503466PP	3.7V	900	5.0	34.0	66.0
182	JA-504052P	3.7V	1000	5.0	40.0	52.0
183	JA-503070P	3.7V	1000	5.0	30.0	70.0
184	JA-504550P	3.7V	1150	5.0	45.0	50.0
185	JA-505050P	3.7V	1250	5.0	50.0	50.0
186	JA-504859P	3.7V	1400	5.0	48.0	59.0
187	JA-505585PP	3.7V	1800	5.0	55.0	85.0
188	JA-505862P	3.7V	1910	5.0	58.0	62.0
189	JA-5048158P	3.7V	3500	5.0	48.0	158.0
190	JA-051225P	3.7V	100	5.0	12.0	25.0
191	JA-501435P	3.7V	200	5.0	14.0	35.0
192	JA-502025P	3.7V	190	5.0	20.0	25.0
193	JA-502030P	3.7V	250	5.0	20.0	30.0
194	JA-502646P	3.7V	450	5.0	26.0	46.0
195	JA-503040P	3.7V	550	5.0	30.0	40.0
196	JA503436P	3.7V	550	5.0	34.0	36.0
197	JA503455P	3.7V	1000	5.0	34.0	55.0
198	JA-501220P	3.7V	80	5.0	12.0	20.0
199	JA-501223P	3.7V	95	5.0	12.0	23.0
200	JA-503759P	3.7V	1250	5.0	37.0	59.0
201	JA-503562P	3.7V	1260	5.0	35.0	62.0
202	JA-512535P	3.7V	380	5.1	25.0	35.0
203	JA-513446P	3.7V	880	5.1	34.0	46.0
204	JA-522338P	3.7V	400	5.2	23.0	38.0
205	JA-523450P	3.7V	950	5.2	34.0	50.0
206	JA-5245135P	3.7V	2500	5.2	45.0	135.0
207	JA-532030P	3.7V	270	5.3	20.0	30.0
208	JA-533048P	3.7V	700	5.3	30.0	48.0
209	JA-5340105P	3.7V	2300	5.3	40.0	105.0
210	JA-534363P	3.7V	1500	5.3	43.0	63.0
211	JA-542240P	3.7V	460	5.4	22.0	40.0
212	JA-542646P	3.7V	600	5.4	26.0	46.0
213	JA-541315P	3.7V	55	5.4	13.0	15.0
214	JA-552030P	3.7V	280	5.5	20.0	30.0

215	JA-551417PP	3.7V	60	5.5	14.0	17.0
216	JA-551419PP	3.7V	70	5.5	14.0	19.0
217	JA-552030PP	3.7V	230	5.5	20.0	30.0
218	JA-552236P	3.7V	380	5.5	22.0	36.0
219	JA-552540P	3.7V	480	5.5	25.0	40.0
220	JA-553450P	3.7V	950	5.5	34.0	50.0
221	JA-554762P	3.7V	1650	5.5	47.0	62.0
222	JA-554770P	3.7V	1950	5.5	47.0	70.0
223	JA-5530130P	3.7V	2200	5.5	30.0	130.0
224	JA-552540P	3.7V	480	5.5	25.0	40.0
225	JA-554770P	3.7V	2000	5.5	47.0	70.0
226	JA-551225P	3.7V	100	5.5	12.0	25.0
227	JA-553350P	3.7V	1050	5.5	33.0	50.0
228	JA-562248PP	3.7V	450	5.6	22.0	48.0
229	JA-5638125P	3.7V	2800	5.6	38.0	125.0
230	JA-571822P	3.7V	160	5.7	18.0	22.0
231	JA-573453P	3.7V	1000	5.7	34.0	53.0
232	JA-573850P	3.7V	1050	5.7	38.0	50.0
233	JA-574048P	3.7V	1000	5.7	40.0	48.0
234	JA-574060P	3.7V	1300	5.7	40.0	60.0
235	JA-584279P	3.7V	2000	5.8	42.0	79.0
236	JA-5840105P	3.7V	2600	5.8	40.0	105.0
237	JA-5830160P	3.7V	3000	5.8	30.0	160.0
238	JA-5840105P	3.7V	2600	5.8	40.0	105.0
239	JA-5838107P	3.7V	2500	5.8	38.0	107.0
240	JA-593851P	3.7V	1200	5.9	38.0	51.0
241	JA-063436P	3.7V	700	6.0	34.0	36.0
242	JA-063448P	3.7V	950	6.0	34.0	48.0
243	JA-064080P	3.7V	2100	6.0	40.0	80.0
244	JA-601752P	3.7V	500	6.0	17.0	52.0
245	JA-602033P	3.7V	330	6.0	20.0	33.0
246	JA-602035P	3.7V	370	6.0	20.0	35.0
247	JA-603450P	3.7V	1000	6.0	34.0	50.0
248	JA-602025P	3.7V	240	6.0	20.0	25.0
249	JA-601443P	3.7V	250	6.0	14.0	43.0
250	JA-601535P	3.7V	250	6.0	15.0	35.0
251	JA-602540P	3.7V	530	6.0	25.0	40.0
252	JA-603048PP	3.7V	600	6.0	30.0	48.0
253	JA-603545P	3.7V	800	6.0	35.0	45.0
254	JA-603450P	3.7V	1100	6.0	34.0	50.0
255	JA-604859P	3.7V	1700	6.0	48.0	59.0
256	JA-605060P	3.7V	1800	6.0	50.0	60.0
257	JA-605070P	3.7V	2200	6.0	50.0	70.0
258	JA-604460P	3.7V	1400	6.0	44.0	60.0
259	JA-605890P	3.7V	2200	6.0	58.0	90.0
260	JA-605890P	3.7V	2500	6.0	58.0	90.0
261	JA-612030P	3.7V	300	6.1	20.0	30.0
262	JA-611235P	3.7V	180	6.1	12.0	35.0
263	JA-622030PP	3.7V	270	6.2	20.0	30.0
264	JA-623048P	3.7V	900	6.2	30.0	48.0
265	JA-623466PP	3.7V	1000	6.2	34.0	66.0
266	JA-622535P	3.7V	500	6.2	25.0	35.0
267	JA-623653P	3.7V	1000	6.2	36.0	53.0
268	JA-623766P	3.7V	1800	6.2	37.0	66.0
269	JA-623776P	3.7V	1800	6.2	37.0	76.0

270	JA-633450P	3.7V	1100	6.3	34.0	50.0
271	JA-6332100P	3.7V	2000	6.3	32.0	100.0
272	JA-6330130P	3.7V	2600	6.3	30.0	130.0
273	JA-6335135P	3.7V	3000	6.3	35.0	135.0
274	JA-6345105P	3.7V	2500	6.3	45.0	105.0
275	JA-6334130P	3.7V	2200	6.3	34.0	130.0
276	JA-634899P	3.7V	2500	6.3	48.0	99.0
277	JA-652035PP	3.7V	350	6.5	20.0	35.0
278	JA-654762P	3.7V	1980	6.5	47.0	62.0
279	JA-6532130P	3.7V	2100	6.5	32.0	130.0
280	JA-6530130P	3.7V	2600	6.5	30.0	130.0
281	JA-6535110P	3.7V	2600	6.5	35.0	110.0
282	JA-6540105P	3.7V	2800	6.5	40.0	105.0
283	JA-654762P	3.7V	1980	6.5	47.0	62.0
284	JA-653295P	3.7V	2100	6.5	32.0	95.0
285	JA-6535100P	3.7V	2200	6.5	35.0	100.0
286	JA-6535130P	3.7V	3000	6.5	35.0	130.0
287	JA-656097P	3.7V	3500	6.5	60.0	97.0
288	JA-656097P	3.7V	2800	6.5	60.0	97.0
289	JA-655776P	3.7V	3100	6.5	57.0	76.0
290	JA-662859P	3.7V	980	6.6	28.0	59.0
291	JA-6735135P	3.7V	2500	6.7	35.0	135.0
292	JA-0735135P	3.7V	3100	7.0	35.0	135.0
293	JA-703466P	3.7V	1650	7.0	34.0	66.0
294	JA-702030PP	3.7V	300	7.0	20.0	30.0
295	JA-7030135P	3.7V	370	7.0	30.0	135.0
296	JA-703450PP	3.7V	850	7.0	34.0	50.0
297	JA-704255P	3.7V	1600	7.0	42.0	55.0
298	JA-7050110P	3.7V	2700	7.0	50.0	110.0
299	JA-7045145P	3.7V	5000	7.0	45.0	145.0
300	JA-7035145P	3.7V	4000	7.0	35.0	145.0
301	JA-7145135P	3.7V	3500	7.1	45.0	135.0
302	JA-723048PP	3.7V	800	7.2	30.0	48.0
303	JA-723466PP	3.7V	1200	7.2	34.0	66.0
304	JA-723465P	3.7V	1600	7.2	34.0	65.0
305	JA-7235135P	3.7V	3600	7.2	35.0	135.0
306	JA-7230130P	3.7V	3000	7.2	30.0	130.0
307	JA-733975P	3.7V	2000	7.3	39.0	75.0
308	JA-7532100P	3.7V	2200	7.5	32.0	100.0
309	JA-7532100P	3.7V	2600	7.5	32.0	100.0
310	JA-7647106P	3.7V	4400	7.6	47.0	106.0
311	JA-784762P	3.7V	2400	7.8	47.0	62.0
312	JA-7848105P	3.7V	4400	7.8	48.0	105.0
313	JA-801430P	3.7V	300	8.0	14.0	30.0
314	JA-8035145P	3.7V	4400	8.0	35.0	145.0
315	JA-8030130P	3.7V	2600	8.0	30.0	130.0
316	JA-803096P	3.7V	1800	8.0	30.0	96.0
317	JA-804040P	3.7V	1100	8.0	40.0	40.0
318	JA-822055P	3.7V	800	8.2	20.0	55.0
319	JA-824762P	3.7V	2500	8.2	47.0	62.0
320	JA-834255P	3.7V	1900	8.3	42.0	55.0
321	JA-8330130P	3.7V	2700	8.3	30.0	130.0
322	JA-902030PP	3.7V	300	9.0	20.0	30.0
323	JA-902045P	3.7V	770	9.0	20.0	45.0
324	JA-9030130P	3.7V	3300	9.0	30.0	130.0

325	JA-923466PP	3.7V	1800	9.2	34.0	66.0
326	JA-924266PP	3.7V	2100	9.2	42.0	66.0

- NOTE:** 1. Model no.ends with letter "P" refers polymer cells.
2. Model no. ends with letter "PP" means high discharge polyer cell.