









Zhuhai Hanbo Technology Co., Ltd.

Rm,505 Taishang Building,  
2029 Mingzhu Rd.,  
Zhuhai,519070,China  
Tel:0086-756-8520599  
Mobile: 0086-13697781990  
Fax:0086-8520522  
Email:eastag@easonline.com.cn  
MSN:zhangjiaojun@msn.com



Item No.	Photo	Description
B-001		Iron Mini Bottle Tag
		Frequency: 58KHz
		Dimension: Ø36mm (Ø1.42")
		Color: Black/Gray/White or Customized
		Lock: Three balls clutch, Standard/Super
		Packing detail: 250pcs/ctn, 0.035CBM, 10kg.
		Description: PVC coated steel cable with ball screwed
B-001B		Plastic Mini Bottle Tag
		Frequency: 58KHz
		Dimension: Ø36mm (Ø1.42")
		Color: Black/Gray/White or Customized
		Lock: Three balls clutch, Standard/Super.
		Packing detail: 250pcs/ctn, 0.035CBM, 10kg.
		Description: PVC coated plastic cable with ball screwed
B-002		Aluminum Head Bottle Tag
		Frequency: 8.2MHz/58KHz/1.95MHz
		Dimension: Ø56mm (Ø2.20")
		Color: Black/Gray/White or Customized
		Lock: Three balls clutch, Standard/Super
		Packing detail: 250pcs/ctn, 0.035CBM, 9kg.
		Description: PVC coated steel cable with ball screwed
B-002B		Plastic Head Bottle Tag
		Frequency: 8.2MHz/58KHz/1.95MHz
		Dimension: Ø56mm (Ø2.20")
		Color: Black/Gray/White or Customized
		Lock: Three balls clutch, Standard/Super
		Packing detail: 250pcs/ctn, 0.035CBM, 9kg.
		Description: PVC coated steel cable with ball screwed
B-003		Aluminum Head Can Tag
		Frequency: 8.2MHz/58KHz
		Dimension: Ø56mm (Ø2.20")
		Color: Black/Gray/White or Customized
		Lock: Three balls clutch, Standard/Super
		Packing detail: 500pcs/ctn, 0.035CBM, 17kg
		Description: PVC coated steel cable with ball screwed

<p><b>B-003B</b></p>		<p>Plastic Head Can Tag</p> <p>Frequency: 8.2MHz/58KHz</p> <p>Dimension: Ø56mm (Ø2.20")</p> <p>Color: Black/Gray/White or Customized</p> <p>Lock: Three balls clutch, Standard/Super</p> <p>Packing detail: 500pcs/ctn, 0.035CBM, 16.5kg.</p> <p>Description: PVC coated steel cable with ball screwed</p>
<p><b>B-004</b></p>		<p>Iron Tao Bottle Tag</p> <p>Frequency: 8.2MHz/58KHz/1.95MHz</p> <p>Dimension: Ø50mm (Ø1.97")</p> <p>Color: Black/Gray/White or Customized</p> <p>Lock: Three balls clutch, Standard/Super</p> <p>Packing detail: 250pcs/ctn, 0.03CBM, 11kg.</p> <p>Description: PVC coated steel cable with ball screwed</p>
<p><b>B-005</b></p>		<p>Plastic Tao Bottle Tag</p> <p>Frequency: 8.2MHz/58KHz/1.95MHz</p> <p>Dimension: Ø50mm (Ø1.97")</p> <p>Color: Black/Gray/White or Customized</p> <p>Lock: Three balls clutch, Standard/Super</p> <p>Packing detail: 250pcs/ctn, 0.03CBM, 11kg</p> <p>Description: Plastic cable with ball screwed</p>
<p><b>B-006</b></p>		<p>Mini Square Bottle Tag</p> <p>Frequency: 8.2MHz/1.95MHz</p> <p>Dimension: 48x42mm (1.89"x1.65")</p> <p>Color: Black/Gray/White or Customized</p> <p>Lock: Three balls clutch, Standard/Super</p> <p>Packing detail: 500pcs/ctn, 0.035CBM, 13kg.</p> <p>Description: PVC coated steel cable with ball screwed</p>
<p><b>B-007</b></p>		<p>Iron R50 Bottle Tag</p> <p>Frequency: 8.2MHz/58KHz/1.95MHz</p> <p>Dimension: Ø56mm (Ø2.20")</p> <p>Color: Black/Gray/White or Customized</p> <p>Lock: Three balls clutch, Standard/Super</p> <p>Packing detail: 250pcs/ctn, 0.035CBM, 9kg</p> <p>Description: PVC coated steel cable with ball screwed.</p>

<p><b>B-007B</b></p>		<p>Plastic R50 Bottle Tag</p> <p>Frequency: 8.2MHz/58KHz/1.95MHz</p> <p>Dimension: Ø56mm (Ø2.20")</p> <p>Color: Black/Gray/White or Customized</p> <p>Lock: Three balls clutch, Standard/Super</p> <p>Packing detail: 250pcs/ctn, 0.035CBM, 9kg.</p> <p>Description: Plastic cable with ball screwed</p>
<p><b>B-008</b></p>		<p>Water Drop Bottle Tag</p> <p>Frequency: 8.2MHz/58KHz/1.95MHz</p> <p>Dimension: 69mmx60mm (2.72"-2.36")</p> <p>Color: Black/Gray/White or Customized</p> <p>Lock: Three balls clutch, Standard/Super</p> <p>Packing detail: 250pcs/ctn, 0.035CBM, 11kg.</p> <p>Description: PVC coated steel cable with ball screwed.</p>
<p><b>B-009</b></p>		<p>Water Drop Can Tag</p> <p>Frequency: 8.2MHz/58KHz/1.95MHz</p> <p>Dimension: 69mmx60mm (2.72"-2.36")</p> <p>Color: Black/Gray/White or Customized</p> <p>Lock: Three balls clutch, Standard/Super</p> <p>Packing detail: 200pcs/ctn, 0.035CBM, 11kg.</p> <p>Description: PVC coated steel cable with ball screwed.</p>