















Zhuhai Hanbo Technology Co., Ltd.

Rm,505 Taishang Building,
2029 Mingzhu Rd.,
Zhuhai,519070,China
Tel:0086-756-8520599
Mobile:0086-13697781990
Fax:0086-8520522
Email:eastag@easonline.com.cn
MSN:zhangjiaojun@msn.com



Item No.	Photo	Description
D-100		Steel Countertop Detacher
		Frequency: 58KHz
		Dimension: Ø95mmx30mm (Ø3.74"x1.18")
		Magnetic force: >=4,500GS
		Weight: 750g
		Packing: 50pcs/ctn, 0.026CBM, 38.3kg
		Description: Standard,iron made.
D-101		Countertop Detacher
		Frequency: 58KHz
		Dimension: Ø75mmx25mm (Ø2.95"x0.98")
		Magnetic force: >=4,500GS
		Weight: 210g
		Packing: 100pcs/ctn, 0.026CBM, 21.8kg
		Description: Standard, aluminum made.
D-102		Countersunk Detacher
		Frequency: 58KHz
		Dimension: Ø65mmx25mm (Ø2.56"x0.98")
		Magnetic force: >=4,500GS
		Weight: 290g
		Packing: 100pcs/ctn, 0.026CBM, 20.4kg
		Description: Standard, aluminum made.
D-201		Countertop Detacher
		Frequency: 58KHz
		Dimension: Ø75mmx45mm (Ø2.95"x1.77")
		Magnetic force: >=7,500GS
		Weight: 460g
		Packing: 60pcs/ctn, 0.026CBM, 22.8kg
		Description: Super, aluminum made.

D-202		<p>Countersunk Detacher</p> <p>Frequency: 58KHz</p> <p>Dimension: Ø75mmx45mm (Ø2.95"x1.77")</p> <p>Magnetic force: >=7,500GS</p> <p>Weight: 460g</p> <p>Packing: 60pcs/ctn, 0.026CBM, 26.8kg</p> <p>Description: Super, aluminum made.</p>
D-203		<p>Cone Detacher</p> <p>Frequency: 58KHz</p> <p>Dimension: Ø75mmx45mm (Ø2.95"x1.77")</p> <p>Magnetic force: >=7,500GS</p> <p>Weight: 460g</p> <p>Packing: 60pcs/ctn, 0.026CBM, 28kg</p> <p>Description: Super, aluminum made.</p>
D-204		<p>Cone w/Natchs Detacher</p> <p>Frequency: 58KHz</p> <p>Dimension: Ø75mmx45mm (Ø2.95"x1.77")</p> <p>Magnetic force: >=7,500GS</p> <p>Weight: 460g</p> <p>Packing: 60pcs/ctn, 0.026CBM, 27.5kg</p> <p>Description: Super, aluminum made.</p>
D-301		<p>Magnetic Detacher</p> <p>Frequency: 8.2MHz or 58KHz</p> <p>Dimension: Ø75mmx35mm (Ø2.95"x1.38")</p> <p>Magnetic force: >=12,000GS</p> <p>Weight: 460g</p> <p>Packing: 60pcs/ctn, 0.026CBM, 28.3kg</p> <p>Description: Super, aluminum made.</p>
D-302		<p>Magnetic Detacher</p> <p>Frequency: 8.2MHz or 58KHz</p> <p>Dimension: Ø75mmx35mm (Ø2.95"x1.38")</p> <p>Magnetic force: >=12,000GS</p> <p>Weight: 460g</p> <p>Packing: 60pcs/ctn, 0.026CBM, 22.4kg</p> <p>Description: Super, aluminum made.</p>

D-303		<p>Golf/Dome Detacher</p> <p>Frequency: 8.2MHz or 58KHz</p> <p>Dimension: Ø75mmx35mm (Ø2.95"x1.38")</p> <p>Magnetic force: >=12,000GS</p> <p>Weight: 460g</p> <p>Packing: 60pcs/ctn, 0.026CBM, 25.8kg</p> <p>Description: Super, aluminum made.</p>
D-304		<p>Magnetic Detacher</p> <p>Frequency: 8.2MHz or 58KHz</p> <p>Dimension: Ø75mmx35mm (Ø2.95"x1.38")</p> <p>Magnetic force: >=12,000GS</p> <p>Weight: 460g</p> <p>Packing: 60pcs/ctn, 0.026CBM, 23.9kg</p> <p>Description: Super, aluminum made.</p>
D-305		<p>Magnetic Detacher</p> <p>Frequency: 8.2MHz or 58KHz</p> <p>Dimension: Ø75mmx35mm (Ø2.95"x1.38")</p> <p>Magnetic force: >=12,000GS</p> <p>Weight: 460g</p> <p>Packing: 60pcs/ctn, 0.026CBM, 26.8kg</p> <p>Description: Super, aluminum made.</p>
D-401		<p>Flexible Detacher</p> <p>Frequency: 8.2MHz or 58KHz</p> <p>Dimension: Ø40mm (Ø1.57")</p> <p>Magnetic force: >=4,500GS</p> <p>Weight: 300g</p> <p>Packing: 60pcs/ctn, 0.028CBM, 18.5kg</p> <p>Description: Standard, aluminum made.</p>
D-402		<p>Magnetic Key Detacher</p> <p>Frequency: 8.2MHz or 58KHz</p> <p>Dimension: Ø40mm(Ø1.57")</p> <p>Magnetic force: N/A</p> <p>Packing: Customized</p> <p>Description: Applicable to various kinds of detachers.</p>