




Zhuhai Hanbo Technology Co., Ltd.

Rm,505 Taishang Building,  
 2029 Mingzhu Rd.,  
 Zhuhai,519070,China  
 Tel:0086-756-8520599  
 Mobile: 0086-13697781990  
 Fax:0086-8520522  
 Email:eastag@easonline.com.cn  
 MSN:zhangjiaojun@msn.com




Item No.	Photo	Description
T-001		Mini Square Frequency: 8.2MHz Dimensions: 48mmx42mm (1.89"x1.65") Lock: Standard Color: White/Black/Gray or customize Carton specifications: 1000pcs/carton, 36x32x26cm, 9.8kgs.
T-001B		New Mini Square Frequency: 8.2MHz Dimensions: 52mmx43mm (2.05"x1.69") Lock: Standard Color: White/Black/Gray or customize Carton specifications: 1000pcs/carton, 36x32x30cm, 10.2kgs.
T-002		Large Square Frequency: 8.2MHz Dimensions: 70mmx58mm (2.75"x2.28") Lock: Standard Color: White/Black/Gray or customize Carton specifications: 500pcs/carton, 36x32x26cm, 10.5kgs.
T-003		Mini Cone Frequency: 8.2MHz Dimensions: Ø42mm (Ø1.65") Lock: Standard Color: White/Black/Gray or customize Carton specifications: 1000pcs/carton, 36x32x26cm, 10.0kgs.





T-003B		<p>New Mini Cone</p> <p>Frequency: 8.2MHz</p> <p>Dimensions: Ø45mm (Ø1.77")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 11.0kgs.</p>
T-004		<p>Midi Cone</p> <p>Frequency: 8.2MHz</p> <p>Dimensions: Ø50mm (Ø1.97")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 38x29x30cm, 11.0kgs.</p>
T-005		<p>Large Cone</p> <p>Frequency: 8.2MHz</p> <p>Dimensions: Ø 63mm (Ø 2.48")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 500pcs/carton, 36x32x30cm, 9.0kgs.</p>
T-005B		<p>New Large Cone</p> <p>Frequency: 8.2MHz</p> <p>Dimensions: Ø 63mm (Ø 2.48")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 500pcs/carton, 36x32x31cm, 9.0kgs.</p>
T-006		<p>R30</p> <p>Frequency: 8.2MHz</p> <p>Dimensions: Ø 30mm (Ø 1.18")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 36x32x26cm, 11.0kgs.</p>

T-007		R40 Frequency: 8.2MHz Dimensions: Ø 40mm (Ø 1.50") Lock: Standard Color: White/Black/Gray or customize Carton specifications: 1000pcs/carton, 36x32x26cm, 9.5kgs.
T-007B		New R40 Frequency: 8.2MHz Dimensions: Ø 40mm (Ø 1.50") Lock: Standard Color: White/Black/Gray or customize Carton specifications: 1000pcs/carton, 36x32x26cm, 10.0kgs.
T-008		R50 Frequency: 8.2MHz Dimensions: Ø 50mm (Ø 1.97") Lock: Standard Color: White/Black/Gray or customize Carton specifications: 1000pcs/carton, 36x32x30cm, 11.0kgs.
T-008B		R50 Flat Frequency: 8.2MHz Dimensions: Ø 50mm (Ø 1.97") Lock: Standard Color: White/Black/Gray or customize Carton specifications: 1000pcs/carton, 36x32x31cm, 11.0kgs.
T-008C		New R50 Frequency: 8.2MHz Dimensions: Ø 50mm (Ø 1.97") Lock: Standard Color: White/Black/Gray or customize Carton specifications: 500pcs/carton, 38x29x25cm, 7.0kgs.

T-009		R60 Frequency: 8.2MHz Dimensions: Ø 60mm (Ø 2.36") Lock: Standard Color: White/Black/Gray or customize Carton specifications: 500pcs/carton, 36x32x30cm, 9.0kgs.
T-010		Alpha Frequency: 8.2MHz Dimensions: Ø 65mm (Ø 2.56") Lock: Standard Color: White/Black/Gray or customize Carton specifications: 500pcs/carton, 36x32x31cm, 10.0kgs.
T-010B		New Alpha Frequency: 8.2MHz Dimensions: Ø 50mm (Ø 1.97") Lock: Standard Color: White/Black/Gray or customize Carton specifications: 500pcs/carton, 36x32x26cm, 9.0kgs.
T-010C		Mini Alpha Frequency: 8.2MHz Dimensions: Ø 40mm (Ø 1.57") Lock: Standard Color: White/Black/Gray or customize Carton specifications: 1000pcs/carton, 36x32x31cm, 12.5kgs.
T-011		Mini Golf Frequency: 8.2MHz Dimensions: Ø 45mm (Ø 1.57") Lock: Standard Color: White/Black/Gray or customize Carton specifications: 1000pcs/carton, 36x32x31cm, 12.0kgs.

T-011B		<p>Flat Golf</p> <p>Frequency: 8.2MHz</p> <p>Dimensions: Ø 54mm (Ø 2.13")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 500pcs/carton, 38x29x25cm, 9.0kgs.</p>
T-012		<p>Midi Golf</p> <p>Frequency: 8.2MHz or 58KHz</p> <p>Dimensions: Ø 55mm (Ø 2.17")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 500pcs/carton, 36x32x26cm, 9.0kgs.</p>
T-013		<p>Large Golf</p> <p>Frequency: 8.2MHz or 58KHz</p> <p>Dimensions: Ø 64mm (Ø 2.52")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 500pcs/carton, 40x32x30cm, 11.0kgs.</p>
T-014		<p>Mini UFO</p> <p>Frequency: 8.2MHz</p> <p>Dimensions: Ø 42mm (Ø 1.65")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 36x32x31cm, 11.0kgs.</p>
T-016		<p>Tao 40</p> <p>Frequency: 8.2MHz</p> <p>Dimensions: Ø 40mm (Ø 1.58")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 38x29x35cm, 12.0kgs.</p>

T-017		<p>Tao 50</p> <p>Frequency: 8.2MHz or 58KHz</p> <p>Dimensions: Ø 50mm (Ø 1.97")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 500pcs/carton, 36x32x26cm, 8.0kgs.</p>
T-017B		<p>New Tao 50</p> <p>Frequency: 8.2MHz or 58KHz</p> <p>Dimensions: Ø 50mm (Ø 1.97")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 500pcs/carton, 36x32x26cm, 8.0kgs.</p>
T-017C		<p>Tao 60</p> <p>Frequency: 8.2MHz or 58KHz</p> <p>Dimensions: Ø 60mm (Ø 2.36")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 500pcs/carton, 38x29x33cm, 10.0kgs.</p>
T-018		<p>Nipple</p> <p>Frequency: 8.2MHz</p> <p>Dimensions: Ø 42mm (Ø 1.65")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 38x29x25cm, 9.0kgs.</p>
T-019		<p>Water Drop</p> <p>Frequency: 8.2MHz</p> <p>Dimensions: 69mmx60mm (2.72"x2.36")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 500pcs/carton, 36x32x26cm, 14.0kgs.</p>

T-020		<p>Flat Triangle</p> <p>Frequency: 8.2MHz</p> <p>Dimensions: 40mm(1.57")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 38x29x25cm, 10.0kgs.</p>
T-020B		<p>Mini Triangle</p> <p>Frequency: 8.2MHz</p> <p>Dimensions: 40mm(1.57")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 38x29x25cm, 8.0kgs.</p>
T-021		<p>Clutch Tag</p> <p>Frequency: 8.2MHz</p> <p>Dimensions: Ø 45mm (Ø 1.77")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 38x29x30cm, 10.0kgs.</p>
T-022		<p>Mini Round</p> <p>Frequency: 8.2MHz</p> <p>Dimensions: Ø 42mm (Ø 1.65")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 40x30x23cm, 10.5kgs.</p>
T-024		<p>Large Round</p> <p>Frequency: 8.2MHz</p> <p>Dimensions: Ø 63mm (Ø 2.48")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 500pcs/carton, 9.0kgs.</p>


T-031		<p>Mini Pencil</p> <p>Frequency: 8.2MHz or 58KHz</p> <p>Dimensions: 46mmx13mm (1.81"x0.51")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 34x32x18cm, 9.5kgs.</p>
T-031B		<p>New Mini Pencil</p> <p>Frequency: 8.2MHz or 58KHz</p> <p>Dimensions: 46mmx13mm (1.81"x0.51")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 38x29x18cm, 12.0kgs.</p>
T-031C		<p>Flat Mini Pencil</p> <p>Frequency: 58KHz</p> <p>Dimensions: 52mmx43mm (2.05"x1.69")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 38x29x18cm, 12.0kgs.</p>
T-032		<p>Midi Pencil</p> <p>Frequency: 8.2MHz or 58KHz</p> <p>Dimensions: 51mmx13mm (2.01"x0.51")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 34x32x18cm, 11.0kgs.</p>
T-032B		<p>New Midi Pencil</p> <p>Frequency: 8.2MHz or 58KHz</p> <p>Dimensions: 51mmx13mm (2.01"x0.51")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 34x32x18cm, 10.0kgs.</p>

T-032C		<p>Max Midi Pencil</p> <p>Frequency: 8.2MHz</p> <p>Dimensions: 51mmx13mm (2.01"x0.51")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 38x29x18cm, 13.0kgs.</p>
T-032D		<p>Flat Midi Pencil</p> <p>Frequency: 8.2MHz or 58KHz</p> <p>Dimensions: 51mmx13mm (2.01"x0.51")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 36x32x26cm, 9.5kgs.</p>
T-033		<p>Large Pencil</p> <p>Frequency: 8.2MHz or 58KHz</p> <p>Dimensions: 68mmx23mm (2.68"x0.91")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 36x32x26cm, 14.0kgs.</p>
T-034		<p>Bestag</p> <p>Frequency: 8.2MHz or 58KHz</p> <p>Dimensions: 50mmx25mm (1.97"x0.98")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 36x32x26cm, 13.0kgs.</p>
T-034B		<p>New Bestag</p> <p>Frequency: 8.2MHz or 58KHz</p> <p>Dimensions: 68mmx25mm(2.68"x0.98")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 38x29x30cm, 17.5kgs.</p>

T-035		Mickey Pencil Frequency: 8.2MHz or 58KHz Dimensions: 55mm (2.17") or 46mm(1.81") Lock: Standard Color: White/Black/Gray or customize Carton specifications: 1000pcs/carton, 38x29x25cm, 12.0kgs.
T-035B		New Mickey Pencil Frequency: 8.2MHz or 58KHz Dimensions: 55mm (2.17") or 46mm(1.81") Lock: Standard Color: White/Black/Gray or customize Carton specifications: 1000pcs/carton, 36x32x26cm, 13.5kgs.
T-035C		New Mickey Pencil Frequency: 8.2MHz or 58KHz Dimensions: 55mm (2.17") or 46mm(1.81") Lock: Standard Color: White/Black/Gray or customize Carton specifications: 1000pcs/carton, 36x32x26cm, 11.0kgs.
T-036		Super Tag II Frequency: 58KHz Dimensions: 88mmx30.5mmx18.8mm (3.15"x1.20"x0.74") Lock: Standard Color: White/Black/Gray or customize Carton specifications: 500pcs/carton, 38x29x22cm, 9.0kgs.
T-036B		Super Tag Frequency: 58KHz Dimensions: 88mmx30.5mmx18.8mm (3.46"x1.20"x0.74") Lock: Standard Color: White/Black/Gray or customize Carton specifications: 500pcs/carton, 38x29x25cm, 9.0kgs.

T-036C		<p>Mini Super Tag</p> <p>Frequency: 58KHz</p> <p>Dimensions: 54mmx32mmx18mm (2.12"x1.19"x0.71")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 38x29x30cm, 13.0kgs.</p>
T-036D		<p>Comma Tag</p> <p>Frequency: 58KHz</p> <p>Dimensions: 55mmx20mm(2.17"x0.79")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 38x29x25cm, 13.0kgs.</p>
T-036E		<p>Mini Comma Tag</p> <p>Frequency: 58KHz</p> <p>Dimensions: 25mmx20mm(0.98"x0.79")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 13.0kgs.</p>
T-036F		<p>New Super Tag</p> <p>Frequency: 8.2MHz or 58KHz</p> <p>Dimensions: 75mmx30mmx20.8mm (2.95"x1.20"x0.82")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 500pcs/carton, 9.0kgs.</p>
T-036G		<p>Super VST</p> <p>Frequency: 58KHz</p> <p>Dimensions: 55mmx31mm(2.17"x1.2")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 9.0kgs.</p>

<p><b>T-037</b></p>		<p>Ultra Gator</p> <p>Frequency: 58KHz</p> <p>Dimensions: 96mmx28mm(3.78"x1.10")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 500pcs/carton, 38x29x35cm, 14.0kgs.</p>
<p><b>T-037B</b></p>		<p>Micro Gator</p> <p>Frequency: 58KHz</p> <p>Dimensions: 75mmx28mm(2.95"x1.10")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 500pcs/carton, 38x29x35cm, 13.0kgs.</p>
<p><b>T-037C</b></p>		<p>Shoe Tag</p> <p>Frequency: 58KHz</p> <p>Dimensions: 60mmx20mm(2.36"x0.79")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 11.0kgs.</p>
<p><b>T-038</b></p>		<p>Pearl Tag</p> <p>Frequency: 8.2MHz or 58KHz</p> <p>Dimensions: 39x25mm(1.54"x0.98")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 38x29x25cm, 10.0kgs.</p>
<p><b>T-038B</b></p>		<p>Pearl Tag II</p> <p>Frequency: 8.2MHz or 58KHz</p> <p>Dimensions: 30mmx18mm(1.18"x0.71")</p> <p>Lock: Standard</p> <p>Color: White/Black/Gray or customize</p> <p>Carton specifications: 1000pcs/carton, 38x29x30cm, 10.0kgs.</p>

<p><b>T-039</b></p>		<p>Mini Napoleon</p> <hr/> <p>Frequency: 8.2MHz or 58KHz</p> <hr/> <p>Dimensions: 28mmx22mm(1.10"x0.98")</p> <hr/> <p>Lock: Standard</p> <hr/> <p>Color: White/Black/Gray or customize</p> <hr/> <p>Carton specifications: 2000pcs/carton, 38x29x25cm, 17.0kgs.</p>
<p><b>T-039B</b></p>		<p>Napoleon</p> <hr/> <p>Frequency: 8.2MHz or 58KHz</p> <hr/> <p>Dimensions: 45mmx35mm(1.77"x1.38")</p> <hr/> <p>Lock: Standard</p> <hr/> <p>Color: White/Black/Gray or customize</p> <hr/> <p>Carton specifications: 1000pcs/carton, 12.0kgs.</p>
<p><b>T-040</b></p>		<p>Sphere Tag</p> <hr/> <p>Frequency: 8.2MHz or 58KHz</p> <hr/> <p>Dimensions: Ø 30mm (Ø 1.18")</p> <hr/> <p>Lock: Standard</p> <hr/> <p>Color: White/Black/Gray or customize</p> <hr/> <p>Carton specifications: 1000pcs/carton, 36x32x26cm, 13.0kgs.</p>