

Drainage cleaning tools

for outdoor&indoor drainage pipelines maintenance and cleaning.

1.Electrical Power Types

Item No.:GQ-75 **Indoor pipes ϕ 20-100mm** cleaning.



-For indoor pipes diameter 20-100mm cleaning.

-Rated output power:250W,Rated voltage:220v or 110v,Frequency:50hz 60hz

-Rated rotation speed 400rpm Protection Grade:IP44

-Soft shafts size ϕ 8mm, ϕ 15mm, ϕ 16mm

-Soft shafts ϕ 8mm ϕ 15mm for pipes ϕ 20-75mm in complex lines like traps length 4.6m

-Soft shafts ϕ 16mm for pipes ϕ 32-100mm in complex lines.The length can be the desired.

-Press handle switch,the rotation speed can be 400rpm.The soft shafts in stop while the hand move away from the handle switch.Easy to operate.

-Light weight,convenient,flexible,durable and stable in operations.

Total weight:18kgs.

With machine,there have one ϕ 15mm soft shaft,seven ϕ 16mm soft shafts and one ϕ 430 soft shaft holder.8 ϕ 16mm drills,1accessory barrel, ϕ 8mm shaft combination key. Protection gloves.

Accessories infos below:

 NO.2.0211 T-1-a Straight Auger	 NO.2.0221 T-2-a Bulb Auger	 NO.2.0231 T-3-a Flexible Bulb Auger	 NO.2.0251 T-5-a Retrieving Auger	 NO.2.0261 T-6-a 4-Blade cutter	 NO.2.0271 T-7-a Grease Cutter	 NO.2.0281 T-8-a Sawtooth cutter	 NO.2.0291 T-9-a " C" - cutter
 NO.2.2111 RH1-1 ϕ 16mm Soft shaft	 NO.2.3611 F-6-a Accessory barrel	 NO.2.0321 F-2-a ϕ 8mm*8m soft shaft combination	 NO.2.0331 F-3-a Key	 NO.2.0351 F-5-a Protection gloves			

Item No.:GQ-100 **Indoor pipes ϕ 32-100mm** cleaning.



-For indoor pipes diameter 32-100mm cleaning.

-Rated output power:250W,Rated voltage:220v or 110v,Frequency:50hz 60hz

-Rated rotation speed 400rpm Protection Grade:IP44

-Soft shafts ϕ 16mm for pipes ϕ 32-100mm in complex lines.The length can be the desired.

-Press handle switch,the rotation speed can be 400rpm.The soft shafts in stop while the hand move away from the handle switch.Easy to operate.

-Light weight,compact structure,flexible,durable and stable in operations.

Total weight:22kgs.

With machine,there have six ϕ 16mm soft shafts,one ϕ 360 soft shafts holder,4 ϕ 16 drills
 Φ 4 Key,Stand,Protection gloves.

Accessories infos below:

 NO.2.0211 T-1-a Straight Auger	 NO.2.0251 T-5-a Retrieving Auger	 NO.2.0261 T-6-a 4-Blade Cutter	 NO.2.0261 T-6-a 4-Blade Cutter	 NO.2.2113 RH1-3 ϕ 16mm Soft Shaft	 NO.2.0342 F-4-b Stand II	 NO.2.0331 F-3-a Key	 NO.2.0351 F-5-a Protection gloves
--	--	--	--	---	--	---	---

Item No.:GQ-150 **Indoor pipes ϕ 20-150mm** cleaning.



-For indoor pipes diameter 20-150mm cleaning.

-Rated output power:250W,Rated voltage:220v or 110v,Frequency:50hz 60hz

-Rated rotation speed 400rpm Protection Grade:IP44

-Soft shaft ϕ 8mm ϕ 15mm for pipes ϕ 20-75mm in complex lines.Cleaning length 4.3meters

-Soft shaft ϕ 16mm for pipes ϕ 32-100mm in complex lines.Cleaning length can be 30 meters.

-Soft shaft ϕ 22mm for pipes ϕ 50-150mm in complex lines.Cleaning length can be desired.

-Press handle switch,the rotation speed can be 400rpm.The soft shafts in stop while the hand move away from the handle switch.Easy to operate.

-Multifunctional,heavy duty,compact structure,wide applications,durable and stable in operations.

-Support is equipped to adjust the height and angle to meet different working conditions.

Total weight:43kgs.

With machine,there have one ϕ 15mm soft shafts,five ϕ 6mm soft shafts,one ϕ 430 soft shaft holder
Accessory barrel,4 ϕ 16mm drills,4 ϕ 22mm drills
and 1 ϕ 8mm soft shaft combination, ϕ 4key,Stand,Protection gloves.

Accessories infos below:

 NO.2.0211 T-1-a Straight Auger	 NO.2.0231 T-3-a Flexible Bulb Auger	 NO.2.0251 T-5-a Retrieving Auger	 NO.2.0261 T-6-a 4-Blade Cutter	 NO.2.0212 T-1-b Straight Auger	 NO.2.0242 T-4-b Funnel Auger	 NO.2.0262 T-6-b 4-Blade Cutter	 NO.2.0272 T-7-b Grease Cutter
 NO.2.2113 RH1-3 ϕ 16mm Soft Shaft	 NO.2.2113 RH2-1 ϕ 22mm Soft Shaft	 NO.2.3611 F-6-a Accessory barrel	 NO.2.0342 F-4-b Stand II	 NO.2.0322 F-2-b ϕ 8mm*8m soft shaft combination	 NO.2.0331 F-3-a Key	 NO.2.0351 F-5-a Protection gloves	

Item No.:GQ-200 **Outdoor pipes ϕ 50-200mm** cleaning.



-For outdoor pipes diameter 50-200mm cleaning.

-Rated output power:750W,Rated voltage:220v or 110v,Frequency:50hz 60hz

-Rated rotation speed 700rpm Protection Grade:IP44

-Soft shaft ϕ 30mm for pipes ϕ 50-200mm in complex lines.Cleaning length can be desired.

-Press handle switch,the rotation speed can be 700rpm.The soft shafts in stop while the hand move away from the handle switch.Easy to operate.

-Multifunctional,heavy duty,compact structure,wide applications,durable and stable in operations.

-Transportation wheels matched.and special drill suspenders are easy to maintain and use.

Total weight:80kgs.

With machine,there have four ϕ 30mm soft shafts,one ϕ 500 soft shaft holder,six ϕ 30mm drills and drill shelf.Protection tube, ϕ 6key,protection gloves.

Accessories infos below:

 NO.2.0213 T-1-C Straight Auger	 NO.2.0243 T-4-C Funnel Auger	 NO.2.0253 T-5-C Retrieving Auger	 NO.2.0273 T-7-C Grease Cutter	 NO.2.0283 T-8-C Sawtooth cutter	 NO.2.0273 T-9-C "C"- Cutter
 NO.2.2114 RH3-1 ϕ 30mm Soft Shaft	 NO.2.3611 F-6-a Accessory barrel	 NO.2.0271 F-7-a Protection tube	 NO.2.0391 F-9-a Drill Shelf	 NO.2.0331 F-3-a Key	 NO.2.0351 F-5-a Protection gloves

Item No.:GQ-600

Civil Projects pipes ϕ 200-600mm cleaning.



-For outdoor pipes diameter 200-600mm cleaning.

-Rated output power:1600W,Rated voltage:220v or 110v,Frequency:50hz 60hz

-Rated rotation speed range from 100rpm to 600rpm Protection Grade:IP44

-Using removable sectional flexible shafts,with large bending resistance,twisting resistance and ductility resistance.The length can be desired.

-Multi-speeds,from 100rpm-600rpm.

-Multifunctional,heavy duty,more powerfull,wide applications,durable and stable in operations.

-Transportation wheels matched.and special drill suspenders are easy to maintain and use.


Total weight:139kgs.

With machine,there have four 30 ϕ 8mm Bar Elastic soft shafts,Accessory barrel including 4 ϕ 22 drills, ϕ 5.5Key,Bumper, ϕ 180*400 accessory barrel.protection gloves.

Accessories infos below:

 NO:2.2115 RH4-1 Bar Elastic	 NO:2.0214 T-1-d Straight Auger	 NO:2.0254 T-5-d Retrieving Auger	 NO:2.0274 T-7-d Spade Cutter	 NO:2.0284 T-8-d Sawtooth Gutter
 NO:2.0392 F-9-b Bumper	 NO:2.0361 F-6-a Accessory barrel	 NO:2.0331 F-3-a Key	 NO:2.0351 F-5-a Protection gloves	

Hand Pipe Cleaners



Ideal for quick and safe removal of things in the laboratories.

Specially designed to traverse tough traps

Vinyle guard protects damages.

$\Phi 12.7\text{mm}*(0.9\text{m}, 1.8\text{m})$, $\phi 9.5*0.9\text{m}$, $\phi 8*0.75\text{m}$, $\phi 6*1.25\text{m}$