

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758











LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP001	LED tube	TP-T8D8F5W	SMD, 1 foot,5W, 90-280VAC, G13	Φ 26*344mm	450LM		pc
TP002	LED tube	TP-T8S2F8W	SMD, 2 foot,8W, 90-280VAC,G13	Φ 26*602mm	780LM		pc
TP003	LED tube	TP-T8S3F10W	SMD, 3 foot, 10W, 90-280VAC, G13	Φ 26*906mm	1060LM		pc
TP004	LED tube	TP-T8S4F12W	SMD, 3 foot, 12W, 90-280VAC, G13	Φ 26*1212mm	1210LM		pc
TP005	LED tube	TP-T8S4F15W	SMD, 4 foot, 15W, 90-280VAC, G13	Φ26* 1212mm	1510LM		pc
TP006	LED tube	TP-T8S4F18W	SMD, 4 foot, 18W, 90-280VAC, G13	Φ26* 1212mm	1650LM		pc
TP007	LED tube	TP-T8S4F22W	SMD, 4 foot, 22W, 90-280VAC, G13	Φ26* 1212mm	2200LM		pc
TP008	LED tube	TP-T8S5F18W	SMD, 5 foot, 18W, 90-280VAC, G13	Φ26* 1512mm	1790LM		pc
TP009	LED tube	TP-T8S5F22W	SMD, 5 foot, 22W, 90-280VAC, G13	Φ26* 1512mm	2180LM		pc
TP010	LED tube	TP-T8S5F28W	SMD, 5 foot, 28W, 90-280VAC, G13	Φ26* 1512mm	2780LM		pc
TP011	LED tube	TP-T8S6F32W	SMD, 6 foot, 32W,90-280VAC , G13	Φ26* 1780mm	3180LM		pc

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758

LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP012	LED tube	TP-T8S8F36W	SMD, 8 foot, 36W, 90-280VAC, G13	Φ26* 2413mm	3580LM		pc
TP013	LED tube	TP-T10S4F18W	SMD, 4 foot, 18W, single pin FA8	Φ26* 1212mm	1900LM		pc
TP014	LED tube	TP-T10S8F36W	SMD, 8 foot, 36W single pin FA8	Φ26* 2425mm	3500LM		pc
TP015	LED tube	TP-T5S1F3W	SMD, T5- 30cm, 3W, 90-280VAC/ 12V available	Φ16* 297mm	260LM		pc
TP016	LED tube	TP-T5S2F5W	SMD, T5- 60cm, 5W	Φ16* 557mm	450LM		pc
TP017	LED tube	TP-T5S3F8W	SMD, T5- 90cm, 8W, with T5/T8 adapter	Φ16* 857mm	700LM		pc
TP018	LED tube	TP-T5S4F11W	SMD, T5- 120cm, 11W, with T5/T8 adapter	Φ16* 1158mm	1000LM		pc
TP019	LED tube	TS-2G11-120S-8W	2G11, 8W, replace 18W	227*38*17 mm	680LM		pc
TP020	LED tube	TS-2G11D-270S-18W	2G11, 18W, replace 55W	542*38*17 mm	1500LM		pc
TP021	LED candle	TP-C45 1*3W	E27,E26,E17, E14,B22	Φ 45*135mm	100LM		pc

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758

LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP022	LED candle	TP-C45 3*1W	E27,E26,E17, E14,B22	Φ 45*135mm	200LM		pc
TP023	LED candle	TP-F45 1*3W	E27,E26,E17, E14,B22	Φ 45*142mm	100LM		pc
TP024	LED candle	TP-F45 3*1W	E27,E26,E17, E14,B22	Φ 45*142mm	200LM		pc
TP025	LED candle	TP-F37 10*0.2W	2W, E17, E14, E12,B22	Φ 37*138mm	100LM		pc
TP026	LED candle	TP-C37 10*0.2W	2W, E17, E14, E12,B22	Φ 37*120mm	100LM		pc
TP027	LED bulb	TP-G45 1*2W	2W, 12V, 24V, B22,E26, E27	Φ45*71mm	85LM		pc
TP028	LED bulb	TP-A50 1*3W	3W, B22,E26, E27	Φ50*95mm	100LM		pc
TP029	LED bulb	TP-A50 3*1W	3.5W, B22,E26, E27	Φ50*95mm	200LM		pc
TP030	LED bulb	TP-G50 1*3W	3W, E27,E26,E17, E14,B22	Φ50* 105mm	100LM		pc
TP031	LED bulb	TP-G50 3*1W	3.5W, E27,E26,E17, E14,B22	Φ50* 105mm	200LM		pc

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758











LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP032	LED bulb	TP-A60 3*2W	6.2W, B22,E26, E27,3x2W,	Φ60* 105mm	280LM		pc
TP033	LED bulb	TP-A60 5*1W	6.2W, B22,E26, E27, 5x1W	Φ60* 105mm	400LM		pc
TP034	LED bulb	TP-G50 33*0.1W	33pcs SMD, 3.6W, E27,E26,E17, E14,B22	Φ50* 105mm	220LM		pc
TP035	LED bulb	TP-G60 33*0.1W	3.6W, E27,E26,E17, E14,B23	Φ60* 105mm	220LM		pc
TP036	LED bulb	TP-A60 16*0.5W	SMD, 7.2W	Φ60* 105mm	480LM		pc
TP037	LED bulb	TP-H80 20*0.5W	E27, E26,10W	Φ80* 159mm	700LM		pc
TP038	LED bulb	TP-H80 30*0.5W	E27, E26,15W	Φ80* 179mm	1100LM		pc
TP039	car light	G4-3528- 15	G4, 15pcs 3528, 0.9W	∅ 15X23mm	50LM		pc
TP040	car light	G4-5050- 13	G4, 13pcs 5050, 2.7W	Φ18x48mm	165LM		pc
TP041	car light	G4-5050- 17	G4, 18pcs 5050, 4.2W	Φ16x54mm	230LM		pc

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758

LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP042	car light	G4-5050-6H	G4, 6pcs 5050, 1.2W	Φ23x18mm	80LM		pc
TP043	car light	G4-5050-9H	G4, 9pcs 5050, 1.8W	Φ25x18mm	120LM		pc
TP044	car light	G4-5050-12H	G4, 12pcs 5050, 2.4W	Φ31x41mm	150LM		pc
TP045	car light	G4-5050-12T	G4, 12pcs 5050, 2.4W	Φ31x18mm	150LM		pc
TP046	car light	G4-3020-18H	G4, 18pcs 3020, 1.2W	Φ26x40mm	45LM		pc
TP047	car light	G4-3528-24	G4, 24pcs 3528, 1.9W	Φ28x36mm	100LM		pc
TP048	car light	G4-3528-120	G4, 120pcs 3528, 7.5W	Φ24x70mm	420LM		pc
TP049	LED spot	TP-MR11-11A	MR11, 1x1W, 12V	Φ35*37mm	80LM		pc
TP050	LED spot	TP-MR11-11F	MR11, 1x1W, 12V	Φ35*35mm	80LM		pc
TP051	LED spot	TP-MR11-31F	MR11, 3x1W, 12V, CREE	Φ35*41mm	200LM		pc

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758

LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP052	LED spot	TP-MR16-13F	MR16,1x3W,12V	Φ50*47mm	100LM		pc
TP053	LED spot	TP-MR16-31F	MR16,3x1W,12V	Φ50*47mm	200LM		pc
TP054	LED spot	TP-MR16-31L	MR16,3x1W,12V	Φ50*47mm	200LM		pc
TP055	LED spot	TP-MR16-32F	MR16,3x2W,12V	Φ50*52mm	300LM		pc
TP056	LED spot	TP-MR16-41	MR16,4x1W,12V	φ50*54mm	310LM		pc
TP057	LED spot	TP-GU10-13F	GU10, 1x3W	Φ50*52mm	100LM		pc
TP058	LED spot	TP-GU10-31F	GU10, 3x1W	Φ50*52mm	200LM		pc
TP059	LED spot	TP-GU10-31N	GU10, 3x1W	Φ50*52mm	200LM		pc
TP060	LED spot	TP-GU10-32F	GU10, 3x2W	Φ50*73mm	300LM		pc
TP061	LED spot	TP-GU10-41N	GU10, 4x1W	Φ50*73mm	300LM		pc

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758


LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP062	LED spot	TP-HR10-13F	HR10, 1x3W	Φ50*56mm	100LM		pc
TP063	LED spot	TP-HR10-31F	HR10, 3x1W	Φ50*56mm	200LM		pc
TP064	LED spot	TP-JDR-13F	JDR, 1x3W	Φ50*75mm	100LM		pc
TP065	LED spot	TP-JDR-31F	JDR, 3x1W	Φ50*75mm	200LM		pc
TP066	LED spot	TP-21F5050-GU10	21pcs 5050 SMD GU10 spot, 3.5-4W	Φ 50*H56MM	280LM		pc
TP067	LED spot	TP-21F5050-MR16	21pcs 5050 SMD MR16 spot, 3.5-4W	Φ50* H46MM	280LM		pc
TP068	LED spot	TP-21F5050-HR10	21pcs 5050 SMD JDR spot, 3.5-4W	Φ50* H74MM	280LM		pc
TP069	LED spot	TP-21F-5050-JDR	21SMD JDR-E14/E27 spot, 3.5-4W	Φ50* H74MM	300LM		pc
TP070	LED ceiling light	TP-GX53-3528-50	50pcs 3528 SMD GX53, 3W	Φ75×25mm	200LM		pc

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758

LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP071	LED ceiling light	TP-GX53-5050-25	25pcs 5050SMD GX53, 3.5W	Φ75×25mm	280LM		pc
TP072	LED bulb	TP-CORN30-5W	30LED,85-265V, E26/E27,5W	103*33mm	380LM		pc
TP073	LED bulb	TP-CORN54-8W	54LED,85-265V, E26/E27,8W	110*40mm	800LM		pc
TP074	LED bulb	TP-CORN88-13W	88LED,85-265V, E26/E27,13W	140*62mm	1200LM		pc
TP075	LED bulb	TP-CORN128-19W	128LED,85-265V, E26/E27,19W	151*85mm	1700LM		pc
TP076	LED spot	TP-GU10/E27-20L	Low power spotlight, 15/21/30/48/60LE Ds, 1-3W	Φ50*57mm	60LM		pc
TP077	LED spot	TP-MR16-20L	Low power spotlight, 15/21/30/48/60LE Ds, 1-3W	Φ50*50mm	60LM		pc
TP078	LED spot	TP-HR10-20L	Low power spotlight, 15/21/30/48/60LE Ds, 1-3W	Φ50*50mm	60LM		pc
TP079	LED spot	TP-JDR-20L	Low power spotlight, 15/21/30/48/60LE Ds, 1-3W	Φ50*73mm	60LM		pc

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758

LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP080	LED spot	TP-P20-36L	Par20, 20/36LEDs, RYBGW	Φ63*82mm	70LM		pc
TP081	LED spot	TP-P30-50L	Par30, 50/70LEDs, RYBGW	Φ95*93mm	100LM		pc
TP082	LED spot	TP-P38-120L	Par38, 70/90/120LEDs, RYBGW	Φ 122*135mm	160LM		pc
TP083	LED spot	TP-P20-32F	Par20, 3x2W	Φ63*78mm	650LM		pc
TP084	LED spot	TP-P20-51N	par20, 5*1W	Φ70*97mm	700LM		pc
TP085	LED spot	TP-P30-52N	Par30, 5x2W,E27/GU10	Φ95*97mm	1000LM		pc
TP086	LED spot	TP-P30-71N	Par30, 7x1W,E27/GU10	Φ95*97mm	1000LM		pc
TP087	LED spot	TP-P38-91N	Par38, 9x1W,E27/GU10	Φ122*125mm	1300LM		pc
TP088	LED spot	TP-P38-121N	Par38, 12x1W,E27/GU10	Φ122*125mm	1600LM		pc
TP089	LED spot	TP-P38-151N	Par38, 15x1W,E27	Φ122*125mm	1800LM		pc

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758

LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP090	LED spot	TP-P38-181N	Par38, 18x1W,E27	Φ120* 131mm	2000LM		pc
TP091	LED spot	TP-GU10-C4W	COB LED GU10, 4W	Φ50X80 mm	350LM		pc
TP092	LED spot	TP-Par20-C6W	COB LED Par20, 6W	Φ60X88 mm	500LM		pc
TP093	LED spot	TP-Par30-C8W	COB LED Par30, 8W	Φ95X100 mm	650LM		pc
TP094	LED spot	TP-Par38-C16W	COB LED Par38, 16W	Φ120X130 mm	1250LM		pc
TP095	LED spot	TP-TL201-7W	7*1W LED track light, silver/black,	φ115× L135× H210mm	560LM		pc
TP096	LED spot	TP-TL303-7W	7*1W LED track light, black,	φ100× L125× H210mm	580LM		pc
TP097	LED spot	TP-TL301-12W	12*1W LED track light,white/black	φ101* 178mm	960LM		pc
TP098	LED spot	TP-TL301-18W	18*1W LED track light,white/black	Φ120* L213mm	1440LM		pc
TP099	LED spot	TP-TL302-18W	18*1W LED track light,white/black	Φ120* L213mm			pc

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758

LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP100	LED spot	TP-TL401-18W	2x12W LED track light, white/black	φ98×L150×H130mm x2	1900LM		pc
TP101	Accessories		Aluminum Track for Track light, black or silver	1m/pc			pc
TP102	Accessories		connector for LED track light track, black or white				pc
TP103	LED downlight	TP-DL-C20W	COB Led downlight, 20W	OUT190*IN100mm	1100LM		pc
TP104	LED downlight	TP-DL-C30W	COB Led downlight, 30W	Out 225* IN123mm	1800LM		pc
TP105	LED downlight	TP-DL-11RA	1x1W, round	φ52*22mm	80LM		pc
TP106	LED downlight	TP-DL-11R	1x1W, round	Φ 62*H22mm	80LM		pc
TP107	LED downlight	TP-DL-11S	1x1W, square	60*60mm	80LM		pc
TP108	LED downlight	TP-DL-31R	3x1W	Φ86* H42mm	200LM		pc
TP109	LED downlight	TP-DL-31S	3x1W square	93*93* 38mm	200LM		pc

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758










LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP110	LED downlight	TP-DL-51R	5x1W	Φ106* H68mm	400LM		pc
TP111	LED downlight	TP-DL-71R	7x1W	Φ106* H68mm	550LM		pc
TP112	LED downlight	TP-DL-91R	9x1W	Φ135* H70mm	650LM		pc
TP113	LED downlight	TP-DL-121R	12x1W	Φ135* H70mm	880LM		pc
TP114	LED downlight	TP-DL-151R	15x1W	Φ139* 90mm	1080LM		pc
TP115	LED downlight	TP-DL-181R	18x1W	Φ160* 120mm	1300LM		pc
TP116	LED downlight	TP-DL-241R	24x1W	Φ180* H85mm	1900LM		pc
TP117	LED downlight	TP-DL-312S	3*1*2W	φ175*90	450LM		pc
TP118	LED downlight	TP-DL-313S	3*1*3W	φ250*90	800LM		pc

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758

LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP119	LED downlight	TP-DL-314S	3*1*4W	φ175*175	1000LM		pc
TP120	LED downlight	TP-DL-71RS	7x1W square	130*130*143mm	550LM		pc
TP121	LED downlight	TP-DL-141RS	14x1W square	235*130*143mm	1050LM		pc
TP122	LED downlight	TP-DL-211RS	21x1W square	350*130*143mm	1550LM		pc
TP123	LED downlight	TP-DL-281RS	28x1W square	235*235*143mm	2200LM		pc
TP124	LED ceiling light	TP-CL-15W216	absorb dome light15w Round 85-277V Input	Ø200mm*90mm	1250LM		pc
TP125	LED ceiling light	TP-CL-18W276	absorb dome light, 18w Round 85-277V Input	Ø 280mm*90 mm	1500LM		pc
TP126	LED ceiling light	TP-CL-25W360	25w Round 85-277V Input	Ø 320mm*90 mm	2100LM		pc
TP127	LED ceiling light	TP-CL-R095	4.5W, DC24V	Ø 95*26mm,	180LM		pc

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758











LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP128	LED ceiling light	TP-CL-R140	5.5W, DC24V	Ø 140* 26mm	280LM		pc
TP129	LED ceiling light	TP-CL-R170	9.6W, DC24V	Ø170 *26mm	550LM		pc
TP130	LED ceiling light	TP-CL-R200	11W, DC24V	Ø200 *26mm	600LM		pc
TP131	LED ceiling light	TP-CL-R275	18.3W, DC24V	Ø275 *26mm	1150LM		pc
TP132	LED ceiling light	TP-CL-R330	21.4W, DC24V	Ø330 *26mm	1350LM		pc
TP133	LED ceiling light	TP-CL-L210	7.2W, DC24V	210X117X 26mm	300LM		pc
TP134	LED ceiling light	TP-CL-L156	7.7W, DC24V	156X156X 26mm	305LM		pc
TP135	LED ceiling light	TP-CL-L100	4.8W, DC24V	100X100X 26mm	210LM		pc
TP136	LED ceiling light	TP-CL-L150	9W, DC24V	150X150X 26mm	450LM		pc
TP137	LED ceiling light	TP-CL-L180	11.3W, DC24V	180X180X 26mm	650LM		pc

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758











LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP138	LED ceiling light	TP-CL-L250	20W, DC24V	250X250X26mm	1200LM		pc
TP139	LED ceiling light	TP-CL-L330	29W, DC24V	330X330X26mm	1500LM		pc
TP140	LED panel	TP-PL-3030-10W	10w, 24V	300x300x10mm	800LM		pc
TP141	LED panel	TP-PL-6030-22W	mm, 22W, 24V	600x300mmx10mm	1800LM		pc
TP142	LED panel	TP-PL-6060-42W	600x600mmx10.4mm, 42W, 24V	600x600mmx10mm	3500LM		pc
TP143	LED panel	TP-PL-12030-45W	1200x300mmx10.4mm, 45W, 24V	1200x300mmx10mm	3500LM		pc
TP144	LED panel	TP-PL-12060-85W	1200x600mmx10.4mm, 45W, 24V	1200x600mmx10mm	4800LM		pc
TP145	LED panel	TP-PL-6060-45W-T	600x600mmx10.4mm, 43W, 24V, WW and W adjustable	600x600mmx10mm	2400LM		pc
TP146	Car Decoration	UC-3F4F	LED under-car-kits, 12V/24V, flexible,RGB	W1.2cm, 90cm *2 + 120cm *2	RGB		set
TP147	Car Decoration	UC-2F4F	LED under-car-kits, 12V/24V, flexible,RGB	W1.2cm, 60cm *2 + 120cm *2	RGB		set

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758

LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP148	Car Decoration	UC-2F3F	LED under-car-kits, 12V/24V, flexible,RGB	W1.2cm, 90cm *2 + 60cm *2	RGB		set
TP149	LED rope light	TP-RL-2W-R	2wire-round, Red, 220V or 120V, 36LED/M	Φ13mm	R Y O B G W W W		Meter
TP150	LED rope light	TP-RL-2W-Y	2wire-round, Yellow, 220V or 120V, 36LED/M	Φ13mm	R Y O B G W W W		Meter
TP151	LED rope light	TP-RL-2W-O	2wire-round, Orange, 220V or 120V, 36LED/M	Φ13mm	R Y O B G W W W		Meter
TP152	LED rope light	TP-RL-2W-B	2wire-round, Blue, 220V or 120V, 36LED/M	Φ13mm	R Y O B G W W W		Meter
TP153	LED rope light	TP-RL-2W-G	2wire-round, Green, 220V or 120V, 36LED/M	Φ13mm	R Y O B G W W W		Meter
TP154	LED rope light	TP-RL-2W-W	2wire-round, White, 220V or 120V, 36LED/M	Φ13mm	R Y O B G W W W		Meter
TP155	LED rope light	TP-RL-2W-WW	2wire-round, Warm white, 220V or 120V, 36LED/M	Φ13mm	R Y O B G W W W		Meter
TP156	LED rope light	TP-RL-3W-RGB	3wire-round, RGBY, 220V or 120V, 36LED/M	Φ13mm	R Y O B G W W W		Meter
TP157	LED strip	TP-RL60S-3528	3528 SMD LED rope,220V, 60LED/M, 7.2W/M	8*6mm	R Y O B G W W W		Meter

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758











LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP158	LED strip	TP-RL60S-5050	5050 SMD LED rope, 220V, 60LED/M, 14.4W/M	10*6mm	R Y O B G W W W		Meter
TP159	LED neon	TP-NF-1426-R	2 wire red, 220V, 80LED/M	14*26mm	Red-white Jacket		Meter
TP160	LED neon	TP-NF-1426-RR	2 wire red, 220V, 80LED/M	14*26mm	Red-Color Jacket		Meter
TP161	LED neon	TP-NF-1426-Y	2 wire yellow, 220V, 80LED/M	14*26mm	Yellow-white Jacket		Meter
TP162	LED neon	TP-NF-1426-YY	2 wire yellow, 220V, 80LED/M	14*26mm	Yellow-Color Jacket		Meter
TP163	LED neon	TP-NF-1426-O	2 wire orange, 220V, 80LED/M	14*26mm	Orange		Meter
TP164	LED neon	TP-NF-1426-B	2 wire blue, 220V, 80LED/M	14*26mm	Blue-white jacket		Meter
TP165	LED neon	TP-NF-1426-BB	2 wire blue, 220V, 80LED/M	14*26mm	Blue-color jacket		Meter
TP166	LED neon	TP-NF-1426-G	2 wire green, 220V, 80LED/M	14*26mm	green-white jacket		Meter
TP167	LED neon	TP-NF-1426-GG	2 wire green, 220V, 80LED/M	14*26mm	Green-color jacket		Meter

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758











LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP168	LED neon	TP-NF-1426-PK	2 wire pink, 220V, 80LED/M	14*26mm	Pink		Meter
TP169	LED neon	TP-NF-1426-W	2 wire pure white, 220V, 80LED/M	14*26mm	W		Meter
TP170	LED neon	TP-NF-1426-WW	2 wire warm white, 220V, 80LED/M	14*26mm	WW		Meter
TP171	LED neon	TP-NF-1426-RGBY4	3 wire RGBY, 220V, 80LED/Mv	14*26mm	RGBY		Meter
TP172	LED neon	TP-NF-1426-RGR7	4 wire RGB 7 color, 220V, 80LED/M	14*26mm	RGB		Meter
TP173	LED neon	TP-NF-2528-RGR7	4 wire RGB 7 color, 220V, 240LED/M	25*28mm	RGB		Meter
TP174	LED strip	TP-SM-P5050-32RGB	Smart (digital) LED strip, 5050SMD 32LEDs/M (5V), water-proof, 5M/roll	14*4*5000mm	IP67		reel
TP175	Xmas light	TP-CHRSL-09	LED twinkle light, 10m/pc, 100LEDs/pc, with controller	1pc=10M	R/Y/O/B/ G/W/W W/RGB Y		pc
TP176	Xmas light	TP-CHRSL-10	LED string light, 10m/pc, 100LEDs/pc, connectable	1pc=10M	R/Y/O/B/ G/W/W W/RGB Y		pc
TP177	Xmas light	TP-CHRSL-11	LED ball chain, 10m/pc, 100LEDs/pc, connectable	1pc=10M	R/Y/O/B/ G/W/W W/RGB Y		pc

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758

LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP178	Xmas light	LED-BP-3020	LED PVC curtain light, 2*3M, 20 strings, 600LEDs/set	Width 2*3M	R/Y/O/B/ G/W/W W/RGB Y		pc
TP179	Xmas light	LED-WS-6020	LED water-fall light, 2*3M, 20 strings, 1200LEDs/set	Width 2*3M	R/Y/O/B/ G/W/W W/RGB Y		pc
TP180	Xmas light	LED-BG-336	LED net light, 16lines, 336LEDs/set	Width 2*3M	R/Y/O/B/ G/W/W W/RGB Y		pc
TP181	LED shower	TP-8008-A1	ABS, AC3.5V, No battery, 15LED /6LED /5LED 1) Color Temperature: Water<32°C, green 33°C<water<42°C, blue; water>42°C, red 2) 7 color changine gradually 4) single color; red, blue, green	Φ 105*260*39mm	RGB Temp/7c olor/sing le color		pc
TP182	LED shower	TP-8008-A10		Φ 80*230*50mm	RGB Temp/7c olor/sing le color		pc
TP183	LED shower	TP-8008-A13		Φ 31*230mm	RGB Temp/7c olor/sing le color		pc
TP184	LED shower	TP-8008-A4		Φ 75*260*46mm	RGB Temp/7c olor/sing le color		pc
TP185	LED shower	TP-8010-A1		Φ86* H120mm	RGB Temp/7c olor/sing le color		pc
TP186	LED shower	TP-8030-A1		200*200*H15mm	RGB Temp/7c olor/sing le color		pc
TP187	LED shower	TP-8030-A3	Φ200* H15mm	RGB Temp/7c olor/sing le color		pc	

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758


LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP188	LED shower	TP-8001-F01	LED faucet, AC3.5V, No battery, 1pc LED	Φ34* H67mm	RGB Temp/7c olor/sing le color		
TP189	LED high bay	HB515-30W	110°, 30W, IP65, Equal to 75W HPS	Φ500* H371mm	2550LM		pc
TP190	LED high bay	HB515-50W	110°, 50W, IP65, Equal to 150W HPS	Φ500* H386mm	4250LM		pc
TP191	LED high bay	HB515-80W	110°, 80W, IP65, Equal to 200W HPS	Φ500* H441mm	6800LM		pc
TP192	LED high bay	HB515-100W	110°, 100W, IP65, Equal to 250W HPS	Φ500* H466mm	8500LM		pc
TP193	LED high bay	HB515-120W	110°, 120W, IP65	Φ500* H570mm	10200LM		pc
TP194	LED high bay	HB515-150W	110°, 150W, IP65	Φ500* H598mm	12750LM		pc
TP195	LED high bay	HB515-200W	110°, 200W, IP65	Φ500* H610mm	17000LM		pc
TP196	LED high bay	HB415-30W	45°, 30W, IP65	Φ420* H486mm	2550LM		pc
TP197	LED high bay	HB415-50W	45°, 50W, IP65	Φ420* H501mm	4250LM		pc

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758

LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP198	LED high bay	HB415-80W	45°, 80W, IP65	Φ420* H556mm	6800LM		pc
TP199	LED high bay	HB415-100W	45°, 100W, IP65	Φ420* H581mm	8500LM		pc
TP200	LED high bay	HB415-120W	45°, 120W, IP65, with Meanwell Power	Φ420* H685mm	10200LM		pc
TP201	LED high bay	HB415-150W	45°, 150W, IP65, with Meanwell Power	Φ420* H713mm	12750LM		pc
TP202	LED high bay	HB415-200W	45°, 200W, IP65, with Meanwell Power	Φ420* H725mm	17000LM		pc
TP203	Streetlight	TP-L530-20W	20w streetlight, IP65	(240+50)* 530* 140mm	1700LM		pc
TP204	Streetlight	TP-L710-30W	30W, IP65	350* 710* 140mm	2550LM		pc
TP205	Streetlight	TP-L710-40W	40W, IP65	350* 710* 140mm	3400LM		pc
TP206	Streetlight	TP-L47-50W	50W, IP65	270* 470* 115mm	4250LM		
TP207	Streetlight	TP-L690-60W	60W, IP65	330*692* 140mm	5100LM		pc

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758

LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP208	Streetlight	TP-L690-80W	80W, IP65	330*692*140mm	68--		pc
TP209	Streetlight	TP-L690-100W	100W, IP65	330*692*140mm	8500LM		pc
TP210	Streetlight	TP-L800-120W	120W, IP65	320*800*200mm	10200LM		pc
TP211	Streetlight	TP-L800-150W	150W, IP65	320*800*200mm	12750LM		pc
TP212	Streetlight	TP-L880-160W	160W, IP65	386*868*139mm	13600LM		pc
TP213	Streetlight	TP-L880-200W	200W, IP65	386*868*139mm	17000LM		pc
TP214	Flood light	TP-FL115-10W	10W, IP65	115*86*105mm	850LM		pc
TP215	Flood light	TP-FL225-30W	30W, IP65	225*185mm	2550LM		pc
TP216	Flood light	TP-FL290-50W	50W, IP65	290*236mm	4250LM		pc
TP217	Flood light	TP-SP225-30W	30W, IP65	225*185mm	2550LM		pc

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758








LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP218	Flood light	TP-SP290-50W	50W, IP65	225*185mm	4250LM		pc
TP219	Flood light	TP-FL360-60W	60W, IP65	285*360mm	5100LM		pc
TP220	Flood light	TP-FL360-80W	80W, IP65	285*360mm	6800LM		pc
TP221	Flood light	TP-FL400-100W	100W, IP65	330*424mm	8500LM		pc
TP222	Tunnel light	TP-TL-360-60W	60W, IP65	368*285mm	5100LM		pc
TP223	Tunnel light	TP-TL-360-80W	80W, IP65	368*285mm	6800LM		pc
TP224	Tunnel light	TP-TL-600-100W	100W, IP65	568*285mm	8500LM		pc
TP225	Tunnel light	TP-TL-600-120W	120W, IP65	568*285mm	10200LM		pc
TP226	Tunnel light	TP-TL-600-150W	150W, IP65	568*285mm	12750LM		pc
TP227	Tunnel light	TP-JL-600-150W	100W, IP65	568*285mm	12750LM		pc

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758

LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP228	Tunnel light	TP-TL-930-200W	200W, IP65	930*285mm	170000LM		pc
TP229	LED power supply	TP-PS-15WN	15W switching power supply, non-water-proof	85*58*35mm	5V-36V		pc
TP230	LED power supply	TP-PS-25WN	25W switching power supply, non-water-proof	85*58*35mm	5V-36V		pc
TP231	LED power supply	TP-PS-60WN	60W switching power supply, non-water-proof	110*78*38mm	5V-36V		pc
TP232	LED power supply	TP-PS-120WN	120W switching power supply, non-water-proof	199*98*38mm	5V-36V		pc
TP233	LED power supply	TP-PS-200WN	200W switching power supply, non-water-proof	200*110*50mm	5V-36V		pc
TP234	LED power supply	TP-PS-250WN	250W switching power supply, non-water-proof	200*110*50mm	5V-36V		pc
TP235	LED power supply	TP-PS-350WN	350W switching power supply, non-water-proof	215*115*50mm	5V-36V		pc
TP236	LED power supply	TP-PS-20WP-V	20W LED constant voltage transformer, IP67	160x30x20mm	IP67		pc
TP237	LED power supply	TP-PS-30WP-V	30W LED constant voltage transformer, IP67	250x30x20mm	IP67		pc

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758


LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP238	LED power supply	TP-PS-45WP-V	45W LED constant voltage transformer, IP67	250x30x20mm	IP67		pc
TP239	LED power supply	TP-PS-60WP-V	60W LED constant voltage transformer, IP67, two output	215x67x50mm	IP67		pc
TP240	LED power supply	TP-PS-100WP-V	100W LED constant voltage transformer, IP67, two output	215x67x50mm	IP67		pc
TP241	LED power supply	TP-PS-150WP-V	150W LED constant voltage transformer, IP67, 4 output	228*120*64mm	IP67		pc
TP242	LED power supply	TP-PS-200WP-V	200W LED constant voltage transformer, IP67, 4 output	228*120*64mm	IP67		pc
TP243	LED power supply	TP-PS-30WP-C	30W LED constant current transformer, IP67, 1output	160*36*26 mm	IP67		pc
TP244	LED power supply	TP-PS-60WP-C	60W LED constant current transformer, IP67, 2output	175*67*50 mm	IP67		pc
TP245	LED power supply	TP-PS-100WP-C	100W LED constant current transformer, IP67, 2output	240*67*50 mm	IP67		pc
TP246	LED power supply	TP-PS-120WP-C	120W LED constant current transformer, IP67, 4output	240*67*50 mm	IP67		pc
TP247	controller	TP-SM-Dimmer	controller/Dimmer for LED panel				set

Topsung Industrial Co.,LTD

www.ledlightsupply.cn info@topsung-tech.cn Tel:+86 755 82775158 Fax:+86 755 23480758

LED Light Product-List

Ref. No.	Product Name	Model No.	Brief Specification	Dimension	Average Lumen	Image	Unit
TP248	controller	TP-SM-12-X	smart controller for smart strips		\		pc
TP249	controller	LT-300	3CH RGB/DMX512 Controller 300W(12V)/ 600W(24V)	L190x W120x H50mm	DC12V ~ DC24V		pc
TP250	controller	L T-DMX-6803	DMX-SPI Decoder	L125xW52 xH40mm	DC5V~ DC24V		pc
TP251	controller	LT-8030	3CH CV DMX-PWM Decoder	L125xW52 xH40mm	DC5V~ DC24V		set
TP252	controller	LT-1809	DMX-SPI Decoder	L125xW52 xH40mm	DC12V ~ DC24V		set
TP253	controller	LT-880	24CH CV DMX-PWM Decoder	L260x W120x H40mm	DC5V~ DC24V		set



This Means can make dimmable