





Accen Technology Co., Limited
 Verified By : SMR(HK)
 Verified Date : 2012-08-27





http://www.accenhk.com; Tel: 0086-755-27808569; Mobile Phone: 0086-15889506340



Attn.: Mr Andy Wan; Email: andy@accenhk.com; MSN: everestvip@hotmail.com; Skype: accentek

GPS Tracker Price List (FOB Shenzhen, China)



Part 1: Portable GPS Tracker





Photo / Model No.	Brief Description	Quantity	Unit Price (USD)
 <p>ACE-TK102A</p>	<p>Quad-Band GSM 850/900/1800/1900MHz SIRF III GPS Module, SMS / GSM / GPS / GPRS Tracking Report location directly on mobile phone after called or SMS Position in text (latitude, longitude) or Google Map URL Auto Track, Track by interval, Voice Surveillance (Listen-In) Mode switch between track and monitor Movement / Geo-Fence, Overspeed, Low battery alert SOS Button to to ask for emergent help, send last position if enter into blind area Super magnet cover, Waterproof bag *Support online web tracking centre* TCP / UDP Protocol</p>	Sample (2pcs)	Please contact us with your interested models & order quantity for our quotation!
		10pcs	
		50pcs	
		100pcs+	
Optional: Car Charger I Car Charger II			
<p>TF Card for GPS Data Logger</p>  <p>ACE-TK102B</p>	<p>Quad-Band GSM 850/900/1800/1900MHz SIRF III GPS Module, SMS / GSM / GPS / GPRS Tracking Report location directly on mobile phone after called or SMS Position in text (latitude, longitude) or Google Map URL Auto Track, Track by interval, Voice Surveillance (Listen-In) Mode switch between track and monitor Movement / Geo-Fence, Overspeed, Low battery alert SOS Button, send last position if enter into blind area Super magnet cover, Waterproof bag Support TF Card as GPRS Data Logger if GPRS off *Support online web tracking centre* TCP / UDP Protocol</p>	Sample (2pcs)	
		10pcs	
		50pcs	
		100pcs+	
Optional: Car Charger I Car Charger II			
 <p>ACE-TK600</p>	<p>GSM 900/1800 or Quad-Band 850/900/1800/1900MHz SIRF III GPS Module, SMS / GSM / GPS / GPRS Tracking Report location directly on mobile phone after called or SMS Position in text (latitude, longitude) or Google Map URL Display position coordinates on LED Screen directly Support single position or continuous tracking, fast response Upload position information to internet platform by GPRS SOS Button, Dial 2 preset phone numbers to ask for help Auto Track, Track by interval, Voice Surveillance (Listen-In) GEO-Fence Fast signal , cquisition, low energy consumption *Support online web tracking centre*</p>	Sample (2pcs)	
		10pcs	
		50pcs	
		100pcs+	
Optional: Quad-Band			
 <p>ACE-TK201</p>	<p>Quad-Band GSM 850/900/1800/1900MHz SIRF III GPS Module, SMS / GSM / GPS / GPRS Tracking Report location directly on mobile phone after called or SMS Position in text (latitude, longitude) or Google Map URL Auto Track, Track by interval, Voice Surveillance (Listen-In) Mode switch between track and monitor Movement / Geo-Fence, Overspeed, Low battery alert SOS Button, send last position if enter into blind area GPRS Setting, TCP / UDP Protocol W/ collar to fasten on pets or animals' neck *Support online web tracking centre* GPRS Setting</p>	Sample (2pcs)	
		10pcs	
		50pcs	
		100pcs+	
Optional: Car Charger I Car Charger II			

 <p>ACE-XT107</p>	<p>Quad-Band GSM 850/900/1800/1900MHz SIRF III GPS Module, SMS / GSM / GPS / GPRS Tracking Report location directly on mobile phone after called or SMS Position in text (latitude, longitude) or Google Map URL Auto Track, Track by interval, Voice Surveillance (Listen-In) Mode switch between track and monitor, motion sensor Movement / Geo-Fence, Overspeed, Low battery alert Big SOS Button, send last position if enter into blind area GPRS Setting, TCP / UDP Protocol, reboot by sms Inbuilt speaker & microphone for 2-way communication Auto Dial authorized numbers in case of emergency Support TF Card as GPRS Data Logger if GPRS off *Support online web tracking centre* GPRS Setting</p>	<p>Sample (2pcs)</p> <p>10pcs</p> <p>50pcs</p> <p>100pcs+</p> <p>Optional: Car Charger I Car Charger II</p>	
 <p>ACE-TL201</p>	<p>Quad-Band GSM 900/1800 OR 850/1900MHz smallest size, can be attached on key chain SIRF III GPS Module, SMS / GSM / GPS / GPRS Tracking Report location directly on mobile phone after called or SMS Position in text (latitude, longitude) or Google Map URL Auto Track, Track by interval, Voice Surveillance (Listen-In) Movement / Geo-Fence, Overspeed, Low battery alert Big SOS Button, send last position if enter into blind area GPRS Setting, TCP / UDP Protocol Inbuilt speaker & microphone for 2-way communication Dial 2 preset phone numbers in case of emergency Working LED Indicator, get position by call the tracker *Support online web tracking centre* GPRS Setting</p>	<p>Sample (2pcs)</p> <p>10pcs</p> <p>50pcs</p> <p>100pcs+</p> <p>Optional: Car Charger I</p>	
 <p>ACE-TL202</p>	<p>Quad-Band GSM 900/1800 OR 850/1900MHz smallest size, can be attached on key chain SIRF III GPS Module, SMS / GSM / GPS / GPRS Tracking Report location directly on mobile phone after called or SMS Position in text (latitude, longitude) or Google Map URL Auto Track, Track by interval, Voice Surveillance (Listen-In) Movement / Geo-Fence, Overspeed, Low battery alert Big SOS Button, send last position if enter into blind area Sound alert for incoming calls, long standby-200 hours Inbuilt speaker & microphone for 2-way communication Dial 2 preset phone numbers in case of emergency Working LED Indicator, get position by call the tracker *Support online web tracking centre* GPRS Setting</p>	<p>Sample (2pcs)</p> <p>10pcs</p> <p>50pcs</p> <p>100pcs+</p> <p>Optional: Car Charger I</p>	
 <p>ACE-GT30I</p>	<p>Quad-Band GSM 850/900/1800/1900MHz SMS and GPRS TCP/UDP Communication Protocol SIRF III GPS Module, AGPS (with GSM Base Station ID) Report location directly on mobile phone after called or SMS Position in text (latitude, longitude) or Google Map URL Track by interval / Distance, Voice Surveillance (Listen-In) Movement / Geo-Fence, Overspeed, Low battery alert SOS Button, GSM Blind Area Memory / Alarm Internal memory (4MB) for GPRS Data Logging 2-way communication by earphone with microphone Speed Dial 2 preset phone numbers in emergency case Working LED Indicator, Motion Sensor for power saving *Support online web tracking centre* GPRS Setting</p>	<p>Sample (2pcs)</p> <p>10pcs</p> <p>50pcs</p> <p>100pcs+</p>	

 <p>ACE-GT60</p>	<p>Quad-Band GSM 850/900/1800/1900MHz SMS and GPRS TCP/UDP Communication Protocol SIRF III GPS Module, AGPS (with GSM Base Station ID) Report location directly on mobile phone after called or SMS Position in text (latitude, longitude) or Google Map URL Track by interval / Distance, Voice Surveillance (Listen-In) Movement / Geo-Fence, Overspeed, Low battery alert SOS Button, GSM Blind Area Memory / Alarm 2-way communication by earphone with microphone Speed Dial 2 preset phone numbers in emergency case Working LED Indicator, Motion Sensor for power saving *Support online web tracking centre* GPRS Setting</p>	<p>Sample (2pcs)</p> <p>10pcs</p> <p>50pcs</p> <p>100pcs+</p>
 <p>ACE-AT38</p>	<p>GPS Bluetooth Data Logger Receive 65 Channel GPS Satellites, Bluetooth transmission 8MB flash memory, store 300 hours historical gps tracking data Record 90000 position, equivalent of non-real-time GPS tracker Data includes longitude, latitude, speed, UTC, tag data Receive & save data via smart phone, PDA, laptop and desktop Very low electricity cost and work up to maximum 18.5 hours Accord with Bluetooth 2.0+EDR Specification CLASS 2 Support Bluetooth serial communication Profile (SPP Profile) 3 LED indicate statuses of Bluetooth, GPS and recharging Support the baud rate 9600bps in NMEA-0183 standard</p>	<p>Sample (2pcs)</p> <p>10pcs</p> <p>50pcs</p> <p>100pcs+</p>

Part 2: Motorcycle Car Vehicle GPS Tracker

Photo / Model No.	Brief Description	Quantity
 <p>ACE-TK103A</p>	<p>Quad-Band GSM 850/900/1800/1900MHz SIRF III GPS Module, SMS / GSM / GPS / GPRS Tracking Report location directly on mobile phone after called or SMS Position in text (latitude, longitude) or Google Map URL Auto Track, Track by interval, Voice Surveillance (Listen-In) Mode switch among fortify, track and monitor Movement / Geo-Fence / Overspeed / Low Battery alert Engine start / Power Cut-off alert, Work with car alarm SOS Panic Button, Check working status remotely by SMS Remotely cut-off & Restart oil & electricity by SMS *Support online web tracking centre* GPRS (TCP/UDP)</p>	<p>Sample (2pcs)</p> <p>10pcs</p> <p>50pcs</p> <p>100pcs+</p>
<p>TF Card as GPS Logger 2 SIM Cards switchable</p>  <p>ACE-TK103B</p>	<p>Quad-Band GSM 850/900/1800/1900MHz SIRF III GPS Module, SMS / GSM / GPS / GPRS Tracking Report location directly on mobile phone after called or SMS Position in text (latitude, longitude) or Google Map URL Auto Track, Track by interval, Voice Surveillance (Listen-In) Mode switch among fortify, track and monitor Movement / Geo-Fence / Overspeed / Low Battery alert Engine start / Power Cut-off alert, Work with car alarm SOS Panic Button, Check working status remotely by SMS GSM ID, Motion Sensor, Switch between two SIM Cards Support TF Card as GPRS Data Logger if GPRS off Remotely cut-off & Restart oil & electricity by SMS *Support online web tracking centre* GPRS (TCP/UDP)</p>	<p>Sample (2pcs)</p> <p>10pcs</p> <p>50pcs</p> <p>100pcs+</p>

<p>Motorcycle GPS Tracker</p>  <p>ACE-TL210</p>	<p>GSM 900/1800MHz or Quad-Band 850/900/1800/1900MHz JRC Low Power GPS Chipset, SMS / GSM / GPRS Tracking Report location directly on mobile phone after called or SMS Position in text (latitude, longitude) to check on Google Maps SOS Button to send out exact location for immediate rescue Fast Signal Acquisition, Position Track even with weak signal Track by intervals, inbuilt battery, external power cut-off alert Preset 3 phone No., Upload position data to server by GPRS Overspeed alert, Geo-Fence alert, Low Power Alert real-time tracking & historical trajectory by SMS or internet Remotely cut-off and Restart oil & electricity by SMS *Support online web tracking centre* GPRS (TCP/UDP)</p>	<p>Sample (2pcs)</p> <p>10pcs</p> <p>50pcs</p> <p>100pcs+</p> <p>Optional: Quad-Band</p>	
<p>Waterproof up to 1.5 meter</p>  <p>ACE-TL211</p>	<p>GSM 900/1800MHz or Quad-Band 850/900/1800/1900MHz JRC Low Power GPS Chipset, SMS / GSM / GPRS Tracking Report location directly on mobile phone after called or SMS Position in text (latitude, longitude) to check on Google Maps SOS Button to send out exact location for immediate rescue Fast Signal Acquisition, Position Track even with weak signal Track by intervals, inbuilt battery, external power cut-off alert Single location Tracking and continous tracking Preset 3 phone No., Upload position data to server by GPRS Overspeed alert, Geo-Fence alert, Low Power Alert real-time tracking & historical trajectory by SMS or internet Remotely cut-off and Restart oil & electricity by SMS *Support online web tracking centre* GPRS (TCP/UDP)</p>	<p>Sample (2pcs)</p> <p>10pcs</p> <p>50pcs</p> <p>100pcs+</p> <p>Optional: Quad-Band</p>	
 <p>ACE-TK601</p>	<p>GSM 900/1800MHz or Quad-Band 850/900/1800/1900MHz JRC Low Power GPS Chipset, SMS / GSM / GPRS Tracking Report location directly on mobile phone after called or SMS Position in text (latitude, longitude) to check on Google Maps SOS Button to send out exact location for immediate rescue Fast Signal Acquisition, Position Track even with weak signal Track by intervals, inbuilt battery, external power cut-off alert Preset 3 phone No., Upload position data to server by GPRS Overspeed alert, Geo-Fence alert, Low Power Alert real-time tracking & historical trajectory by SMS or internet Remotely cut-off and Restart oil & electricity by SMS *Support online web tracking centre* GPRS (TCP/UDP)</p>	<p>Sample (2pcs)</p> <p>10pcs</p> <p>50pcs</p> <p>100pcs+</p> <p>Optional: Quad-Band</p>	
 <p>ACE-VT300</p>	<p>Quad-Band GSM 850/900/1800/1900MHz SMS and GPRS TCP/UDP Communication Protocol SIRF III GPS Module, AGPS (with GSM Base Station ID) Report location directly on mobile phone after called or SMS Position in text (latitude, longitude) or Google Map URL Track by interval / Distance, Voice Surveillance (Listen-In) Movement / Geo-Fence, Overspeed, Low battery alert SOS, GSM Blind Area Memory / Power Cut Alarm Detect lock status of car door, Ignition Detection, Stop Engine Remotely cut-off & Restart oil & electricity by SMS I/O: 1 digital input, 1output only; Work with car alarm *Support online web tracking centre* GPRS Setting(UDP/TCP)</p>	<p>Sample (2pcs)</p> <p>10pcs</p> <p>50pcs</p> <p>100pcs+</p> <p>Optional: Microphone Relay</p>	

Fleet Management Tracker



ACE-VT310

Quad-Band GSM 850/900/1800/1900MHz

SMS and GPRS TCP/UDP Communication Protocol
 SIRF III GPS Module, AGPS (with GSM Base Station ID)
 Report location directly on mobile phone after called or SMS
 Position in text (latitude, longitude) or Google Map URL
 Track by interval / Distance, Voice Surveillance (Listen-In)
 Movement / Geo-Fence, Overspeed, Low battery alert
 SOS, GSM Blind Area Memory / Power Cut Alarm
 Detect lock status of car door, Ignition Detection, Stop Engine
Internal memory (4MB) for GPRS Data Logging
2-way communication W/ earphone & MIC (Optional)
Remotely cut-off & Restart oil & electricity by SMS
I/O: 5 digital inputs, 5 outputs and 2 analog inputs
Work with car alarm, Motion Sensor for power saving
 Support online web tracking centre GPRS Setting(UDP/TCP)

Sample (2pcs)

10pcs

50pcs

100pcs+

Optional:
Microphone
Relay

Waterproof (IP66)



ACE-VT400

Quad-Band GSM 850/900/1800/1900MHz

SMS and GPRS TCP/UDP Communication Protocol
 SIRF III GPS Module, AGPS (with GSM Base Station ID)
 Report location directly on mobile phone after called or SMS
 Position in text (latitude, longitude) or Google Map URL
 Track by interval / Distance, Voice Surveillance (Listen-In)
 Movement / Geo-Fence, Overspeed, Low battery alert
 SOS, GSM Blind Area Alarm (In/out) / Power Cut Alarm
 Detect lock status of car door, Ignition Detection, Stop Engine
Inbuilt backup battery, Voltage detection (external power)
Mileage Report, GPS Antenna disconnection alarm
Remotely cut-off & Restart oil & electricity by SMS
I/O: 2 digital inputs, 2 outputs and 7 analog inputs
Work with car alarm, Motion Sensor for power saving
 Support online web tracking centre GPRS Setting(UDP/TCP)

Sample (2pcs)

10pcs

50pcs

100pcs+

Optional:
Relay

Payment Terms: By Western Union or MoneyGram or Bank Transfer (T/T), Full payment before shipment.
Accept OEM/ODM Service with MOQ 200~500pcs. Quality Warranty: 1 year since shipment date.
***We will adjust the prices accordingly without notice, please confirm final price with us while placing order, Thanks!**