



美标O型圈背托环密封圈 (BRT-AS)

使用工况：往复运动/旋转/静止

材 料： 丁腈橡胶/氟胶

温度范围：-45 ~ 200℃

序号	规格/尺寸	d	D	h	适用O-RING
1	BRT-8-004	2	5.2	1.14	AS-004 (1.78*1.78)
2	BRT-8-005	2.5	6	1.14	AS-005 (2.57*1.78)
3	BRT-8-006	3	6.5	1.14	AS-006 (2.90*1.78)
4	BRT-8-007	4	7	1.14	AS-007 (3.68*1.78)
5	BRT-8-008	5	8	1.14	AS-008 (4.47*1.78)
6	BRT-8-009	5.5	9	1.14	AS-009 (5.28*1.78)
7	BRT-8-010	6.5	10	1.14	AS-010 (6.07*1.78)
8	BRT-8-011	8	11	1.14	AS-011 (7.65*1.78)
9	BRT-8-012	9.5	13	1.14	AS-012 (9.25*1.78)
10	BRT-8-013	11	14	1.14	AS-013 (10.82*1.78)
11	BRT-8-014	13	16	1.14	AS-014 (12.42*1.78)
12	BRT-8-017	17	21	1.14	AS-017 (17.17*1.78)
13	BRT-8-018	19	22	1.14	AS-018 (18.77*1.78)
14	BRT-8-019	20	24	1.14	AS-019 (20.35*1.78)
15	BRT-8-020	22	25	1.14	AS-020 (21.95*1.78)
16	BRT-8-021	24	27	1.14	AS-021 (23.52*1.78)
17	BRT-8-022	25	29	1.14	AS-022 (25.12*1.78)
18	BRT-8-023	27	30	1.14	AS-023 (26.70*1.78)
19	BRT-8-025	30	33	1.14	AS-025 (29.87*1.78)
20	BRT-8-026	32	35	1.14	AS-026 (31.47*1.78)
21	BRT-8-027	33	36.5	1.14	AS-027 (33.05*1.78)
22	BRT-8-028	35	38	1.14	AS-028 (34.65*1.78)
23	BRT-8-029	38	41	1.14	AS-029 (37.82*1.78)
24	BRT-8-031	44.5	48	1.14	AS-031 (44.17*1.78)
25	BRT-8-032	48	51	1.14	AS-032 (47.35*1.78)

序号	规格/尺寸	d	D	h	适用O-RING
26	BRT-8-033	51	54	1.14	AS-033 (50.52*1.78)
27	BRT-8-035	57	60	1.14	AS-035 (56.87*1.78)
28	BRT-8-036	60	63.5	1.14	AS-036 (60.05*1.78)
29	BRT-8-037	63	67	1.14	AS-037 (63.22*1.78)
30	BRT-8-039	70	73	1.14	AS-039 (69.57*1.78)
31	BRT-8-041	76	80	1.14	AS-041 (75.92*1.78)
32	BRT-8-042	83	86	1.14	AS-042 (82.27*1.78)
33	BRT-8-043	89	92	1.14	AS-043 (88.62*1.78)
34	BRT-8-044	95	99	1.14	AS-044 (94.97*1.78)
35	BRT-8-045	102	105	1.14	AS-045 (101.32*1.78)
36	BRT-8-046	108	111	1.14	AS-046 (107.67*1.78)
37	BRT-8-047	114	118	1.14	AS-047 (114.02*1.78)
38	BRT-8-048	121	124	1.14	AS-048 (120.37*1.78)
39	BRT-8-049	127	130	1.14	AS-049 (126.72*1.78)
40	BRT-8-050	133	137	1.14	AS-050 (133.07*1.78)
41	BRT-8-102	1.6	6.3	1.14	AS-102 (1.24*2.62)
42	BRT-8-103	2.5	7	1.14	AS-103 (2.06*2.62)
43	BRT-8-104	3	8	1.14	AS-104 (2.84*2.62)
44	BRT-8-105	4	9	1.14	AS-105 (3.63*2.62)
45	BRT-8-106	5	9.5	1.14	AS-106 (4.42*2.62)
46	BRT-8-108	6.5	11	1.14	AS-108 (6.02*2.62)
47	BRT-8-109	8	13	1.14	AS-109 (7.59*2.62)
48	BRT-8-110	9.5	14	1.14	AS-110 (9.19*2.62)
49	BRT-8-111	11	16	1.14	AS-111 (10.77*2.62)
50	BRT-8-112	13	17	1.14	AS-112 (12.37*2.62)
51	BRT-8-113	14	19	1.14	AS-113 (13.94*2.62)
52	BRT-8-114	16	21	1.14	AS-114 (15.54*2.62)
53	BRT-8-115	17	22	1.14	AS-115 (17.12*2.62)
54	BRT-8-116	19	24	1.14	AS-116 (18.72*2.62)
55	BRT-8-117	20	25	1.14	AS-117 (20.29*2.62)
56	BRT-8-118	22	27	1.14	AS-118 (21.89*2.62)
57	BRT-8-119	24	29	1.14	AS-119 (23.47*2.62)
58	BRT-8-120	25	30	1.14	AS-120 (25.07*2.62)
59	BRT-8-121	27	32	1.14	AS-121 (26.62*2.62)
60	BRT-8-122	29	33	1.14	AS-122 (28.24*2.62)
61	BRT-8-123	30	35	1.14	AS-123 (29.82*2.62)
62	BRT-8-124	32	36.5	1.14	AS-124 (31.42*2.62)
63	BRT-8-125	33	38	1.14	AS-125 (32.99*2.62)

序号	规格/尺寸	d	D	h	适用O-RING
64	BRT-8-126	35	40	1.14	AS-126 (34.59*2.62)
65	BRT-8-127	36.5	41	1.14	AS-127 (36.17*2.62)
66	BRT-8-128	38	43	1.14	AS-128 (37.77*2.62)
67	BRT-8-129	40	44.5	1.14	AS-129 (39.34*2.62)
68	BRT-8-130	41	46	1.14	AS-130 (40.94*2.62)
69	BRT-8-131	43	48	1.14	AS-131 (42.52*2.62)
70	BRT-8-132	44.5	50	1.14	AS-132 (44.12*2.62)
71	BRT-8-133	46	51	1.14	AS-133 (45.69*2.62)
72	BRT-8-134	48	52	1.14	AS-134 (47.29*2.62)
73	BRT-8-135	49	54	1.14	AS-135 (48.90*2.62)
74	BRT-8-136	51	55.5	1.14	AS-136 (50.47*2.62)
75	BRT-8-137	52	57	1.14	AS-137 (52.07*2.62)
76	BRT-8-138	54	58	1.14	AS-138 (53.64*2.62)
77	BRT-8-139	55	60	1.14	AS-139 (55.25*2.62)
78	BRT-8-140	57	62	1.14	AS-140 (56.82*2.62)
79	BRT-8-141	59	63.5	1.14	AS-141 (58.42*2.62)
80	BRT-8-142	60	65	1.14	AS-142 (59.99*2.62)
81	BRT-8-144	63	68	1.14	AS-144 (63.17*2.62)
82	BRT-8-145	65	70	1.14	AS-145 (64.77*2.62)
83	BRT-8-146	67	71	1.14	AS-146 (66.34*2.62)
84	BRT-8-147	68	73	1.14	AS-147 (67.95*2.62)
85	BRT-8-148	70	75	1.14	AS-148 (69.52*2.62)
86	BRT-8-149	71	76	1.14	AS-149 (71.12*2.62)
87	BRT-8-150	73	78	1.14	AS-150 (72.69*2.62)
88	BRT-8-151	76	81	1.14	AS-151 (75.87*2.62)
89	BRT-8-152	83	87	1.14	AS-152 (82.22*2.62)
90	BRT-8-153	89	94	1.14	AS-153 (88.57*2.62)
91	BRT-8-154	95	100	1.14	AS-154 (94.92*2.62)
92	BRT-8-155	102	106	1.14	AS-155 (101.27*2.62)
93	BRT-8-156	108	113	1.14	AS-156 (107.62*2.62)
94	BRT-8-157	114	119	1.14	AS-157 (113.97*2.62)
95	BRT-8-158	121	125	1.14	AS-158 (120.32*2.62)
96	BRT-8-159	127	132	1.14	AS-159 (126.67*2.62)
97	BRT-8-160	133	138	1.14	AS-160 (133.02*2.62)
98	BRT-8-161	140	144	1.14	AS-161 (139.37*2.62)
99	BRT-8-163	152	157	1.14	AS-163 (152.07*2.62)
100	BRT-8-164	159	164	1.14	AS-164 (158.42*2.62)
101	BRT-8-165	165	170	1.14	AS-165 (164.77*2.62)

序号	规格/尺寸	d	D	h	适用O-RING
102	BRT-8-166	172	176	1.14	AS-166 (171.12*2.62)
103	BRT-8-167	178	183	1.14	AS-167 (177.42*2.62)
104	BRT-8-168	184	189	1.14	AS-168 (183.82*2.62)
105	BRT-8-169	190	195	1.14	AS-169 (190.17*2.62)
106	BRT-8-170	197	202	1.14	AS-170 (196.52*2.62)
107	BRT-8-171	203	208	1.14	AS-171 (202.87*2.62)
108	BRT-8-172	210	214	1.14	AS-172 (209.22*2.62)
109	BRT-8-173	216	221	1.14	AS-173 (215.57*2.62)
110	BRT-8-174	222	227	1.14	AS-174 (221.92*2.62)
111	BRT-8-175	229	233	1.14	AS-175 (228.27*2.62)
112	BRT-8-176	235	240	1.14	AS-176 (234.62*2.62)
113	BRT-8-177	241	246	1.14	AS-177 (240.97*2.62)
114	BRT-8-178	248	252	1.14	AS-178 (247.32*2.62)
115	BRT-8-201	5	11	1.02	AS-201 (4.34*3.53)
116	BRT-8-202	6.5	13	1.02	AS-202 (5.94*3.53)
117	BRT-8-203	8	14	1.02	AS-203 (7.52*3.53)
118	BRT-8-204	9.5	16	1.02	AS-204 (9.12*3.53)
119	BRT-8-205	11	17	1.02	AS-205 (10.69*3.53)
120	BRT-8-206	13	19	1.02	AS-206 (12.29*3.53)
121	BRT-8-207	14	21	1.52	AS-207 (13.87*3.53)
122	BRT-8-208	16	22	1.02	AS-208 (15.47*3.53)
123	BRT-8-209	17	24	1.02	AS-209 (17.04*3.53)
124	BRT-8-210	19	25	1.02	AS-210 (18.64*3.53)
125	BRT-8-211	20	27	1.02	AS-211 (20.22*3.53)
126	BRT-8-212	22	29	1.02	AS-212 (21.82*3.53)
127	BRT-8-213	24	30	1.02	AS-213 (23.39*3.53)
128	BRT-8-214	25	32	1.02	AS-214 (25.00*3.53)
129	BRT-8-215	27	33	1.02	AS-215 (26.57*3.53)
130	BRT-8-216	29	35	1.02	AS-216 (28.17*3.53)
131	BRT-8-217	30	36.5	1.02	AS-217 (29.74*3.53)
132	BRT-8-218	32	38	1.02	AS-218 (31.34*3.53)
133	BRT-8-219	33	40	1.02	AS-219 (32.92*3.53)
134	BRT-8-220	35	41	1.02	AS-220 (34.52*3.53)
135	BRT-8-221	36	43	1.02	AS-221 (36.09*3.53)
136	BRT-8-222	38	44.5	1.02	AS-222 (37.69*3.53)
137	BRT-8-223	41	48	1.02	AS-223 (40.87*3.53)
138	BRT-8-224	44.5	51	1.02	AS-224 (44.04*3.53)
139	BRT-8-225	48	54	1.02	AS-225 (47.22*3.53)

序号	规格/尺寸	d	D	h	适用O-RING
140	BRT-8-226	51	57	1.02	AS-226 (50.39*3.53)
141	BRT-8-227	54	60	1.02	AS-227 (53.57*3.53)
142	BRT-8-228	57	63.5	1.02	AS-228 (56.74*3.53)
143	BRT-8-229	60	67	1.02	AS-229 (59.92*3.53)
144	BRT-8-230	63.5	70	1.02	AS-230 (63.09*3.53)
145	BRT-8-231	67	73	1.02	AS-231 (66.27*3.53)
146	BRT-8-232	70	76	1.02	AS-232 (69.44*3.53)
147	BRT-8-233	73	79	1.02	AS-233 (72.62*3.53)
148	BRT-8-234	76	83	1.02	AS-234 (75.79*3.53)
149	BRT-8-235	79.5	86	1.02	AS-235 (78.97*3.53)
150	BRT-8-236	83	89	1.02	AS-236 (82.14*3.53)
151	BRT-8-237	86	92	1.02	AS-237 (85.32*3.53)
152	BRT-8-238	90	95	1.02	AS-238 (88.49*3.53)
153	BRT-8-239	92	98	1.02	AS-239 (91.67*3.53)
154	BRT-8-240	95	102	1.02	AS-240 (94.84*3.53)
155	BRT-8-241	98	105	1.02	AS-241 (98.02*3.53)
156	BRT-8-242	102	108	1.02	AS-242 (101.19*3.53)
157	BRT-8-243	105	111	1.02	AS-243 (104.37*3.53)
158	BRT-8-244	108	114	1.02	AS-244 (107.54*3.53)
159	BRT-8-245	111	118	1.02	AS-245 (110.72*3.53)
160	BRT-8-246	114	121	1.02	AS-246 (113.89*3.53)
161	BRT-8-247	118	124	1.02	AS-247 (117.07*3.53)
162	BRT-8-248	121	127	1.02	AS-248 (120.24*3.53)
163	BRT-8-249	124	130	1.02	AS-249 (123.42*3.53)
164	BRT-8-250	127	133	1.02	AS-250 (126.59*3.53)
165	BRT-8-252	133	140	1.02	AS-252 (132.94*3.53)
166	BRT-8-253	136.5	143	1.02	AS-253 (136.12*3.53)
167	BRT-8-255	143	150	1.02	AS-255 (142.47*3.53)
168	BRT-8-256	146	152	1.02	AS-256 (145.64*3.53)
169	BRT-8-258	152	159	1.02	AS-258 (151.99*3.53)
170	BRT-8-259	159	165	1.02	AS-259 (158.34*3.53)
171	BRT-8-260	165	172	1.02	AS-260 (164.69*3.53)
172	BRT-8-261	172	178	1.02	AS-261 (171.04*3.53)
173	BRT-8-262	178	184	1.02	AS-262 (177.39*3.53)
174	BRT-8-263	184	190.5	1.02	AS-263 (183.74*3.53)
175	BRT-8-264	190	197	1.02	AS-264 (190.09*3.53)
176	BRT-8-265	197	203	1.02	AS-265 (196.44*3.53)
177	BRT-8-266	203	210	1.02	AS-266 (202.79*3.53)

序号	规格/尺寸	d	D	h	适用O-RING
178	BRT-8-267	210	215	1.02	AS-267 (209.14*3.53)
179	BRT-8-268	215	222.3	1.02	AS-268 (215.49*3.53)
180	BRT-8-269	222.3	229	1.02	AS-269 (221.84*3.53)
181	BRT-8-270	228.6	235	1.02	AS-270 (228.19*3.53)
182	BRT-8-271	235	251	1.02	AS-271 (234.54*3.53)
183	BRT-8-272	241	248	1.02	AS-272 (240.89*3.53)
184	BRT-8-273	248	254	1.02	AS-273 (247.24*3.53)
185	BRT-8-274	254	260	1.02	AS-274 (253.59*3.53)
186	BRT-8-275	267	273	1.02	AS-275 (266.19*3.53)
187	BRT-8-276	280	286	1.02	AS-276 (278.99*3.53)
188	BRT-8-277	292	299	1.02	AS-277 (291.69*3.53)
189	BRT-8-278	305	311	1.02	AS-278 (304.39*3.53)
190	BRT-8-279	330	336	1.02	AS-279 (329.79*3.53)
191	BRT-8-280	356	362	1.02	AS-280 (355.19*3.53)
192	BRT-8-281	381	387	1.02	AS-281 (380.59*3.53)
193	BRT-8-282	406	413	1.02	AS-282 (405.26*3.53)
194	BRT-8-283	432	438	1.02	AS-283 (430.66*3.53)
195	BRT-8-284	457	464	1.02	AS-284 (456.06*3.53)
196	BRT-8-309	11	21	1.52	AS-309 (10.46*5.33)
197	BRT-8-310	13	22	1.52	AS-310 (12.07*5.33)
198	BRT-8-311	14	24	1.52	AS-311 (13.64*5.33)
199	BRT-8-312	16	25	1.52	AS-312 (15.24*5.33)
200	BRT-8-313	17	27	1.52	AS-313 (16.81*5.33)
201	BRT-8-314	19	29	1.52	AS-314 (18.42*5.33)
202	BRT-8-315	20	30	1.52	AS-315 (19.99*5.33)
203	BRT-8-316	22	32	1.52	AS-316 (21.59*5.33)
204	BRT-8-317	24	33	1.52	AS-317 (23.16*5.33)
205	BRT-8-318	25	35	1.52	AS-318 (24.77*5.33)
206	BRT-8-319	27	36.5	1.52	AS-319 (26.34*5.33)
207	BRT-8-320	29	38	1.52	AS-320 (27.94*5.33)
208	BRT-8-321	30	40	1.52	AS-321 (29.51*5.33)
209	BRT-8-322	32	41	1.52	AS-322 (31.12*5.33)
210	BRT-8-323	33	43	1.52	AS-323 (32.69*5.33)
211	BRT-8-324	35	44.5	1.52	AS-324 (34.29*5.33)
212	BRT-8-325	38	48	1.52	AS-325 (37.47*5.33)
213	BRT-8-326	41	51	1.52	AS-326 (40.64*5.33)
214	BRT-8-327	44.5	54	1.52	AS-327 (43.82*5.33)
215	BRT-8-328	48	57	1.52	AS-328 (46.99*5.33)

序号	规格/尺寸	d	D	h	适用O-RING
216	BRT-8-329	51	60	1.52	AS-329 (50.17*5.33)
217	BRT-8-330	54	63.5	1.52	AS-330 (53.34*5.33)
218	BRT-8-331	57	67	1.52	AS-331 (56.52*5.33)
219	BRT-8-332	60	70	1.52	AS-332 (59.69*5.33)
220	BRT-8-333	64	73	1.52	AS-333 (62.87*5.33)
221	BRT-8-334	67	76	1.52	AS-334 (66.04*5.33)
222	BRT-8-335	70	80	1.52	AS-335 (69.22*5.33)
223	BRT-8-336	73	83	1.52	AS-336 (72.39*5.33)
224	BRT-8-337	76	86	1.52	AS-337 (75.57*5.33)
225	BRT-8-338	80	89	1.52	AS-338 (78.74*5.33)
226	BRT-8-339	83	92	1.52	AS-339 (81.92*5.33)
227	BRT-8-340	86	95	1.52	AS-340 (85.09*5.33)
228	BRT-8-341	90	98	1.52	AS-341 (88.27*5.33)
229	BRT-8-342	92	102	1.52	AS-342 (91.44*5.33)
230	BRT-8-343	95	105	1.52	AS-343 (94.62*5.33)
231	BRT-8-344	98	108	1.52	AS-344 (97.79*5.33)
232	BRT-8-345	102	111	1.52	AS-345 (100.97*5.33)
233	BRT-8-346	105	114	1.52	AS-346 (104.14*5.33)
234	BRT-8-347	108	118	1.52	AS-347 (107.32*5.33)
235	BRT-8-348	111	121	1.52	AS-348 (110.49*5.33)
236	BRT-8-349	114	124	1.52	AS-349 (113.67*5.33)
237	BRT-8-350	118	127	1.52	AS-350 (116.84*5.33)
238	BRT-8-351	115	130	1.52	AS-351 (120.02*5.33)
239	BRT-8-352	124	133	1.52	AS-352 (123.19*5.33)
240	BRT-8-353	127	137	1.52	AS-353 (126.37*5.33)
241	BRT-8-354	130	140	1.52	AS-354 (129.54*5.33)
242	BRT-8-355	134	143	1.52	AS-355 (132.72*5.33)
243	BRT-8-356	137	146	1.52	AS-356 (135.89*5.33)
244	BRT-8-357	140	150	1.52	AS-357 (139.07*5.33)
245	BRT-8-358	143	152	1.52	AS-358 (142.24*5.33)
246	BRT-8-359	146	156	1.52	AS-359 (145.42*5.33)
247	BRT-8-360	150	159	1.52	AS-360 (148.49*5.33)
248	BRT-8-361	152	162	1.52	AS-361 (151.77*5.33)
249	BRT-8-362	159	168	1.52	AS-362 (158.12*5.33)
250	BRT-8-363	165	175	1.52	AS-363 (164.47*5.33)
251	BRT-8-364	172	181	1.52	AS-364 (170.82*5.33)
252	BRT-8-365	178	187	1.52	AS-365 (177.17*5.33)
253	BRT-8-366	184	194	1.52	AS-366 (183.52*5.33)

序号	规格/尺寸	d	D	h	适用O-RING
254	BRT-8-367	191	200	1.52	AS-367 (189.87*5.33)
255	BRT-8-368	197	206	1.52	AS-368 (196.22*5.33)
256	BRT-8-369	203	213	1.52	AS-369 (202.57*5.33)
257	BRT-8-370	210	220	1.52	AS-370 (208.92*5.33)
258	BRT-8-371	216	226	1.52	AS-371 (215.27*5.33)
259	BRT-8-372	222	232	1.52	AS-372 (221.62*5.33)
260	BRT-8-373	229	238	1.52	AS-373 (227.97*5.33)
261	BRT-8-374	235	244.5	1.52	AS-374 (234.32*5.33)
262	BRT-8-375	241	251	1.52	AS-375 (240.67*5.33)
263	BRT-8-376	248	257	1.52	AS-376 (247.02*5.33)
264	BRT-8-377	254	264	1.52	AS-377 (253.37*5.33)
265	BRT-8-378	267	276	1.52	AS-378 (266.07*5.33)
266	BRT-8-379	280	290	1.52	AS-379 (278.77*5.33)
267	BRT-8-380	292	302	1.52	AS-380 (291.47*5.33)
268	BRT-8-381	305	315	1.52	AS-381 (304.17*5.33)
269	BRT-8-382	330	340	1.52	AS-382 (329.57*5.33)
270	BRT-8-383	356	366	1.52	AS-383 (354.97*5.33)
271	BRT-8-384	381	390.5	1.52	AS-384 (380.37*5.33)
272	BRT-8-385	407	416	1.52	AS-385 (405.26*5.33)
273	BRT-8-386	432	441	1.52	AS-386 (430.66*5.33)
274	BRT-8-387	457	467	1.52	AS-387 (456.06*5.33)
275	BRT-8-388	483	492	1.52	AS-388 (481.38*5.33)
276	BRT-8-425	114	128	2.44	AS-425 (113.67*6.99)
277	BRT-8-426	118	131	2.44	AS-426 (116.84*6.99)
278	BRT-8-427	121	134	2.44	AS-427 (120.02*6.99)
279	BRT-8-428	124	137	2.44	AS-428 (123.19*6.99)
280	BRT-8-429	127	140	2.44	AS-429 (126.37*6.99)
281	BRT-8-430	130	143	2.44	AS-430 (129.54*6.99)
282	BRT-8-431	134	147	2.44	AS-431 (132.72*6.99)
283	BRT-8-432	137	150	2.44	AS-432 (135.89*6.99)
284	BRT-8-433	140	152	2.44	AS-433 (139.07*6.99)
285	BRT-8-434	143	156	2.44	AS-434 (142.24*6.99)
286	BRT-8-435	146	159	2.44	AS-435 (145.42*6.99)
287	BRT-8-436	150	162	2.44	AS-436 (148.59*6.99)
288	BRT-8-437	153	165	2.44	AS-437 (151.77*6.99)
289	BRT-8-438	159	172	2.44	AS-438 (158.12*6.99)
290	BRT-8-439	165	178	2.44	AS-439 (164.47*6.99)
291	BRT-8-440	172	184	2.44	AS-440 (170.82*6.99)

序号	规格/尺寸	d	D	h	适用O-RING
292	BRT-8-441	178	190.5	2.44	AS-441 (177.17*6.99)
293	BRT-8-442	185	197	2.44	AS-442 (183.52*6.99)
294	BRT-8-443	190	203	2.44	AS-443 (189.87*6.99)
295	BRT-8-444	197	210	2.44	AS-444 (196.22*6.99)
296	BRT-8-445	203	216	2.44	AS-445 (202.57*6.99)
297	BRT-8-446	216	229	2.44	AS-446 (215.27*6.99)
298	BRT-8-447	229	241	2.44	AS-447 (227.97*6.99)
299	BRT-8-448	241	254	2.44	AS-448 (240.67*6.99)
300	BRT-8-449	254	267	2.44	AS-449 (253.37*6.99)
301	BRT-8-450	267	280	2.44	AS-450 (266.07*6.99)
302	BRT-8-451	280	292	2.44	AS-451 (278.77*6.99)
303	BRT-8-452	292	305	2.44	AS-452 (291.47*6.99)
304	BRT-8-453	305	318	2.44	AS-453 (304.17*6.99)
305	BRT-8-454	318	330	2.44	AS-454 (316.87*6.99)
306	BRT-8-455	330	343	2.44	AS-455 (329.57*6.99)
307	BRT-8-456	343	356	2.44	AS-456 (342.47*6.99)
308	BRT-8-457	356	368	2.44	AS-457 (354.97*6.99)
309	BRT-8-458	368	381	2.44	AS-458 (367.67*6.99)
310	BRT-8-459	381	394	2.44	AS-459 (380.37*6.99)
311	BRT-8-460	394	406	2.44	AS-460 (393.07*6.99)
312	BRT-8-461	407	419	2.44	AS-461 (405.26*6.99)
313	BRT-8-462	420	432	2.44	AS-462 (417.96*6.99)
314	BRT-8-463	432	444.5	2.44	AS-463 (430.66*6.99)
315	BRT-8-464	445	457	2.44	AS-464 (443.36*6.99)
316	BRT-8-465	458	470	2.44	AS-465 (456.06*6.99)
317	BRT-8-466	470	483	2.44	AS-466 (468.76*6.99)
318	BRT-8-467	483	495	2.44	AS-467 (481.38*6.99)
319	BRT-8-468	495	508	2.44	AS-468 (494.16*6.99)
320	BRT-8-469	508	521	2.44	AS-469 (506.86*6.99)
321	BRT-8-552	14	17	1.14	AS-552 (14.00*1.78)
322	BRT-8-615	130	136.5	1.02	AS-615 (129.77*3.55)
323	BRT-8-686	29	32	1.14	AS-686 (28.30*1.78)
324	BRT-8-809	16	19	1.14	AS-809 (15.60*1.78)
325	BRT-8-825	41	44.5	1.14	AS-825 (41.00*1.78)
326	BRT-8-833	54	57	1.14	AS-833 (53.70*1.78)
327	BRT-8-838	62	67	1.14	AS-838 (61.60*2.62)
328	BRT-8-841	67	70	1.14	AS-841 (66.40*1.78)
329	BRT-8-845	73	76	1.14	AS-845 (72.75*1.78)

序号	规格/尺寸	d	D	h	适用O-RING
330	BRT-8-866	140	146	1.02	AS-866 (136.29*3.53)
331	BRT-8-869	146	151	1.14	AS-869 (145.72*2.62)
332	BRT-8-870	150	156	1.02	AS-870 (148.82*3.53)