



WiViTouch (China) Technology Limited

E-mail: wivi@wivitouch.com Website: www.wivitouch.com

Touch Your Future



SAW Touch screen (Standard)

- * Size: 8.4inch ~ 46inch
- * Surface Acoustic Wave Technology
- * Made by pure glass
- * More than 90% transparency
- * High resolution 4096*4096
- * No known wear-out mechanism
- * more than 50,000,000 touches in single point

Vandaproof touch screen




- * This type of touch screen uses 6mm tempered glass, which provide excellent impact-proof 、 vandal-proof performance, and could be used in public environments where vandalism is a concern or in unsupervised or industrial environments.
- * Even if a touchscreen is broken, the fragments are safe with no sharp edges
- * With tempered, 6mm thickness glass, these touchscreens can withstand the impact of a 1000g steel ball, dropped from a height of 1 meter, in accordance with Trial Standard Number GB/T9963-1998.。
- * With a tempered, 4mm-thickness-glass, these touchscreens can withstand the impact of a 500g steel ball, dropped from a height of 1.3 meters, in accordance with Trial Standard Number 60950©IEC 1999

Water-proof touchscreen



- * The water resistant feature of the products is compliant with NEMA3 and IEC IP65 standards, which can protect the reflective grating and the transducers from the water and the dust.
- Test way: 1. Take the panel Level laying aside, then pour water on it. And keep this condition 24 hours.
2. Spill the water and clean the panel.
3. The touchscreen can work fine.
- * Excellent maintenance-free and durability
 - * Applicable to the outdoor environment environments where in unsupervised or industrial environments

Large size SAW touch screen



- Size: 26inch~46inch *Perfect application of latest technology to surface wave technology in the large size touch panel, with high response time and accuracy,
- * With 8pcs transducer, and double-panel cable.
 - * Keep the coherence with normal panel for the controller and pontes to mainboard.
 - * With high density touch dot: 10000 dot/square inch
 - * Stable capability, self-correcting, without touch excursion.
 - * Anti-EMI, with high electromagnetism compatibility.



WiViTouch (China) Technology Limited

Touch Your Future

T=Thickness(3=3mm,4=4mm,6=6mm). C=Compact,V=Vandaproof. W=waterproof,169=widescreen,AL=Alunimium frame

Controller: USB & RS232

Driver:windows XP,CE,windows 7, Linux,Vista.

Product name	Model	Size	Outside Area(mm)	Viewing Area(mm)	Active Area(mm)
SAW Touch	WVT-0070-4T	7"	180*120	157*96	153*92
SAW Touch	WVT-0084-3T	8.4"	207*164	183*142	178*138
SAW Touch	WVT-0084-4T	8.4"	207*164	183*142	178*138
SAW Touch	WVT-0084-6TV	8.4"	207*164	183*142	178*138
SAW Touch	WVT-0084-6TVG	8.4"	207*164	183*142	178*138
SAW Touch	WVT-0084-6T	8.4"	207*164	183*142	178*138
SAW Touch	WVT-0104-3T	10.4"	244*188	217*161	215*159
SAW Touch	WVT-0104-4T	10.4"	244*188	217*161	215*159
SAW Touch	WVT-0104-6TV	10.4"	244*188	217*161	215*159
SAW Touch	WVT-0104-4T-DRE2	10.4"	235*184	217*165	215*163
SAW Touch	WVT-0104-15T	10.4"	259*206	233*180	229*176
SAW Touch	WVT-0104-3T-DRE2	10.4"	235*184	217*165	215*163
SAW Touch	WVT-0100-3TG-CCT	10.4"	227*170	203*152	201*150
SAW Touch	WVT-0104-6T	10.4"	244*188	217*161	215*159
SAW Touch	WVT-0104-3T-TG	10.4"	244*188	217*161	215*159
SAW Touch	WVT-0104-3TG	10.4"	244*188	217*161	215*159
SAW Touch	WVT-0104-4TV-YT	10.4"	230*179	215*163	211*159
SAW Touch	WVT-0104-6T-AL	10.4"	255*202	224*170	218*164



WiViTouch (China) Technology Limited

Touch Your Future

T=Thickness(3=3mm,4=4mm,6=6mm). C=Compact,V=Vandaproof. W=waterproof,169=widescreen,AL=Alunimium frame

Controller: USB & RS232

Driver:windows XP,CE,windows 7, Linux,Vista.

Product name	Model	Size	Outside Area(mm)	Viewing Area(mm)	Active Area(mm)
SAW Touch	WVT-0104-6TG-AL	10.4"	255*202	224*170	218*164
SAW Touch	WVT-0104-6TV	10.4"	244*188	217*161	215*159
SAW Touch	WVT-0104-4T-YT	10.4"	230*179	215*163	211*159
SAW Touch	WVT-0104-4TG-AL	10.4"	255*202	224*170	218*164
SAW Touch	WVT-0104-4TV-YT2	10.4"	230*179	215*163	211*159
SAW Touch	WVT-0121-3T	12.1"	282*222	250*189	247*184
SAW Touch	WVT-0121-4T	12.1"	282*222	250*189	247*184
SAW Touch	WVT-0121-4T-JK	12.1"	282*222	250*189	247*184
SAW Touch	WVT-0121-4T-JK1	12.1"	282*222	250*189	247*184
SAW Touch	WVT-0121-4T-JK2	12.1"	282*222	250*189	247*184
SAW Touch	WVT-0121-4T-JK3	12.1"	282*222	250*189	247*184
SAW Touch	WVT-0121-6TV	12.1"	282*222	250*189	247*184
SAW Touch	WVT-0121-4T-OT	12.1"	282*222	250*189	247*184
SAW Touch	WVT-0121-6T-OT	12.1"	282*222	250*189	247*184
SAW Touch	WVT-0121-4TG	12.1"	282*222	250*189	247*184
SAW Touch	WVT-0121-3T-HF	12.1"	282*222	250*189	247*184
SAW Touch	WVT-0121-4TG-OT	12.1"	282*222	250*189	247*184
SAW Touch	WVT-0121-4T-AL	12.1"	281*220	254*192	248*186



WiViTouch (China) Technology Limited

Touch Your Future

T=Thickness(3=3mm,4=4mm,6=6mm). C=Compact,V=Vandaproof. W=waterproof,169=widescreen,AL=Alunimium frame

Controller: USB & RS232

Driver:windows XP,CE,windows 7, Linux,Vista.

Product name	Model	Size	Outside Area(mm)	Viewing Area(mm)	Active Area(mm)
SAW Touch	WVT-0121-4TG-GDV	12.1"	275*209	252*191	250*189
SAW Touch	WVT-0121-4T-GDV	12.1"	275*209	252*191	250*189
SAW Touch	WVT-0121-4T-AAV	12.1"	281*186	266*167	262*165
SAW Touch	WVT-0121-6T-OT1	12.1"	271*209.5	251*189.5	249*187.5
SAW Touch	WVT-0121-6T	12.1"	282*222	250*189	247*184
SAW Touch	WVT-0121-4T-AL2	12.1"	295*234	258*196	250*188
SAW Touch	WVT-0121-6T-AL	12.1"	281*220	254*192	248186
SAW Touch	WVT-0121-4TG-AAV	12.1"	281*186	266*167	262*165
SAW Touch	WVT-0121-6T-AL3	12.1"	288*227	258*196	250*188
SAW Touch	WVT-0121-4TG-AL2	12.1"	295*234	258*196	250*188
SAW Touch	WVT-0121-6TV-OT1	12.1"	271*209	251*189	249*187
SAW Touch	WVT-0121-3T-GDV	12.1"	278*209	252*191	250*189
SAW Touch	WVT-0121-4T-169AL	12.1"	311*214	272*175	265*168
SAW Touch	WVT-0121-6TR/V	12.1"	282*222	250*189	247*184
SAW Touch	WVT-0133-4T	13.3"	308*240	276*208	272*204
SAW Touch	WVT-0140-4T-AVA169a	14"	322*214	307*193	304*190
SAW Touch	WVT-0151-3T	15"	348*277	314*239	306*230
SAW Touch	WVT-0151-3TC-KIN	15"	338*255	314*236	306*230



WiViTouch (China) Technology Limited

Touch Your Future

T=Thickness(3=3mm,4=4mm,6=6mm). C=Compact,V=Vandaproof. W=waterproof,169=widescreen,AL=Alunimium frame

Controller: USB & RS232

Driver:windows XP,CE,windows 7, Linux,Vista.

Product name	Model	Size	Outside Area(mm)	Viewing Area(mm)	Active Area(mm)
SAW Touch	WVT-0151-3T-GFG	15"	325*252	309*235	307*231
SAW Touch	WVT-0151-4T	15"	348*277	314*239	306*230
SAW Touch	WVT-0151-4TC	15"	328*259	310*234	308*232
SAW Touch	WVT-0151-6TV	15"	348*277	314*239	306*230
SAW Touch	WVT-0151-6TV-KIN	15"	344*267	325*248	312*238
SAW Touch	WVT-0151-3TC-DT	15"	327*251	308*233	307*232
SAW Touch	WVT-0151-3TC-KIN	15"	338*255	314*236	306*230
SAW Touch	WVT-0151-4T-AVY	15"	351.9*278.9	319.4*246.4	307.4*231.3
SAW Touch	WVT-0151-4T-VZDT	15"	326.5*253.5	308*232	304.1*228
SAW Touch	WVT-0151-3TC-DDJ	15"	331.5*256	305*228	303*226
SAW Touch	WVT-0151-3T-GFG	15"	325*252	309*235	307*231
SAW Touch	WVT-0151-3T-KL3	15"	337*261	309*234	306*230
SAW Touch	WVT-0151-4T-DL	15"	334*260	309*233	305*229
SAW Touch	WVT-0151-6TV-DL	15"	334*260	309*233	305*229
SAW Touch	WVT-0151-4T-AD	15"	335*260	320*237	318*231
SAW Touch	WVT-0151-6T-DDJ	15"	332*257	310*234	308*232
SAW Touch	WVT-0151-4T-AVY	15"	351.9*278.9	319.4*246.4	307.4*231.3
SAW Touch	WVT-0151-3T-KL3	15"	337*261	309*234	306*230



WiViTouch (China) Technology Limited

Touch Your Future

T=Thickness(3=3mm,4=4mm,6=6mm). C=Compact,V=Vandaproof. W=waterproof,169=widescreen,AL=Alunimium frame

Controller: USB & RS232

Driver:windows XP,CE,windows 7, Linux,Vista.

Product name	Model	Size	Outside Area(mm)	Viewing Area(mm)	Active Area(mm)
SAW Touch	WVT-0151-4TN	15"	326*254	307*232	304*228
SAW Touch	WVT-0151-6TV-DDJ	15"	332*257	310*234	308*232
SAW Touch	WVT-0151-3TC-DDJ	15"	331.5*256	305*228	303*226
SAW Touch	WVT-0151-4T-OT	15"	348*277	314*239	306*230
SAW Touch	WVT-0151-6TV-Craft	15"	360*270	314*239	306*230
SAW Touch	WVT-0151-6TV-DDJ	15"	332*257	310*234	308*232
SAW Touch	WVT-0151-6TV-KIN	15"	344*267	325*248	312*238
SAW Touch	WVT-0153-4T-VEE169T	15.3"	358*226	338*204	336*202
SAW Touch	WVT-0151-4T-TTL	15"	348*277	314*239	306*230
SAW Touch	WVT-0151-6TCV	15"	328*259	310*234	308*232
SAW Touch	WVT-0151-3A-GV	15"	329*257	314*238	306*230
SAW Touch	WVT-0154-4T-VEE169D	15.4"	358*228	338*213	337*209
SAW Touch	WVT-0151-4T-HD	15"	346*261	317*238	306*230
SAW Touch	WVT-0151-3TN	15"	326*254	307*232	304*228
SAW Touch	WVT-0151-4TG-DL	15"	334*260	309*233	305*229
SAW Touch	WVT-0151-6T	15"	348*277	314*239	306*230
SAW Touch	WVT-0151-3T-HF	15"	333*256	308*232	306*230
SAW Touch	WVT-0151-6TG	15"	348*277	314*239	306*230



WiViTouch (China) Technology Limited

Touch Your Future

T=Thickness(3=3mm,4=4mm,6=6mm). C=Compact,V=Vandaproof. W=waterproof,169=widescreen,AL=Alunimium frame

Controller: USB & RS232

Driver:windows XP,CE,windows 7, Linux,Vista.

Product name	Model	Size	Outside Area(mm)	Viewing Area(mm)	Active Area(mm)
SAW Touch	WVT-0151-6TV-OT	15"	348*277	314*239	306*230
SAW Touch	WVT-0151-3T-CA	15"	328*255	307*232	304*228
SAW Touch	WVT-0151-6TV-CA	15"	357*264	337*237	335*235
SAW Touch	WVT-0151-4T-XDD	15"	358*263	312*236	306*230
SAW Touch	WVT-0154-4T-AL	15"	385*258	353*225	343*215
SAW Touch	WVT-0151-6T-DL	15"	334*260	309*233	305*229
SAW Touch	WVT-0151-3TC-CC	15"	327*251	308*233	307*232
SAW Touch	WVT-0151-6TV-ZT	15"	339*266	310*235	306*230
SAW Touch	WVT-0151-6T-NV	15"	326*254	307*232	304*228
SAW Touch	WVT-0151-4T-AT	15"	327*255	305*235	301*231
SAW Touch	WVT-0151-4T-DA	15"	345*261	310*234	306*230
SAW Touch	WVT-0151-3TG	15"	348*277	314*239	306*230
SAW Touch	WVT-0151-4T-AL2	15"	342*266	312*236	308*232
SAW Touch	WVT-0151-6T-AL2	15"	342*266	312*236	308*232
SAW Touch	WVT-0151-6T-NG	15"	326*254	307*232	304*228
SAW Touch	WVT-0151-4T-DT	15"	345*261	310*234	306*230
SAW Touch	WVT-0151-6TG-AL2	15"	342*266	312*236	308*232
SAW Touch	WVT-0151-3TCG	15"	328*259	310*234	308*232



WiViTouch (China) Technology Limited

Touch Your Future

T=Thickness(3=3mm,4=4mm,6=6mm). C=Compact,V=Vandaproof. W=waterproof,169=widescreen,AL=Alunimium frame

Controller: USB & RS232

Driver:windows XP,CE,windows 7, Linux,Vista.

Product name	Model	Size	Outside Area(mm)	Viewing Area(mm)	Active Area(mm)
SAW Touch	WVT-0151-3TNG	15"	326*254	307*232	304*228
SAW Touch	WVT-0151-4TV	15"	348*277	314*239	348*277
SAW Touch	WVT-0151-4T-XDD1	15"	358*263	312*236	306*230
SAW Touch	WVT-0151-4T-HEI	15"	328*254	308*232	306*230
SAW Touch	WVT-0151-6TN	15"	326*254	307*232	304*228
SAW Touch	WVT-0151-6T-AL3	15"	348*272	314*238	310*234
SAW Touch	WVT-0151-6TC	15"	328*259	310*234	308*232
SAW Touch	WVT-0160-4T-3C	16"	372*223	350*199	347*196
SAW Touch	WVT-0170-12T	17"	382*312	346*278	340*272
SAW Touch	WVT-0170-6T-HX	17"	362*296	342*276	340*272
SAW Touch	WVT-0170-3TN	17"	357*295	341*274	338*271
SAW Touch	WVT-0170-3T-KIN	17"	371*305	348*281	340*273
SAW Touch	WVT-0170-3T-ZJH	17"	435*285	380*242	372*234
SAW Touch	WVT-0170-4T-DL	17"	373*306	344*276	340*272
SAW Touch	WVT-0170-4T	17"	382*312	346*278	340*272
SAW Touch	WVT-0170-4TC	17"	362*299	342*276	340*272
SAW Touch	WVT-0170-4T-ZJH	17"	435*285	380*242	372*234
SAW Touch	WVT-0170-6TV	17"	382*312	346*278	340*272



WiViTouch (China) Technology Limited

Touch Your Future

T=Thickness(3=3mm,4=4mm,6=6mm). C=Compact,V=Vandaproof. W=waterproof,169=widescreen,AL=Alunimium frame

Controller: USB & RS232

Driver:windows XP,CE,windows 7, Linux,Vista.

Product name	Model	Size	Outside Area(mm)	Viewing Area(mm)	Active Area(mm)
SAW Touch	WVT-0170-4TN	17"	357*295	341*274	338*271
SAW Touch	KAC-0170-3T-DT	17"	364*283	335*254	328*248
SAW Touch	WVT-0170-4T-OT	17"	382*312	346*278	340*272
SAW Touch	WVT-0170-6T-OT	17"	382*312	346*278	340*272
SAW Touch	WVT-0170-4T-TD	17"	370*310	343*276	340*272
SAW Touch	WVT-0170-4T-VIV	17"	382*312	346*278	340*272
SAW Touch	WVT-0170-6TV-DL	17"	373*306	344*276	340*272
SAW Touch	WVT-0170-6T-DL	17"	373*306	344*276	340*272
SAW Touch	WVT-0170-4T-JHT	17"	396*258	374*235	372*234
SAW Touch	WVT-0170-3A-GV	17"	363.5*298.5	348*280.5	338*271
SAW Touch	WVT-0170-4T-TTL1	17"	382*313	353*285	343*275
SAW Touch	WVT-0170-4T-AL	17"	417*282	378*241	372*235
SAW Touch	WVT-0170-6T	17"	382*312	346*278	340*272
SAW Touch	WVT-0170-3TC	17"	362*299	342*276	340*272
SAW Touch	WVT-0170-6TV-TD	17"	370*310	343*276	340*272
SAW Touch	WVT-0170-3T-DL	17"	373*306	344*276	340*272
SAW Touch	WVT-0170-3T-TTL1	17"	382*313	353*285	343*275
SAW Touch	WVT-0170-3T-OTC	17"	363*301	346*278	338*270



WiViTouch (China) Technology Limited

Touch Your Future

T=Thickness(3=3mm,4=4mm,6=6mm). C=Compact,V=Vandaproof. W=waterproof,169=widescreen,AL=Alunimium frame

Controller: USB & RS232

Driver:windows XP,CE,windows 7, Linux,Vista.

Product name	Model	Size	Outside Area(mm)	Viewing Area(mm)	Active Area(mm)
SAW Touch	WVT-0170-6T-ZQ	17"	347*263	318*242	316*240
SAW Touch	WVT-0170-3T-HX	17"	362*296	342*276	340*272
SAW Touch	WVT-0170-4TCG	17"	362*299	342*276	340*272
SAW Touch	WVT-0170-6TC	17"	362*299	342*276	340*272
SAW Touch	WVT-0170-6TG-DL	17"	373*306	344*276	340*272
SAW Touch	WVT-0170-6TVG	17"	382*312	346*278	340*272
SAW Touch	WVT-0170-6TVG-DL	17"	373*306	344*276	340*272
SAW Touch	WVT-0170-3T-HF	17"	362*299	342*276	340*272
SAW Touch	WVT-0170-3T-CA	17"	356*288	340*267	338*265
SAW Touch	WVT-0170-3TN-DTX	17"	357*295	343*276	338*271
SAW Touch	WVT-0170-3TG-OTC	17"	363*301	346*278	338*270
SAW Touch	KAC-0170-4T-AT	17"	359*285	326*250	324*247
SAW Touch	WVT-0170-3T	17"	382*312	346*278	340*272
SAW Touch	WVT-0170-6T-AL4	17"	376*309	346*278	342*274
SAW Touch	WVT-0170-4T-AL4	17"	376*309	346*278	342*274
SAW Touch	WVT-0170-4T-ZY	17"	383*312	346*278	340*272
SAW Touch	WVT-0170-4T-TV	17"	368*287	345*264	342*261
SAW Touch	WVT-0170-3TG	17"	382*312	346*278	340*272



WiViTouch (China) Technology Limited

Touch Your Future

T=Thickness(3=3mm,4=4mm,6=6mm). C=Compact,V=Vandaproof. W=waterproof,169=widescreen,AL=Alunimium frame

Controller: USB & RS232

Driver:windows XP,CE,windows 7, Linux,Vista.

Product name	Model	Size	Outside Area(mm)	Viewing Area(mm)	Active Area(mm)
SAW Touch	WVT-0170-3TN-DTX2	17"	357*295	343*276	338*271
SAW Touch	WVT-0170-6T-TD	17"	370*310	343*276	340*272
SAW Touch	WVT-0170-4T-VD	17"	378*317	350*288	345*275
SAW Touch	WVT-0170-3T-DT	17"	363*300	341*275	338*272
SAW Touch	WVT-0170-6T-JHT	17"	396*258	374*235	372*234
SAW Touch	WVT-0170-6TN	17"	357*295	341*274	338*271
SAW Touch	WVT-0170-3TG-HF	17"	362*299	342*276	340*272
SAW Touch	WVT-0170-6T-AL3	17"	281*314	347*279	343*275
SAW Touch	WVT-0170-4TV-OTC	17"	363*301	346*278	338*270
SAW Touch	WVT-0181-3T	18"	401*333	363*293	359*287
SAW Touch	WVT-0181-4T	18"	401*333	363*293	359*287
SAW Touch	WVT-0181-6TV	18"	401*333	363*293	359*287
SAW Touch	WVT-0185-4T-169GT	18"	436*260	414*234	410*231
SAW Touch	WVT-0185-4T-CC2	18"	436*260	414*234	410*231
SAW Touch	WVT-0185-6T-CC	18"	444*266	414*234	410*231
SAW Touch	WVT-0185-6T-TF	18"	434*258	413*234	411*232
SAW Touch	WVT-0190-4T	19"	426*347	386*307	380*302
SAW Touch	WVT-0190-4TC	19"	414*335	386*309	382*305



WiViTouch (China) Technology Limited

Touch Your Future

T=Thickness(3=3mm,4=4mm,6=6mm). C=Compact,V=Vandaproof. W=waterproof,169=widescreen,AL=Aluminium frame

Controller: USB & RS232

Driver:windows XP,CE,windows 7, Linux,Vista.

Product name	Model	Size	Outside Area(mm)	Viewing Area(mm)	Active Area(mm)
SAW Touch	WVT-0190-3T-CRE	19"	414.5*338.6	387.6*312.4	379.5*304.3
SAW Touch	WVT-0190-3T-CRE500	19"	414.5*338.6	387.6*312.4	379.5*304.3
SAW Touch	WVT-0190-3TN	19"	404*330	380*305	376*301
SAW Touch	WVT-0190-4T-OT	19"	426*347	386*307	380*302
SAW Touch	WVT-0190-4T-169	19"	445*294	417*265	414*262
SAW Touch	WVT-0190-4TC-OT	19"	410*336	386*307	382*305
SAW Touch	WVT-0190-4T-GT1	19"	403*330	381*306	379*304
SAW Touch	WVT-0190-4TN	19"	404*330	380*305	376*301
SAW Touch	WVT-0190-4T-TY	19"	443.4*297.5	420*267	419*265
SAW Touch	WVT-0190-4T-VIV	19"	455*306	417*265	414*262
SAW Touch	WVT-0190-4T-ZJH	19"	453.4*297.5	417*263	410.4*256.5
SAW Touch	WVT-0190-6T	19"	426*347	386*307	380*302
SAW Touch	WVT-0190-6TV	19"	426*347	386*307	380*302
SAW Touch	WVT-0191-4T-ITM	19"	418*344	382*308	376*302
SAW Touch	WVT-0190-4T-C3	19"	440*286	412*258	410*256
SAW Touch	WVT-0190-4TC-HF	19"	414*335	386*307	382*305
SAW Touch	WVT-0190-4T-TRI	19"	405*331	381*306	380*305
SAW Touch	WVT-0190-4T-AL	19"	428*351	388*310	382*304



WiViTouch (China) Technology Limited

Touch Your Future

T=Thickness(3=3mm,4=4mm,6=6mm). C=Compact,V=Vandaproof. W=waterproof,169=widescreen,AL=Aluminium frame

Controller: USB & RS232

Driver:windows XP,CE,windows 7, Linux,Vista.

Product name	Model	Size	Outside Area(mm)	Viewing Area(mm)	Active Area(mm)
SAW Touch	WVT-0190-4T-169AL	19"	456*305	418*265	409*256
SAW Touch	WVT-0190-4T-VIV1	19"	456*306	420*270	414*262
SAW Touch	WVT-0190-3A-GV	19"	407*333	386*311	376*301
SAW Touch	WVT-0190-6TC-OT	19"	410*336	386*307	382*305
SAW Touch	WVT-0190-4T-AL2	19"	415*338	388*310	382*304
SAW Touch	WVT-0190-4T-VW	19"	452*298	422*270	418*266
SAW Touch	WVT-0190-3T-C3	19"	440*286	412*258	410*256
SAW Touch	WVT-0190-4TCG	19"	414*335	386*309	382*305
SAW Touch	WVT-0190-3TC	19"	414*335	386*309	382*305
SAW Touch	WVT-0190-6TG	19"	426*347	386*307	380*302
SAW Touch	WVT-0190-3T	19"	426*347	386*307	380*302
SAW Touch	WVT-0190-6TCG-OT	19"	410*336	386*307	382*305
SAW Touch	WVT-0190-4T-YLXF	19"	453.4*297.5	417*263	410.4*256.5
SAW Touch	WVT-0190-4T-XTD	19"	414*335	384*305	380*303
SAW Touch	WVT-0190-6TV-ZK	19"	428*338	382*305	377*301
SAW Touch	WVT-0190-4T-GY	19"	457*300	422*268	415*262
SAW Touch	WVT-0190-4T-GY2	19"	459*311	423*273	415*265
SAW Touch	WVT-0190-6T-GY2	19"	459*311	423*273	415*265



WiViTouch (China) Technology Limited

Touch Your Future

T=Thickness(3=3mm,4=4mm,6=6mm). C=Compact,V=Vandaproof. W=waterproof,169=widescreen,AL=Aluminium frame

Controller: USB & RS232

Driver:windows XP,CE,windows 7, Linux,Vista.

Product name	Model	Size	Outside Area(mm)	Viewing Area(mm)	Active Area(mm)
SAW Touch	WVT-0190-4TG-GT	19"	404*330	380*305	376*301
SAW Touch	WVT-0190-4T-169AL2	19"	445*293	415*262	411*258
SAW Touch	WVT-0190-4T-DH	19"	454*304	420*270	414*262
SAW Touch	WVT-0190-4T-GT	19"	404*330	380*305	376*301
SAW Touch	WVT-0190-3T-GT1	19"	403*330	381*306	379*304
SAW Touch	WVT-0190-4T-GT2	19"	404*330	380*305	376*301
SAW Touch	WVT-0190-3T-YX	19"	428*275	412*258	410*256
SAW Touch	WVT-0190-6T-AL2	19"	415*338	388*310	382*304
SAW Touch	WVT-0190-6T-169	19"	445*294	417*265	414*262
SAW Touch	WVT-0190-6T-169AL2	19"	445*293	415*262	411*258
SAW Touch	WVT-0190-4T-OTC	19"	410*338	388*312	380*304
SAW Touch	WVT-0190-4T-YD	19"	403*330	381*306	379*304
SAW Touch	WVT-0190-4TC-OT1	19"	410*336	386*307	382*305
SAW Touch	WVT-0190-4T-169GT1	19"	445*291	415*261	411*257
SAW Touch	WVT-0190-3T-169DT	19"	433*283	412*258	410*256
SAW Touch	WVT-0190-6T-OTC	19"	410*338	388*312	380*304
SAW Touch	WVT-0190-4T-169AL2	19"	445*293	415*262	411*258
SAW Touch	WVT-0190-6TC	19"	414*335	386*309	382*305



WiViTouch (China) Technology Limited

Touch Your Future

T=Thickness(3=3mm,4=4mm,6=6mm). C=Compact,V=Vandaproof. W=waterproof,169=widescreen,AL=Alunimium frame

Controller: USB & RS232

Driver:windows XP,CE,windows 7, Linux,Vista.

Product name	Model	Size	Outside Area(mm)	Viewing Area(mm)	Active Area(mm)
SAW Touch	WVT-0190-6TC-OT1	19"	410*336	386*307	382*305
SAW Touch	WVT-0190-6TV-VEE	19"	411*335	383*306	380*303
SAW Touch	WVT-0190-4T-WM	19"	434*288	413*261	410*258
SAW Touch	WVT-0190-6T-169OT	19"	440*290	414*262	412*260
SAW Touch	WVT-0190-4T-JY2	19"	394*330	373*301	370*296
SAW Touch	WVT-0190-6TN	19"	404*330	380*305	376*301
SAW Touch	WVT-0190-4TG-OTC	19"	410*338	388*312	380*304
SAW Touch	WVT-0190-4TG	19"	426*347	386*307	380*302
SAW Touch	WVT-0200-3T-VT	20"	481*290	453*256	445*250
SAW Touch	WVT-0200-4T-C3	20"	463*301	436*274	433*271
SAW Touch	WVT-0200-4T-169AL	20"	469*308	438*276	435*273
SAW Touch	WVT-0200-3T-C3	20"	463*301	436*274	433*271
SAW Touch	WVT-0201-4T-GT	20.1"	465*301	437*275	434*271
SAW Touch	WVT-0201-6T-OT	20.1"	440*338	412*310	410*308
SAW Touch	WVT-0201-6T-JY	20.1"	478*314	444*280	440*276
SAW Touch	WVT-0201-4T-QT	20.1"	440*338	412*310	410*308
SAW Touch	WVT-0201-4T-AL	20.1"	446*345	415*313	412*310
SAW Touch	WVT-F201-6TV-OT	20.1"	440*338	412*310	410*308



WiViTouch (China) Technology Limited

Touch Your Future

T=Thickness(3=3mm,4=4mm,6=6mm). C=Compact,V=Vandaproof. W=waterproof,169=widescreen,AL=Aluminium frame

Controller: USB & RS232

Driver:windows XP,CE,windows 7, Linux,Vista.

Product name	Model	Size	Outside Area(mm)	Viewing Area(mm)	Active Area(mm)
SAW Touch	WVT-0210-3T	21"	472*362	434*328	422*316
SAW Touch	WVT-0210-4T	21"	472*362	434*328	422*316
SAW Touch	WVT-0210-4TG	21"	472*362	434*328	422*316
SAW Touch	WVT-0210-4T-LAM	21"	525*335	498*312	495*310
SAW Touch	WVT-0210-4T-ITM-1	21"	496*326	461*291	454*284
SAW Touch	WVT-0213-3T-ITM	21.3"	454*349	435*326	432*324
SAW Touch	WVT-0213-4T-ITM	21.3"	474*364	442*331	432*324
SAW Touch	WVT-0213-6T-YC	21.3"	512*338	478*304	472*298
SAW Touch	WVT-0213-3T-VV	21.3"	501*295	481*270	479*268
SAW Touch	WVT-0213-4TG-ITM	21.3"	474*364	442*331	432*324
SAW Touch	WVT-0215-4T-AX	21.5"	506*304	480*272	477*268
SAW Touch	WVT-0215-4T-169AL	21.5"	512*304	480*271	477*268
SAW Touch	WVT-0215-4T-AX2	21.5"	506*304	480*272	477*268
SAW Touch	WVT-0215-4TG-AX2	21.5"	506*304	480*272	477*268
SAW Touch	WVT-0215-4T-C3	21.5"	510*301	483*274	480*271
SAW Touch	WVT-0220-3T-HM	22"	507*324	479*301	475*299
SAW Touch	WVT-0220-4T	22"	511.5*338	479.5*302	475.5*297
SAW Touch	WVT-0220-4T-AKG	22"	509*343	481*306	477*300



WiViTouch (China) Technology Limited

Touch Your Future

T=Thickness(3=3mm,4=4mm,6=6mm). C=Compact,V=Vandaproof. W=waterproof,169=widescreen,AL=Aluminium frame

Controller: USB & RS232

Driver:windows XP,CE,windows 7, Linux,Vista.

Product name	Model	Size	Outside Area(mm)	Viewing Area(mm)	Active Area(mm)
SAW Touch	WVT-0220-4TC-AKG	22"	500*325	475*298	471*294
SAW Touch	WVT-0220-4T-MAX	22"	506*337	476*307	471*302
SAW Touch	WVT-0220-3T	22"	511.5*338	479.5*302	475.5*297
SAW Touch	WVT-0220-4TG	22"	511.5*338	479.5*302	475.5*297
SAW Touch	WVT-0220-4T-VIV	22"	523*316	489*280	485*276
SAW Touch	WVT-0220-3T-CX	22"	497*328	476*300	474*298
SAW Touch	WVT-0220-4T-DT	22"	511.5*338	479.5*302	475.5*297
SAW Touch	WVT-0220-6T-CX	22"	497*328	476*300	474*298
SAW Touch	WVT-0220-6T-HM	22"	507*324	479*301	475*299
SAW Touch	WVT-0220-3T-HM2	22"	507*324	479*301	475*299
SAW Touch	WVT-0220-3TC-AKG	22"	500*325	475*298	471*294
SAW Touch	WVT-0220-4T-OT	22"	509.5*332	479.5*302	475.5*297
SAW Touch	WVT-0220-4T-169GT	22"	510*332	478*300	474*296
SAW Touch	WVT-0220-3T-LX	22"	501*323	476*299	475*298
SAW Touch	WVT-0220-4TG-DT1	22"	507*326	479*299	475*295
SAW Touch	WVT-0220-3TC-VUN	22"	503*325	479*301	476*298
SAW Touch	WVT-0220-4T-169AL2	22"	510*333	479*301	476*298
SAW Touch	WVT-0220-6T	22"	511.5*338	479.5*302	475.5*297



WiViTouch (China) Technology Limited

Touch Your Future

T=Thickness(3=3mm,4=4mm,6=6mm). C=Compact,V=Vandaproof. W=waterproof,169=widescreen,AL=Aluminium frame

Controller: USB & RS232

Driver:windows XP,CE,windows 7, Linux,Vista.

Product name	Model	Size	Outside Area(mm)	Viewing Area(mm)	Active Area(mm)
SAW Touch	WVT-0220-4T-DT1	22"	507*326	479*299	475*295
SAW Touch	WVT-0220-6TV-XKJD	22"	505.5*328	479.5*302	475.5*297
SAW Touch	WVT-0220-4TC-VUN2	22"	501*324	479*301	476*298
SAW Touch	WVT-0220-6T-OT1	22"	505.5*328	479.5*302	475.5*297
SAW Touch	WVT-0230-3T	23"	546*318	510*281	506*277
SAW Touch	WVT-0230-4T-ZK	23"	552*328	514*291	510*287
SAW Touch	WVT-0230-6T-ZK	23"	552*328	514*291	510*287
SAW Touch	WVT-0235-4T-C3	23"	554*329	527*299	524*296
SAW Touch	WVT-0240-4T-AGK	24"	546.1*350.8	511.27*329	509.27*327
SAW Touch	WVT-0240-4T-ITM	24"	560*366	528*330	518*324
SAW Touch	WVT-0240-4T-TRI	24"	549*353	518*327	516*325
SAW Touch	WVT-0240-4TG-ITM	24"	560*366	528*330	518*324
SAW Touch	WVT-0240-3T-FRX	24"	554*357	522*327	520*325
SAW Touch	WVT-0240-6T-ITM	24"	560*366	528*330	518*324
SAW Touch	WVT-0240-4T-AX	24"	570*335	536*303	532*299
SAW Touch	WVT-0240-4T-AX2	24"	570*335	536*303	532*299
SAW Touch	WVT-0240-4T-AL	24"	554*361	523*329	520*326
SAW Touch	WVT-0240-4T-DOD	24"	554*361	523*329	520*326



WiViTouch (China) Technology Limited

Touch Your Future

T=Thickness(3=3mm,4=4mm,6=6mm). C=Compact,V=Vandaproof. W=waterproof,169=widescreen,AL=Aluminium frame

Controller: USB & RS232

Driver:windows XP,CE,windows 7, Linux,Vista.

Product name	Model	Size	Outside Area(mm)	Viewing Area(mm)	Active Area(mm)
SAW Touch	WVT-0240-4T-DOD	24"	554*361	523*329	520*326
SAW Touch	WVT-0240-4TG-AL	24"	554*361	523*329	520*326
SAW Touch	WVT-0240-4T-DAN	24"	572*342	533*300	529*296
SAW Touch	WVT-F240-6TV-ITM	24"	560*366	528*330	518*324
SAW Touch	WVT-F240-4T-AKG	24"	546.10*350.80	511.27*329	509.27*327
SAW Touch	WVT-0260-4T	26"	626*373	585*333	580.8*328.8
SAW Touch	WVT-0260-4T-VIV	26"	598*356	579*327	575*323
SAW Touch	WVT-0260-4T-AKG	26"	625*370	589*336	581*328
SAW Touch	WVT-0260-4T-AKGT	26"	581*375	556*350	552*346
SAW Touch	WVT-0260-4T-3C	26"	586*380	558*352	554*348
SAW Touch	WVT-0260-4T-VIV2	26"	632*379	590*338	582*330
SAW Touch	WVT-0260-6TG-VTE	26"	576*370	554*348	550*344
SAW Touch	WVT-0260-6T	26"	626*373	585*333	580.8*328.8
SAW Touch	WVT-0260-6TG	26"	626*373	585*333	580*328
SAW Touch	WVT-0260-6TG-VTE2	26"	576*370	554*348	550*344
SAW Touch	WVT-0260-4T-TRF	26"	587*380	563*353	560*350
SAW Touch	WVT-0260-4T-GD	26"	582*344	556*350	550*378
SAW Touch	WVT-F260-4T	26"	626*373	585*333	580.8*328.*



WiViTouch (China) Technology Limited

Touch Your Future

T=Thickness(3=3mm,4=4mm,6=6mm). C=Compact,V=Vandaproof. W=waterproof,169=widescreen,AL=Alunimium frame

Controller: USB & RS232

Driver:windows XP,CE,windows 7, Linux,Vista.

Product name	Model	Size	Outside Area(mm)	Viewing Area(mm)	Active Area(mm)
SAW Touch	WVT-0270-4T	27"	616*398	586*368	582*364
SAW Touch	WVT-0270-4T-AKG	27"	629*410	593*374	585*366
SAW Touch	WVT-0290-4T-31DYN	29"	756*294	718*261	712*255
SAW Touch	WVT-0300-4T-AKG	30"	676.3*436.6	648.5*408.8	644.5*404.8
SAW Touch	WVT-0300-4T-ITM	30"	676*436	644*404	640*400
SAW Touch	WVT-0300-4T-DIX	30"	677*436	650.5*410.8	644.5*404.8
SAW Touch	WVT-0300-4TG-ITM	30"	676*436	644*404	640*400
SAW Touch	WVT-0320-4T	32"	756*446	710*405	702*397
SAW Touch	WVT-0320-4T-WFD	32"	756*446	723*413	715*405
SAW Touch	WVT-0320-4T-AKG3	32"	743*439	706*401	698*393
SAW Touch	WVT-0320-4T-AKG	32"	754*427	701*394	691*386
SAW Touch	WVT-0320-4TG-AKG	32"	754*427	701*394	691*386
SAW Touch	WVT-0320-6T	32"	756*446	710*405	702*397
SAW Touch	WVT-0320-4T-XDOD	32"	743*439	706*401	698*393
SAW Touch	WVT-0320-4T-AL	32"	739*431	698*393	694*389
SAW Touch	WVT-0320-4TG	32"	756*446	710*405	702*397
SAW Touch	WVT-0320-4T-CJ	32"	754*442	714*409	708*403
SAW Touch	WVT-0320-4TG-AL	32"	739*431	698*393	694*389



WiViTouch (China) Technology Limited

Touch Your Future

T=Thickness(3=3mm,4=4mm,6=6mm). C=Compact,V=Vandaproof. W=waterproof,169=widescreen,AL=Alunimium frame

Controller: USB & RS232

Driver:windows XP,CE,windows 7, Linux,Vista.

Product name	Model	Size	Outside Area(mm)	Viewing Area(mm)	Active Area(mm)
SAW Touch	WVT-F320-4T	32"	754*446	710*405	702*397
SAW Touch	WVT-0370-4T-AKG	37"	868*510	828*469	820*461
SAW Touch	WVT-0370-4TG-AKG	37"	868*510	828*469	820*461
SAW Touch	WVT-0400-4T-AKG	40"	943*547	895*505	884*496
SAW Touch	WVT-0400-4T-AKG1	40"	910*522	879*491	875*487
SAW Touch	WVT-0400-4T-EV	40"	926*544	894*505	886*498
SAW Touch	WVT-0400-4T-TRI3	40"	963*566	899*520	889*510
SAW Touch	WVT-0400-4TG-AKG1	40"	910*522	879*491	875*487
SAW Touch	WVT-0400-6T-AKG	40"	943*547	895*505	884*496
SAW Touch	WVT-0400-4T-XDOD	40"	938*542	895*504	886*498
SAW Touch	WVT-0400-4T-AL	40"	929*544	894*506	888*500
SAW Touch	WVT-0420-4T	42"	985*585	943*540	933*530
SAW Touch	WVT-0420-4T-WK	42"	975*575	939*536	933*530
SAW Touch	WVT-0420-6TG	42"	985*585	943*540	933*530
SAW Touch	WVT-0420-6T	42"	985*585	943*540	933*530
SAW Touch	WVT-0420-4T-DOD	42"	985*585	943*540	933*530
SAW Touch	WVT-0420-4T-AL	42"	981*576	940*537	936*533
SAW Touch	WVT-0420-3T-AL	42"	981*576	940*537	936*533



WiViTouch (China) Technology Limited

Touch Your Future

T=Thickness(3=3mm,4=4mm,6=6mm). C=Compact,V=Vandaproof. W=waterproof,169=widescreen,AL=Alunimium frame

Controller: USB & RS232

Driver:windows XP,CE,windows 7, Linux,Vista.

Product name	Model	Size	Outside Area(mm)	Viewing Area(mm)	Active Area(mm)
SAW Touch	WVT-0460-4T-DIX	46"	1075*611	1029*577	1019*573
SAW Touch	WVT-0460-4T-DIX1	46"	1075*611	1029*577	1019*573
SAW Touch	WVT-0460-4T-DOD	46"	1075*611	1029*577	1019*573
SAW Touch	WVT-0460-4T-ETV	46"	1063*618	1029*584	1019*573
SAW Touch	WVT-0460-6T-DIX	46"	1075*611	1029*577	1019*573
SAW Touch	WVT-0460-6T-DOD	46"	1075*611	1029*577	1019*573
SAW Touch	WVT-F460-4T-ETV	46"	1063*618	1029*584	1019*573
SAW Touch	WVT-F460-6T-DOD2	46"	1075*611	1029*577	1019*573
SAW Touch	WVT-0470-4T	47"	1095*640	1055*600	1045*590
SAW Touch	WVT-0470-6T	47"	1095*640	1055*600	1045*590
SAW Touch	WVT-F470-4T	47"	1099*640	1055*600	1045*590