

CERTIFICATE OF COMPLIANCE

Certificate Number 20030219-E230635
Report Reference E230635-20030219
Issue Date 2003-FEBRUARY-19


Issued to: ZHEJIANG TIANJIE INDUSTRIAL CO LTD
LINGLONG ECONOMICAL DEVELOPMENT ZONE
LINAN
HANGZHOU
ZHEJIANG 311301 CHINA

**This is to certify that
representative samples of** COMMUNICATIONS CABLE
Type CMX,CM,CMG,CMP,CMR (rated 60° or 75°C)


Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 444, Communication Cables
Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's
Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle:  with the
word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category
name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20131001-E230636
Report Reference E230636-20130910
Issue Date 2013-OCTOBER-01


Issued to: ZHEJIANG TIANJIE INDUSTRIAL CO LTD
LINGLONG ECONOMICAL DEVELOPMENT ZONE
LINAN
HANGZHOU
ZHEJIANG 311301 CHINA

This is to certify that representative samples of POWER-LIMITED CIRCUIT CABLE
Type CL2X,CL2,CL2R,CL3X,CL3 and CL3R (rated 60° or 75°C).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 13, Power-Limited Circuit Cable.
Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle:  with the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20131002-E230637
Report Reference E230637-20131001
Issue Date 2013-OCTOBER-02


Issued to: ZHEJIANG TIANJIE INDUSTRIAL CO LTD
LINGLONG ECONOMICAL DEVELOPMENT ZONE
LINAN
HANGZHOU
ZHEJIANG 311301 CHINA

This is to certify that representative samples of COMMUNITY ANTENNA TELEVISION CABLE
Power Limited Circuit Cable, Type CATVX,CATV,CATVR
(rated 60° or 75°C)


Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 1655, Community-Antenna Television Cables
Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's
Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle:  with the
word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category
name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20131121-E464899
Report Reference E464899-20131118
Issue Date 2013-NOVEMBER-21


Issued to: ZHEJIANG TIANJIE INDUSTRIAL CO LTD
LINGLONG ECONOMICAL DEVELOPMENT ZONE
LINAN
HANGZHOU
ZHEJIANG 311301 CHINA

This is to certify that representative samples of Power-Limited Fire-Alarm Circuit Cable
Power-Limited Fire-Alarm Circuit Cable; Types FPLP, FPLR
or Power-Limited Fire-Alarm Circuit Cable rated 60 or 75°C.

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 1424 - Cables for Power-Limited Fire-Alarm Circuits
Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's
Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle:  with the
word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category
name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20180518-E481521
Report Reference E481521-20180517
Issue Date 2018-MAY-18

Issued to: ZHEJIANG TIANJIE INDUSTRIAL CO., LTD
LINGLONG ECONOMICAL DEVELOPMENT ZONE
LINAN, HANGZHOU, ZHEJIANG 311301 CHINA

This is to certify that representative samples of UNDERGROUND LOW-ENERGY CIRCUIT CABLE
Underground Low-Energy Circuit Cable, rated 60°C or 75°C, 150V.

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: Subject 1493 Outline of Investigation for Underground Low-Energy Circuit Cable

Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20180509-E494886
Report Reference E494886-20180509
Issue Date 2018-MAY-09


Issued to: ZHEJIANG TIANJIE INDUSTRIAL CO., LTD
LINGLONG ECONOMICAL DEVELOPMENT ZONE
LINAN, HANGZHOU, ZHEJIANG 311301 CHINA

**This is to certify that
representative samples of** COMPONENT - APPLIANCE WIRING MATERIAL
MULTI-CONDUCTOR THERMOPLASTIC-INSULATED
WIRE, Styles 2464, 2919

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 758, Appliance Wiring Material
Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

The UL Recognized Component Mark generally consists of the manufacturer's identification and catalog
number, model number or other product designation as specified under "Marking" for the particular
Recognition as published in the appropriate UL Directory. As a supplementary means of identifying products
that have been produced under UL's Component Recognition Program, UL's Recognized Component Mark:
 may be used in conjunction with the required Recognized Marks. The Recognized Component Mark is
required when specified in the UL Directory preceding the recognitions or under "Markings" for the individual
recognitions.

Recognized components are incomplete in certain constructional features or restricted in performance
capabilities and are intended for use as components of complete equipment submitted for investigation rather
than for direct separate installation in the field. The final acceptance of the component is dependent upon its
installation and use in complete equipment submitted to UL LLC.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20180518-E481521
Report Reference E481521-20180517
Issue Date 2018-MAY-18

Issued to: ZHEJIANG TIANJIE INDUSTRIAL CO., LTD
LINGLONG ECONOMICAL DEVELOPMENT ZONE
LINAN, HANGZHOU, ZHEJIANG 311301 CHINA

This is to certify that representative samples of UNDERGROUND LOW-ENERGY CIRCUIT CABLE
Underground Low-Energy Circuit Cable, rated 60°C or 75°C, 150V.

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: Subject 1493 Outline of Investigation for Underground Low-Energy Circuit Cable

Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20150918-E476654
Report Reference E476654-20150918
Issue Date 2015-SEPTEMBER-18

Issued to: ZHEJIANG TIANJIE INDUSTRIAL CO LTD
LINGLONG ECONOMICAL DEVELOPMENT ZONE
LINAN
HANGZHOU
ZHEJIANG 311301 CHINA

**This is to certify that
representative samples of**

FLEXIBLE CORD
PVC Insulated Parallel Cords, Types SPT 1, SPT 2 and
SPT 3.

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 62, Flexible Cords and Cables
CSA C22.2 No. 49, Flexible Cords and Cables

Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20181022-E503691
Report Reference E503691-20181015
Issue Date 2018-OCTOBER-22

Issued to: ZHEJIANG TIANJIE INDUSTRIAL CO., LTD
LINGLONG ECONOMICAL DEVELOPMENT ZONE
LINAN, HANGZHOU
ZHEJIANG 311301 CHINA


This is to certify that
representative samples of COMPONENT - WIRING HARNESSSES
Component - Wiring Harnesses.

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: 764 – Wiring Harnesses dated 2016-07-26 and CSA
INFORMS Wiring Harnesses No. 2 dated 29 October 2010,

Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

The UL Recognized Component Mark generally consists of the manufacturer's identification and catalog
number, model number or other product designation as specified under "Marking" for the particular
Recognition as published in the appropriate UL Directory. As a supplementary means of identifying products
that have been produced under UL's Component Recognition Program, UL's Recognized Component Mark:
, may be used in conjunction with the required Recognized Marks. The Recognized Component Mark is
required when specified in the UL Directory preceding the recognitions or under "Markings" for the individual
recognitions.

Recognized components are incomplete in certain constructional features or restricted in performance
capabilities and are intended for use as components of complete equipment submitted for investigation rather
than for direct separate installation in the field. The final acceptance of the component is dependent upon its
installation and use in complete equipment submitted to UL LLC.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

