



Tamprinter Printing Machinery Limited

Cylinder screen printer

Address: 111 Guanlan Avenue, Longhua New District Shenzhen City Guangdong Province China

Telephone: 86-755-23148182

Email: tam@tamprinter.com

Contact Person: Mr. Tam Liu

Showroom: <http://tamprinter.en.made-in-china.com>

Company Info

Tamprinter printing machinery group limited is one of the most professional special printer supplier of Plastic Field in China. We have supplied OEM service for the domestic counterparts since 2005. OEM products have been achieved CE certification.

Due to business expansion, Shenzhen Tamprinter printing machinery limited International trade department have been separated from the parent company in March 2013.

Key products: Pad printer, Screen printer, UV curing machine, Heat transfer machine.

Major market: America market.

Business scopes:

1. Research, develop, produce and sell: Pad printer, Screen printer, Heat transfer machine, Hot stamping machine, Pre-post printer(UV curing machine, Flame treatment machine, UV exposure clich machine, Coating emulsion machine, Silk mesh tighten machine, Screen stencil drying oven, Silk screen frame exposure machine, Steel pad plate oven, IR oven, IR drying tunnel conveyer);
2. Trade and authorize for the patent of the above products, Services about design, testing, maintenance, and technical consulting;
3. Valet Manufacture: flame treatment gun, screen frame, Screen Stencil, pad, steel plates, film, Drying Racks Trolley and the relative moulds, jigs and parts;
4. Sale by proxy the relative supporting materials: printing ink, Ink Adjustment tool, Rubber pads Materials, Pad Printing Blade, ink cup and ring, Pad holder, ink roller, Screen Silk, Aluminium Screen Frame, Rubber Squeegee, sensitive emulsion, Emulsion Coating tool, Etching powder, Sensor Switch, Tension meter, Spraying gun, Circuit board, Inkwell, Solenoid Valve, hot stamping foil, High temperature tape, Stamp plate, Silicon rubber roller, Heat transfer paper, High temperature glue, UV lamp, UV lamps Trigger etc;
5. Our engineer can communicate with clients at anytime in English, design development use UG, Proe, Autocad, Mastercam;
6. Import and export business of the above items.

Applications:

Cylinder screen printer

It mainly applies to the printing process and pre-postpress of plastic and hardware products. Our equipment is also applicable to other material as glass, ceramic, wood, leather, cloth, etc.

Involved in the industry:

Electronics, toys, gifts, clothing, stationery, cosmetics, washing products, chemicals, food, health product, pharmaceutical and packaging etc.

Advantages:

1. All the electrical components and control system are from Germany and Japan, guarantee the stable quality of the print.
2. Multi-purpose microcomputer operating panel and touch screen operation can easily achieve man-machine dialogue.
3. As high quality steel frame structure and High temperature of the lacquer that bake, so that our printer is light and solid, beautiful and practical.

Our first-class products and considerate services have won more than 80 countries, acceptance in Europe and the United States, Canada, Southeast Asia, the Middle East and other customer, and we enjoyed a high reputation in the market. We cooperate with Omron, Emerson and Ruigao light, which are the world famous enterprises.

The value rules of our company:

Our vision: to become well-known brands in the industry.

Our belief: excellence, legendary achievements.

Our aim: to sustained profitability, the Foundation Changchun.

Our customer concept: improve customer satisfaction, and create a win-win situation.

Our product concept: safety, energy saving, environmental protection, easy to use.

Our opinion on talent: loyalty, integrity, professional spirit, dedication.

Our style: leading front among the people enough to be the first rate of people, self-discipline enough to convince the

people.

Our criteria: compliance with commitments, do what we say.

Our motto: self-discipline to learn, know one line.

Our slogan: Healthy Living, happy work.

To me, the past is black and white, but the future is always color.

1. TAM-3221M Manual operating cylinder screen printer for bottle



Origin	Guangdong, China	Trademark	Tamprinter
Serial/Model NO.	TAM-3221M	Standard	CE
Color & Page	Single-Colour Printing Press	Structure	Flat-bed cylinder press
Style	Screen-process Printing Press	Type	Rotary Screen Printing Machine
Model	TAM-3221M	Max Diameter mm	DIM60
Max circumference (mm)	200	Max Size (mm)	200X100mm
Dimensions(LXWX H)	680X310X220mm		

Trade Terms

Min. Order	1Sets	Unit Price	USD230/Set
Trade Terms	FOB, CFR, CIF, FCA, EXW	Payment Terms	T/T, Western Union
Price Valid Time	Sep 12, 2013 ~ Dec 12, 2013		

Availability

HS Code	8443198000	Production Capacity	50sets/Month
Packing	Plywood Case/Wooden Case/as Required		

Description

Characteristics:

Manual operating cylinder screen printer is Small, manual process, No Need any power of electric or pneumatic.

Application:

Cylinder screen printer

It is apply to cylinder surface, same as plastic bottles, hardware tool, sports products, domestic appliances, electrical components of the circular, wood furniture, toys! Most suitable for small batches of products printing, proofing!

Product Table

Model	TAM-3221M	TAM-3237M
Max Diameter mm	DIM60	DIM 160
Max circumference (mm)	200	200
Max Size (mm)	200X100mm	200X240mm
Dimensions(LXWXH)	680X310X220mm	680X480X350mm

2. Hot Sale Pneumatic Cylindrical Screen Printer (TM-500E)



Origin	China(Mainland)	Trademark	Tamprinter
Serial/Model NO.	TM-500E	Standard	CE
Color & Page	Multi-Colour Printing Press	Structure	Rotary Printing Press
Style	Screen-process Printing Press	Type	Rotary Screen Printing Machine
System Supported	Tamprinter	Max Printing Diameter	135mm
Max Printing Thickness	340mm	Max Arc Length	680mm
Max Printing Speed	1000PCS/H	Air Consumption	110litre/Min(6bar)
Dimensions	975X1300X1450mm	Weight	155kg

Trade Terms

Min. Order	1Sets	Unit Price	USD4150/Set
Trade Terms	FOB, CFR, CIF, FCA, EXW	Payment Terms	L/C,T/T,Western Union
Price Valid Time	Aug 29, 2013 ~ Nov 29, 2013		

Availability

HS Code	8443198000	Production Capacity	50sets Per Month
Packing	Plywood Case or Wooden Case as Required		

Description

Cylinder screen printer

Features:

1. The screen printer is with microcomputer control, utility function, easy setting and operation.
2. Adopt the component from Germany, the function can be trustiness.
3. The oil return and scraper double mould, meet the every kind of the printing requirements.
4. The printing route and the speed can adjustment, satisfied with the all kinds of printing requirements.
5. The slide speed can adjustment independently, it is convenient and fast.
6. Use the import axes and sleeve made the screen scraper placidity slide printing.
7. Can balance the scraper by itself, to ensure the printing pressure equipment.

Random accessories:

One Tool box one piece of Chinese specifications one set of tongs one set of Allen key. One set of Philip's head screw one of the located air cylinder.

Product Table

Max printing diameter	135
Max printing thickness	340mm
Max arc length	680mm
Max printing speed	1000pcs/h
Air consumption	110litre/min(6bar)
Dimensions	975X1300X1450mm
Weight	155kg

3. Flat and Curved Screen Printer (TM-700E)



Origin	China(Mainland)	Trademark	Tamprinter
Serial/Model NO.	TM-700E	Standard	CE
Color & Page	Multi-Colour Printing Press	Structure	Platen Press
Style	Flat and Curved Screen	Type	Automatic Screen Printing Machine
Max Diameter Printing	215mm	Thickness of Printing	340mm
Largest Arc Length	680mm	Max Printing Speed	1000PCS/Hr
Air Consumption	110litre/Min(6bar)	Power	110/220V 60/50Hz
Dimensions(L X Wx H)	975X1300X1450mm	Weight	320kg
Standard Certification	CE	Original Place	China (Mainland)

Trade Terms

Min. Order	1Sets	Unit Price	USD4860/Set
Trade Terms	FOB, CFR, CIF, FCA, EXW	Payment Terms	L/C,T/T,Western Union,unionpay
Price Valid Time	Aug 12, 2013 ~ Aug 25, 2014		

Availability

HS Code	8443198000	Production Capacity	60, 000sets Per Year
----------------	------------	----------------------------	----------------------

Cylinder screen printer

Packing	Plywood Case/Wooden Case/as Required		
----------------	--------------------------------------	--	--

Description

Application:

This item screen printers fit to print plastic, glass, ceramics, wood, metal, and other hard material made of the cylinder, cone, an oval surface of the printed product. For example, our cylinder screen printer can print products including Lipstick case, cosmetics bottles, detergent bottles, beverage bottles, cups, filters, cans and so on.

Machine features:

1. The screen printer is with microcomputer control, high automatic function, easy setting and operation.
2. Adopt the component from Germany, the function can be trustiness.
3. The oil return and scraper double mould, meet the every kind of the printing requirements.
4. The screen printing route and the speed can adjustment, satisfied with the all kinds of printing requirements.
5. The slide speed can adjustment independently, it is convenient and fast.
6. The screen printing machines use the import axes and sleeve made the screen scraper placidity slide printing.
7. The screen printer can balance the scraper by itself, to ensure the printing pressure equality.

Random ccessories:

One Tool box one piece of Chinese specifications one set of tongs one set of Allen key. One set of Philip's head screw, one of the located air cylinder.

Additional Info.

Payment terms: T/T L/C Western Union

Packing: Plywood case/ wooden case as required

Lead time: 5 days after confirmed payment

Sku: 10sets

Standard certification: CE

Minimum Order: 1 set

Price term: CIF/FOB/CFR/FCA/EXW

Warranty: 1 year

Product Table

Max diameter printing	215mm
Thickness of printing	340mm
Largest arc length	680mm
Max printing speed	1000pcs/hr
Air consumption	110litre/min(6bar)
Power	110/220V 60/50Hz
Dimensions(L X W X H)	975X1300X1450mm
Weight	320kg

4. 15 Inch Bucket Printing Machine (TM-1200E)



Origin	China(Mainland)	Trademark	Tamprinter
Serial/Model NO.	TM-1200E	Standard	CE
Color & Page	Multi-Colour Printing Press	Structure	Rotary Printing Press
Style	Bucket Printing Machine	Type	Cylinder Screen Printers
Operation Mode Selection	Automatic / Semi	Start	Panel / Foot Switch
Product Appearance	Round /Oblate / Plate	Table X Axis Stroke	1200mm
Air Consumption	82 Litre/Min	Air Pressure	82 Litre/Min
Table Z Axis Stroke	100mm	Power	50W
(Flat) Max Printing Thickness	340mm	Voltage	AC220V/ 50Hz or 110V/60Hz

Trade Terms

Min. Order	1Sets	Unit Price	USD6150/Set
Trade Terms	FOB, CFR, EXW, CIF, FCA	Payment Terms	L/C,T/T,Western Union
Price Valid Time	Jul 26, 2013 ~ Aug 28, 2014		

Availability

Production Capacity	30sets/Month	Packing	Plywood Case/Wooden Case/Carton
----------------------------	--------------	----------------	---------------------------------

Description

Cylinder screen printer

Specifications:

1. Screen printer for large bucket, barrel, bottle, drum printing
2. Good quality, long working life
3. High safety, reliability
4. Cylinder screen printers are multifunctional screen printing machine. They are suitable to print on flat, round, oval shaped products.
5. Cylinder screen printers can print one color at one time. Once replacing frame and ink, they can print 2, 3 colors

Function:

1. The screen printer is with microprocessor controls, high automation and easy operation.
2. 4-digit auto counter built-in.
3. This screen printer with the function of cylindrical and conical printing.
4. Automatic ink scraping, ink withdrawing and worktable lifting.
5. Printing stroke and speed is adjustable to meet different needs.
6. Automatic squeegee balance-keeping ensures equal printing pressure.
7. Worktable and screen frame can be adjusted slightly in horizontal and vertical direction.
8. High precision printing and easy adjustment.

Testing Please provide:

1. 110V or 220V power supply.
2. 5-7 bar compress air.
3. Screen Frame 1 PCS.
4. A jig 1PCS.
5. 5-10 PCS product samples.

5. Manual Operating Cylinder Screen Printing Machine (TAM-4656M)



Origin	China(Mainland)	Trademark	Tamprinter
Serial/Model NO.	TAM-4656M	Standard	CE
Color & Page	Single-Colour Printing Press	Structure	Flat-bed cylinder press
Style	Screen-process Printing Press	Type	Cylinder Screen Printing Machine
Model	Tam-4656m	Max Frame	460X560mm
Max Diameter (Mm)	Dim 300	Max Circumference(Mm)	300
Max Size (Mm)	300X400mm	Dimensions(Lxwx h)	1000X660X350

Trade Terms

Min. Order	1Sets	Unit Price	USD450/Set
Trade Terms	FOB, CFR, EXW, CIF, FCA	Payment Terms	L/C,T/T,Western Union
Price Valid Time	Jul 25, 2013 ~ Aug 25, 2014		

Availability

HS Code	8443198000	Production Capacity	50, 000PCS/Years
Packing	Plywood Case/Wooden Case/as Required		

Description

Manual operating cylinder screen printing machine is Small volume, manual operating, no need to any power of pneumatic, electric.

Cylinder screen printer

Cylinder surface shape of products, same as plastic bottles hardware tool, sports products, domestic appliances, electrical components of the circular, wood furniture, toys!

No other energy-consuming, purely manual! Green! Most suitable for small batches of products printing, proofing!

Payment terms: T/T L/C Western Union

Packing: Plywood case/ wooden case as required

Lead time: 5 days after confirmed payment

Sku: 10sets

Standard certification: CE

Minimum Order: 1 set

Price term: CIF/FOB/CFR/FCA/EXW

6. Cylinder Screen Printer (TM-400E)



Origin	China(Mainland)	Trademark	Tamprinter
Serial/Model NO.	TM-400E	Standard	CE
Color & Page	Multi-Colour Printing Press	Structure	Stop-cylinder Press
Style	Screen-process Printing Press	Type	Cylinder Screen Printing Machine
Max Diameter Printing	Dim 125mm	Max Thickness of Printing	340mm
Largest Arc Length	260mm	Max Printing Speed	1200PCS/H
Air Consumption	110litre/Min(6bar)	Power	110/220V 60/50Hz
Dimensions	870X1000X1310mm(Lxwxh)	Weight	140kg

Trade Terms

Min. Order	1Sets	Unit Price	USD3400/Set
Trade Terms	FOB, CFR, EXW, CIF, FCA	Payment Terms	L/C,T/T,Western Union
Price Valid Time	Jul 18, 2013 ~ Aug 29, 2014		

Availability

HS Code	8443198000	Production Capacity	50, 000PCS/Years
Packing	Plywood Case/Wooden Case/as Required		

Description

Machine features:

1. The screen printer with microcomputer control, high automatic functions, easy setting and operation.

Cylinder screen printer

2. Adopt the component from Germany, the function can be trustiness.
3. The oilreturn and scraper double model, meet the every kind of the printing requirements.
4. The printing route and the speed can adjustment satisfied with the all kinds of printing requirements.
5. The slide speed can adjustment independently, it is convenient and fast.
6. Use the import axes, axile bush made the screen scraper placidity slide printing.
7. The screen printing machine can balance the scraper by itself, to ensure the printing pressure equality.

Random accessories:

One Tool box one piece of Chinese specifications one set of tongs one set of Allen key. One set of Philip's head screw, one of the located air cylinder.

Lead time: 5 days after confirmed payment

Price term: CIF/FOB/CFR/EXW/FCA

Payment: T/T L/C Wesstern Union

7. Pneumatic Cylinder Screen Printer (TM-300E)



Origin	China(Mainland)	Trademark	Tamprinter
Serial/Model NO.	TM-300E	Standard	CE
Color & Page	Single-Colour Printing Press	Structure	Flat-bed cylinder press
Style	Screen-process Printing Press	Type	Cylinder Screen Printers
Max Printing Diameter	Less Than 80mm	Work Piece Inclination	About +14 Degree;---- -7 Degree;
Max Printing Speed	1200PCS/Hr	Air Consumption	110litre/Min(6bar)
Power	110/220V 60/50Hz	Dimensions (Lxwxh)	700X760X1300mm
Weight	80kg		

Trade Terms

Min. Order	1Sets	Unit Price	USD2430/Set
Trade Terms	FOB, CFR, EXW, CIF, FCA	Payment Terms	L/C,T/T,Western Union
Price Valid Time	Jun 18, 2013 ~ Aug 29, 2014		

Availability

HS Code	8443198000	Production Capacity	70, 000 Sets Per Year
Packing	Plywood Case/Wooden Case/as Required		

Description

Cylinder screen printer

Features:

1. The screen printers with microcomputer control, utility function, easy setting and operation.
2. Adopt the component from Germany, the function can be trustiness.
3. The oil return and scraper double mould, meet the every kind of the printing requirements.
4. The printing route and the speed can adjustment, satisfied with the all kinds of printing requirements.
5. The slide speed can adjustment independently, it is convenient and fast.
6. Use the import axes and sleeve made the screen scraper placidity slide printing.
7. Can balance the scraper by itself, to ensure the printing pressure equipment.

Random accessories:

One Tool box one piece of Chinese specifications one set of tongs one set of Allen key. One set of Philip's head screw, one of the located air cylinder.

Payment: CIF/ EXW/ FCA/ FOB/ CFR

Price term: T/T L/C Western Union

Lead time: 5 days after confrimed payment

Packing: Plywood case

8. (TAM-3237M) Manual Operating Cylinder Screen Printer for Bottle



Origin	Guangdong, China	Trademark	Tamprinter
Serial/Model NO.	TAM-3237M	Standard	CE
Structure	Rotary Printing Press	Style	Screen-process Printing Press
Type	Rotary Screen Printing Machine	Max Diameter Mm	Dim 160
Max Circumference (Mm)	200	Max Size (Mm)	200X240mm
Dimensions(Lxwx h)	680X480X350mm		

Trade Terms

Min. Order	1Sets	Unit Price	USD230/Set
Trade Terms	FOB, CFR, EXW, CIF	Payment Terms	L/C,T/T,Western Union
Price Valid Time	Aug 08, 2013 ~ Nov 02, 2013		

Availability

HS Code	8443198000	Production Capacity	50,000PCS/Years
Packing	Plywood Case/Wooden Case/Carion/as Required		

Description

Application:

It is apply to cylinder surface, same as plastic bottles, hardware tool, sports products, domestic appliances, electrical components of the circular, wood furniture, toys! Most suitable for small batches of products printing, proofing!

Features:

Cylinder screen printer

Manual operating cylinder screen printer is Small, manual process, No Need any power of electric or pneumatic.

Product Table

Model	TAM-3221M	TAM-3237M
Max Diameter mm	DIM60	DIM 160
Max circumference (mm)	200	200
Max Size (mm)	200X100mm	200X240mm
Dimensions(LXWXH)	680X310X220mm	680X480X350mm

9. TM-250s Curved Surface Screen Printing Machine (TM-250S)



Origin	Guangdong, China	Trademark	Tamprinter
Serial/Model NO.	TM-250S	Standard	CE
Color & Page	Multi-Colour Printing Press	Structure	Rotary Printing Press
Style	Screen-process Printing Press	Type	Rotary Screen Printing Machine
Max Diameter Printing	Dim≤80mm	Workpiece Inclination	About +14degree--- -7degree
Max Printing Speed	1200PCS/H	Air Consumption	110litre/Min(6bar)
Power	110/220V 60/50Hz	Dimensions	700X760X1300mm(Lxwxh)
Weight	80kg		

Trade Terms

Min. Order	1Sets	Unit Price	USD2040/Set
Trade Terms	FOB, CFR, EXW, CIF	Payment Terms	L/C,T/T,Western Union
Price Valid Time	Sep 05, 2013 ~ Dec 05, 2013		

Availability

HS Code	8443198000	Production Capacity	45 Sets/Month
Packing	Plywood Case/Wooden Case/as Required		

Description

Machine features:

Cylinder screen printer

1. The screen printer is with microcomputer control, high automatic functions, easy setting and operation.
2. The screen printing machine adopts the component from Germany, the function can be trustiness.
3. The oil return and scraper double mould, meet the every kind of the printing requirements.
4. The printing route and the speed can adjustment, satisfied with the all kinds of printing requirements.
5. Our screen printer can balance the scraper by itself, to ensure the printing pressure equality.
6. Use the import axes, axile bush made the screen scraper placidity slide printing.
7. The slide speed can adjustment independently, it is convenient and fast.
8. Changing the fixture can print circle, elliptic, plane and benefit maximization.

Random accessories:

One Tool box one piece of Chinese specifications one set of tongs one set of Allen key. One set of Philip's head screw, one of the located air cylinder.

Product Table

Max diameter printing	DIM80mm
Workpiece inclination	about +14degree--- -7degree
Max printing speed	1200pcs/h
Air consumption	110litre/min(6bar)
Power	110/220V 60/50Hz
Dimensions	700X760X1300mm(LXWXH)
Weight	80kg