




EAS System Catalog



EAS Hard tag



T-01A(Mini Square Hard Tag)

Frequency: 8.2MHz

Dimension: 48mmx42mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.031cbm(59x40x13cm), 11k



T-01B(New Mini Square Hard Tag)

Frequency: 8.2MHz

Dimension: 52mmx43mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.031cbm(59x40x13cm), 12kg



T-01C(Duplex Mini Square Hard Tag)

Frequency: 8.2MHz

Dimension: 52mmx43mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.031cbm(59x40x13cm), 12kg



T-01D(Sidep Mini Square Hard Tag)

Frequency: 8.2MHz

Dimension: 48mmx42mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.031cbm(59x40x13cm), 11kg



T-01E(Tiny Square Hard Tag)

Frequency: 8.2MHz

Dimension: 41mmx35mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.031cbm(59x40x13cm), 9kg



T-01F(Flat Square Hard Tag)

Frequency: 8.2MHz/58KHz

Dimension: 51mmx25mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.031cbm(59x40x13cm), 11kg



T-01G(Vertical Square Hard Tag)

Frequency: 8.2MHz/58KHz

Dimension: 51mmx25mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.03cbm(59x40x13cm), 12kg



T-01H(Large Square Hard Tag)

Frequency: 8.2MHz

Dimension: 70mmx58mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 500pcs/ctn, 0.031cbm(59x40x13cm), 9kg



T-01I(Midi Square)

Frequency: 8.2MHz

Dimension: 60mmx60mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 500pcs/ctn, 0.031cbm(50x35x17cm), 8kg



T-02A(Mini Cone)

Frequency: 8.2MHz

Dimension: Ø45mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.031cbm(59x40x13cm), 11kg



T-02B(Large Cone)

Frequency: 8.2MHz

Dimension: Ø63mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 500pcs/ctn, 0.04cbm(59x40x17cm), 8kg



T-02C(New Large Cone)

Frequency: 8.2MHz

Dimension: Ø63mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 500pcs/ctn, 0.04cbm(59x40x17cm), 8kg



T-02D(Mini UFO)

Frequency: 8.2MHz

Dimension: Ø48mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.031cbm(59x40x13cm), 11kg



T-03A(Sunflower)

Frequency: 8.2MHz

Dimension: Ø42mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.026cbm(40x30x22cm), 11kg



T-04A(Panda)

Frequency: 8.2MHz/58KHz

Dimension: 49mmx43mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.03cbm(46x38x19cm), 13kg



T-05A(R40)

Frequency: 8.2MHz

Dimension: Ø40mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.041cbm(59x39x18cm), 12kg



T-05B(Mini Round)

Frequency: 8.2MHz

Dimension: Ø42mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.031cbm(59x40x13cm), 10kg



T-05C(R50 Dome)

Frequency: 8.2MHz

Dimension: Ø50mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.04cbm(58.5x39x17.5cm),
12.5kg



T-05D(R50)

Frequency: 8.2MHz

Dimension: Ø50mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.04cbm(59x40x17cm), 11kg



T-05E(R50 Light)

Frequency: 8.2MHz

Dimension: Ø50mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.04cbm(59x40x17cm), 11kg



T-05F(R60)

Frequency: 8.2MHz

Dimension: Ø60mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 500pcs/ctn, 0.041cbm(59x39x18cm), 10kg



T-05G(Dual R50)

Frequency: 58KHz/8.2MHz/Dual

Dimension: Ø50mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.04cbm(58.5x39x17.5cm), 14kg



T-06A(Alpha)

Frequency: 8.2MHz

Dimension: Ø65mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 500pcs/ctn, 0.041cbm(59x39x18cm), 9kg



T-006B(Midi Alpha)

Frequency: 8.2MHz

Dimension: Ø50mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 500pcs/ctn, 0.03cbm(59x39x13cm), 8kg



T-06C(Mini Alpha)

Frequency: 8.2MHz

Dimension: Ø40mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.041cbm(59x39x18cm), 13kg



T-07A(Mini Golf)

Frequency: 8.2MHz/58KHz

Dimension: Ø45mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.04cbm(59x40x17cm), 14kg



T-07B(Smooth Midi Golf)

Frequency: 8.2MHz/58KHz

Dimension: Ø53mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 500pcs/ctn, 0.031cbm(59x40x13cm), 10kg



T-07C(Smooth Large Golf)

Frequency: 8.2MHz/58KHz

Dimension: Ø64mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 500pcs/ctn, 0.04cbm(59x40x17cm), 11kg



T-07D(Groove Midi Golf)

Frequency: 8.2MHz/58KHz

Dimension: Ø53mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 500pcs/ctn, 0.031cbm(59x40x13cm), 10kg



T-07E(Groove Large Golf)

Frequency: 8.2MHz/58KHz

Dimension: Ø64mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 500pcs/ctn, 0.04cbm(59x40x17cm), 11kg



T-08A(Delta)

Frequency: 8.2MHz

Dimension: Ø50mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.038cbm(59x40x16cm), 12kg



T-09A(Bell 30)

Frequency: 8.2MHz

Dimension: Ø30mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.02cbm(40x30x17cm), 9kg



T-09C(Tao 40)

Frequency: 8.2MHz/58KHz

Dimension: Ø40mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.031cbm(59x40x13cm), 13kg



T-09D(Tiny 40)

Frequency: 8.2MHz/58KHz

Dimension: Ø38mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.031cbm(59x40x13cm), 11kg



T-09E(Tao 50)

Frequency: 8.2MHz/58KHz

Dimension: Ø50mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 500pcs/ctn, 0.031cbm(59x40x13cm), 9kg



T-09F(New Tao 50)

Frequency: 8.2MHz/58KHz

Dimension: Ø50mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 500pcs/ctn, 0.031cbm(59x40x13cm), 9kg



T-09G(X50)

Frequency: 8.2MHz/58KHz

Dimension: Ø50mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 500pcs/ctn, 0.031cbm (59x40x13cm) , 9kg



T-09H(Tao 60)

Frequency: 8.2MHz/58KHz

Dimension: Ø60mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 500pcs/ctn, 0.04cbm(59x40x17cm), 10kg



T-10A(Super Round)

Frequency: 8.2MHz

Dimension: Ø48mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.040cbm(59x40x17cm), 12kg



T-11A(SST Tag)

Frequency:8.2MHz

Dimension: 55mmx20mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.017cbm(42x28x15cm), 8kg



T-12A (Mini Bomba)

Frequency: 8.2MHz/58KHz

Dimension: Ø42mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.04cbm(59x40x17cm), 13kg



T-12B(Bomba)

Frequency: 8.2MHz/58KHz

Dimension: Ø55mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 500pcs/ctn, 0.031cbm(59x40x13cm), 9kg



T-13A(Mini Pencil)

Frequency:58KHz/8.2MHz

Dimension: 46mmx13mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.017cbm(40x30x14cm), 10kg



T-13B(Round Mini Pencil)

Frequency:58KHz/8.2MHz

Dimension: 46mmx13mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.02cbm(40x30x17cm), 10kg



T-13C(Micro Pencil)

Frequency: 58KHz/8.2MHz

Dimension: 42mmx15mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.018cbm(40x30x15cm), 11kg



T-13D(Midi Pencil)

Frequency:58KHz/8.2MHz

Dimension: 55mmx13mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.018cbm(40x30x15cm), 10kg



T-13E(Round Midi Pencil)

Frequency:58KHz/8.2MHz

Dimension: 51mmx13mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.018cbm(40x30x15cm), 10kg



T-13F(Super Pencil)

Frequency: 58KHz/8.2MHz

Dimension: 61mmx20mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.031cbm(59x40x13cm), 16kg



T-13G(Flat Midi Pencil)

Frequency:58KHz/8.2MHz

Dimension: 51mmx13mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.018cbm(40x30x15cm), 11kg



T-13H(Universal Pencil)

Frequency:58KHz/8.2MHz

Dimension:72x15mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.028cbm(32x32x27cm), 14kg



T-13I(Large Pencil)

Frequency:58KHz/8.2MHz

Dimension:68mmx23mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.031cbm(59x40x13cm), 14kg



T-13J(New Large Pencil)

Frequency:58KHz/8.2MHz

Dimension: 72mmx25mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.031cbm(59x40x13cm), 14kg



T-14A(Bestag)

Frequency:58KHz/8.2MHz

Dimension:50mmx25mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.03cbm(59x39x13cm), 11kg



T-14B(New Bestag)

Frequency:58KHz/8.2MHz

Dimension: 68mmx25mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.03cbm(59x39x13cm), 14kg



T-15A(Mickey Pencil)

Frequency:58KHz/8.2MHz

Dimension: 55mm or 46mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.02cbm(40x30x17cm), 11kg



T-15B(Detachable Pencil)

Frequency:58KHz/8.2MHz

Dimension: 55mm or 46mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.03cbm(59x39x13cm), 12kg



T-15C(SST with Ly)

Frequency:8.2MHz

Dimension: 55mmx20mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.033cbm(49x35x19cm), 9kg



T-16A(SPL Tag II)

Frequency:58KHz

Dimension:80mmx30mm

Color: Black/Gray/White or Customized

Lock: Steel Plate Lock

Packing:1,000pcs/ctn, 0.042cbm(40x40x26cm), 14kg



T-16B(SPL Tag)

Frequency:58KHz

Dimension: 88mmx30mm

Color: Black/Gray/White or Customized

Lock: Steel Plate Lock

Packing: 1,000pcs/ctn, 0.04cbm(59x40x17cm), 14kg



T-16C(Mini SPL Tag)

Frequency:58KHz

Dimension: 54mmx32mm

Color: Black/Gray/White or Customized

Lock: Steel Plate Lock

Packing: 1,000pcs/ctn, 0.031cbm(59x40x13cm), 14kg



T-16D(SPL Tag III)

Frequency:58KHz

Dimension: 69mmx30mm or 76mmx30mm

Color: Black/Gray/White or Customized

Lock: Steel Plate Lock

Packing: 1,000pcs/ctn, 0.035cbm(36x32x30cm), 10kg



T-16E(SPL Tag III with Ly)

Frequency:58KHz

Dimension: 69mmx30mm

Color: Black/Gray/White or Customized

Lock: Steel Plate Lock

Packing: 1,000pcs/ctn, 0.040cbm(59x40x17cm), 13kg



T-16G(VST Tag)

Frequency:58KHz

Dimension: 55mmx31mm

Color: Black/Gray/White or Customized

Lock: Steel Plate Lock

Packing: 1,000pcs/ctn, 0.031cbm(59x40x13cm), 9kg



T-17A(Ultra Gator)

Frequency:58KHz

Dimension: 96mmx28mm

Color: Black/Gray/White or Customized

Lock: Steel Plate Lock

Packing: 1,000pcs/ctn, 0.041cbm(45x30x30cm), 12kg



T-17B(Micro Gator)

Frequency:58KHz

Dimension: 75mmx28mm

Color: Black/Gray/White or Customized

Lock: Steel Plate Lock

Packing: 1,000pcs/ctn, 0.031cbm(59x40x13cm), 11kg



T-17C(Shoe Tag)

Frequency:58KHz/8.2MHz

Dimension: 60mmx20mm

Color: Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.035cbm(59x39x15cm), 13kg



T-17D(Half Moon)

Frequency: 58KHz

Dimension: 60mmx17mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.024cbm(49x33x15cm), 11kg



T-18A(Apparel Tag)

Frequency: 58KHz/8.2MHz

Dimension: 60mmx20mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.031cbm(59x40x13cm), 9kg



T-18B(Fish Tag)

Frequency: 58KHz/8.2MHz

Dimension: 59mmx18mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.031cbm(59x40x13cm), 9kg



T-18C(Fish Tag with Ly)

Frequency: 58KHz/8.2MHz

Dimension: 59mmx18mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.031cbm(59x40x13cm), 9kg



T-19A(Mini Napoleon)

Frequency: 58KHz/8.2MHz

Dimension: 31mmx32mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.018cbm(40x30x15cm), 10kg



T-19B(Napoleon)

Frequency: 58KHz/8.2MHz

Dimension: 45mmx35mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.041cbm(59x39x18cm), 11kg



T-19C(Pearl)

Frequency:58KHz/8.2MHz

Dimension: 28mmx21mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.018cbm(40x30x15cm), 8kg



T-19D(Pearl with Ly)

Frequency:58KHz/8.2MHz

Dimension: 28mmx21mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.018cbm(40x30x15cm), 9kg



T-20A(Reusable VST)

Frequency:58KHz

Dimension: 58mmx30mm

Color: Black/Gray/White or Customized

Lock: Steel Plate Lock

Packing: 1,000pcs/ctn, 0.031cbm(59x40x13cm), 9kg



T-20B(New Reusable VST)

Frequency: 58KHz

Dimension: 69mmx30mm

Color: Black/Gray/White or Customized

Lock: Steel Plate Lock

Packing: 1,000pcs/ctn, 0.031cbm(59x40x13cm), 9kg



T-21A(Dual SPL Tag)

Frequency: 58KHz

Dimension: 62mmx30mm

Color: Black/Gray/White or Customized

Lock: Steel Plate Lock/Magnetic Lock

Packing:1,000pcs/ctn, 0.037cbm(45x33x25cm), 14kg



T-21B(Dual SPL Tag with Ly)

Frequency: 58KHz

Dimension: 62mmx30mm

Color: Black/Gray/White or Customized

Lock: Steel Plate Lock/Magnetic Lock

Packing: 1,000pcs/ctn, 0.02cbm(33x25x23cm), 13kg



T-22A(Clothes Tag)

Frequency:58KHz

Dimension:67mmx22mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.028cbm(32x32x27cm),8kg



Special tag(Optical tag)



T-23B(Blister Tag)

Frequency: 58KHz/8.2MHz

Dimension: 55mmx55mm

Color: Gray/White or Customized

Lock: Magnetic Lock

Packing: 500pcs/ctn, 0.041cbm(59x39x18cm), 10.5kg



T-23C(Optical Tag)

Frequency: 58KHz/8.2MHz

Dimension: 25mmx25mm

Color: Gray/White or Customized

Lock: Mechanic Lock

Packing: 1,000pcs/ctn, 0.02cbm(40x30x17cm), 15kg



T-23D(Golf Club Tag)

Frequency: 58KHz

Dimension: 42mmx45mm

Color: Red or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.02cbm(35x25x23cm), 16kg



T-23E(Round Optical Tag)

Frequency: 8.2MHz

Dimension: 40mmx48mm

Color: Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.028cbm(38x29x25cm), 11kg



T-23F(Hammer Optical Tag)

Frequency:58KHz/8.2MHz

Dimension: 52mmx31mm

Color: Gray/White or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.026cbm(40x30x22cm), 13kg



T-23G(L optical tag)

Frequency:58khz/8.2mhz

Dimension: 40mmx28mmx22mm

Color: black/gray or customized

Lock:Standard/super

Packing: 1000pcs/ctn, 0.03CBM/ctn ,12KG/ctn



T-24A(Sauna Tag)

Frequency: 8.2MHz

Dimension: 60mmx25mm

Color: Gray/Black or Customized

Packing: 2,000pcs/ctn, 0.02cbm(40x30x17cm), 14.5kg



T-25A(Jewelry Tag)

Frequency: 58KHz

Dimension: 29mmx13mm

Color: White/Beige/Gray or Customized

Packing: 2,500pcs/ctn, 0.012cbm(32x25x15cm), 10kg



T-23A(Screw Releaser)

Dimension: 9cm in length

Color: Gray/White or Customized

Packing:1,000pcs/ctn, 0.025cbm(41x31x20cm), 11.5kg



Bottle tag



B-A01A(Iron Mini Bottle)

Frequency: 58KHz/8.2MHz

Dimension: Ø36mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 250pcs/ctn, 0.025cbm(53x39x12cm), 6kg



B-A01B(Plastic Mini Bottle)

Frequency: 58KHz/8.2MHz

Dimension: Ø36mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 250pcs/ctn, 0.025cbm(53x39x12cm), 5.5kg



B-A02A(Iron Round Bottle)

Frequency: 8.2MHz

Dimension: Ø56mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 250pcs/ctn, 0.027cbm(58x39x12cm), 7kg



B-A02B(Plastic Round Bottle)

Frequency: 8.2MHz

Dimension: Ø56mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 250pcs/ctn, 0.027cbm(58x39x12cm), 6kg



B-A03A(Iron Round Can)

Frequency: 8.2MHz

Dimension: Ø56mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 250pcs/ctn, 0.039cbm(58x39x17cm), 9kg



B-A04A(Iron Tao Bottle)

Frequency: 8.2MHz/58KHz

Dimension: Ø50mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 250pcs/ctn, 0.027cbm(58x39x12cm), 7kg



B-A05A(Plastic Tao Bottle)

Frequency: 8.2MHz/58KHz

Dimension: Ø50mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 250pcs/ctn, 0.027cbm(58x39x12cm), 6kg



B-A06A(Mini Square Bottle)

Frequency: 8.2MHz

Dimension: 48mmx42mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 250pcs/ctn, 0.027cbm(58x39x12cm), 6.5kg



B-A07A(Iron R50 Bottle)

Frequency: 8.2MHz/58KHz

Dimension: Ø56mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 250pcs/ctn, 0.027cbm(58x39x12cm), 7kg



B-A07B(Plastic R50 Bottle)

Frequency: 8.2MHz/58KHz

Dimension: Ø56mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 250pcs/ctn, 0.027cbm(58x39x12cm), 6.5kg



B-A08A(Fireproof Bottle)

Frequency: 58KHz/8.2MHz

Dimension: Ø52mm

Color: White or Customized

Lock: Magnetic Lock

Packing: 250pcs/ctn, 0.024cbm(40x30x20cm), 8kg



B-B01A(Can Clip)

Frequency: 8.2MHz/58KHz

Dimension: 68mmx41mm

Color: Black/Gray or Customized

Lock: Magnetic Lock

Packing: 1,000pcs/ctn, 0.054cbm(50x35x31cm), 23kg



B-B02A(Small Top Bottle)

Frequency: 8.2MHz/58KHz

Dimension: Ø37mmx46mm

Color: Black or Customized

Lock: Magnetic Lock

Packing: 300pcs/ctn,0.048cbm(42x35x33cm),12kg



B-B03A(Big Top Bottle)

Frequency: 8.2MHz/58KHz

Dimension: Ø43mmx80mm

Color: Black or Customized

Lock: Magnetic Lock

Packing: 200pcs/ctn, 0.070cbm(50x37x38cm), 12.5kg





B-B05A(Big Vega Tag)

Frequency: 8.2MHz/58KHz

Dimension: Ø140mmx44mm

Color: White or Customized

Lock: Magnetic Lock

Packing: 100pcs/ctn,0.090cbm(70x45.5x28.5cm), 16kg



B-B05B(Small Vega Tag)

Frequency: 8.2MHz/58KHz

Dimension: Ø112mmx40mm

Color: White or Customized

Lock: Magnetic Lock

Packing:100pcs/ctn,0.053cbm(56.5x41.5x23cm),11.5kg



B-B05C(New Vega Tag)

Frequency: 8.2MHz/58KHz

Dimension: Ø140mmx33mm

Color: White or Customized

Lock: Magnetic Lock

Packing: Customized



B-B06A(Big) B-B06B(Small)

Dimension:Φ152.5mm×35mm /Φ128mm×35mm

Frequency:58KHz/8.2MHz

Usage Range: Φ126mm~129mm /Φ99.4mm~101.4mm

Color: Grey or Customized Grey or Customized

Lock Magnetic Lock Magnetic Lock



B-B06C(Super Big)

Dimension:Φ187.1mm×35mm

Frequency:58KHz/8.2MHz

Usage Range:Φ153mm~157mm

Color:Grey or Customized

Lock:Magnetic Lock





T-A01A(Box Guard)

Frequency: 8.2MHz/58KHz

Spec: Dual Alarm/Tripplle Alarm

Dimension: Ø70mm

Color: Gray/White or Customized

Lock: Magnetic Lock

Packing: 200pcs/ctn, 0.069cbm(57x39x32cm),
23kg



T-A01B(Mini Box Guard)

Frequency: 8.2MHz/58KHz

Spec: Dual Alarm/Tripplle Alarm

Dimension: Ø48mm

Color: Gray/White or Customized

Lock: Magnetic Lock

Packing: 200pcs/carton, 0.014cbm(20x10x7cm),
7kg



T-A02A(Baby multi grip)

Frequency: 8.2mhz/58khz

Color: Black, gray, customized

Dimension: Ø45mm

Lanyard length: 25.4cm



T-A02B(Alarm Baby multi grip)

Frequency: 8.2mhz/58khz

Color: Black, gray, customized

Dimension: Ø45mm

Lanyard length: 25.4cm



T-A03A(Baby multi grip)

Frequency: 8.2mhz/58khz

Color: Black, gray, customized

Dimension: Ø45mm

Lanyard length: 64cm



T-A03B(multi grip)

Frequency: 8.2mhz/58khz

Color: Black, gray, customized

Dimension: Ø73mm

Lanyard length: 80/90/120CM



T-A04A(Multi grip alarm)

Frequency:8.2mhz/58khz/58khz+8.2mhz)

Color:Black,gray,customized

Dimension:Ø73mm

Lanyard length:80cm,90cm,120cm

Alarm volume:95dB

Battery life:3~5years



T-A04B(Multi grip Alarm)

Frequency:8.2mhz/58khz

Color:Black,gray,customized

Dimension:Ø73mm

Lanyard length:80cm,90cm,120cm

Battery life:3~5years



T-A05A Self Alarming Tag)

Frequency: 8.2MHz/58KHz

Spec:Dual Alarm/Trippl Alarm

Dimension: 85mmx32mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 50pcs/ctn, 0.075cbm(54x43x33cm),
17kg



T-A05B(Self Alarming Tag)

Frequency: 8.2MHz/58KHz

Spec:Dual Alarm/Trippl Alarm

Dimension: 85mmx32mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 50pcs/ctn, 0.075cbm(54x43x33cm),
17kg



T-A05C(Self Alarming Tag)

Frequency: 8.2MHz/58KHz

Spec:Dual Alarm/Trippl Alarm

Dimension: 62mmx18mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: 100pcs/ctn, 0.029cbm(44x31x21cm),
4.6kg



T-A05D(Self Alarming Tag)

Frequency: 8.2MHz/58KHz

Spec:Dual Alarm/Trippl Alarm

Dimension:105mmx42mm/76mmx23mm/62mmx
23mm

Color: Black/Gray/White or Customized

Lock: Magnetic Lock

Packing: Customized

AM soft label



ZLDRS1/2/5(Original Sensormatic DR Label)

Frequency: 58KHz

Dimension: 45.21mmx10.67mm

Color: White/Barcode/Black

Packing: 25,000pcs/ctn, 0.038(58x29.5x22cbm), 13.5kg



ESDRS1/2/5(AM DR Label)

Frequency: 58KHz

Dimension: 45.21mmx10.67mm

Color: White/Barcode/Black

Packing: 20,000pcs/ctn, 0.032cbm(39x30x28cm), 14.5kg



ZLDRS1K71(Sensormatic small Roll AM Label)


Dimension: 45.21*10.67*1.89mm

Frequency: 58KHz

Color: White

Packing: 1700pcs/roll, 8rolls/ctn, 5.37kg,

27.6x24.5x30.5cm



T3DRS1(AM label)

Dimension: 45.21*10.67*1.89mm

Frequency: 58KHz

Color: white

Packing: 5000pc/box, 3kg



T3DRS2(AM Label)

Size: 45.21*10.67*1.89mm

Frequency: 58KHz

Color: Barcode

Packing: 5000pc/box, 3kg

RF soft label



Checkpoint 

410EP (Enhanced Checkpoint label)

Frequency: 8.2MHz

Dimension: 41mm*41mm

Color:White

Packing details: 2000pcs/roll,20000pcs/ctn.

1.1kg/roll,11.8kg/ctn



Checkpoint 

2815EP (Enhanced Checkpoint label)

Frequency: 8.2MHz

Dimension: 49mm*27mm

Color:White

Packing details: 2000pcs/roll,20000pcs/ctn,

0.92kg/roll,9.88kg/ctn



Checkpoint 

2410EP (Enhanced Checkpoint label)

Frequency: 8.2MHz

Dimension: 25.4mm*23.7mm

Color:White

Packing details: 2000pcs/roll,20000pcs/ctn,

0.61kg/roll,6.1kg/ctn



Checkpoint 

710EP (Enhanced Checkpoint label)


Frequency: 8.2MHz

Dimension: 41mm*35mm

Color:White

Packing details: 2000pcs/roll,20000pcs/ctn,

0.96kg/roll,9.88kg/ctn



Checkpoint 

615Plain(Checkpoint label)

Frequency: 8.2MHz

Dimension: 29.5mm*58mm

Color:White

Packing details: 2000pcs/roll,16000pcs/ctn,

2.4kg/roll,13.5kg/ctn



Checkpoint 

310Plain(Checkpoint label)

Frequency: 8.2MHz

Dimension: 51.5mm*48.5mm

Color:White

Packing details: 2000pcs/roll,20000pcs/ctn,

1.7kg/roll,18.5kg/ctn



310AA(Checkpoint label)

Frequency: 8.2MHz

Dimension: 48.5mm*48.5mm

Color:White

Packing details: 2000pcs/roll,10000pcs/ctn,
1.7kg/roll,16.5kg/ctn



410 Barcode(Checkpoint label)

Frequency: 8.2MHz

Dimension: 39.5mm*38mm

Color:barcode

Packing details: 2000pcs/roll,16000pcs/ctn,
1.2kg/roll,13.5kg/ctn



410AA(Checkpoint label)

Frequency: 8.2MHz

Dimension: 40mm*40mm

Color:White

Packing details: 2000pcs/roll,10000pcs/ctn,
3kg/roll,16.5kg/ctn



410Plain(Checkpoint label)

Frequency: 8.2MHz

Dimension: 39.5mm*38mm

Color:White

Packing details: 2000pcs/roll,20000pcs/ctn,
1.2kg/roll,13.5kg/ctn



410TT(Thermal Transfer)

Frequency: 8.2MHz

Dimension: 40mm*40mm

Color:White

Packing details: 2000pcs/roll,20000pcs/ctn,
1.5kg/roll,16.5kg/ctn



615shoe(Checkpoint label)

Frequency: 8.2MHz

Dimension: 30.7mm*56.6mm

Color:White

Packing details: 2000pcs/roll,16000pcs/ctn,
1.8kg/roll,14.5kg/ctn



615TT(Thermal Transfer)

Frequency: 8.2MHz

Dimension: 32mm*56.5mm

Color:White

Packing details: 2000pcs/roll,20000pcs/ctn,
2.4kg/roll,16.5kg/ctn



710 EP Bil(Checkpoint label)

Frequency: 8.2MHz

Dimension: 34.6 mmx 41.1 mm

Color:Transparent

Packing details: 2000pcs/roll,20000pcs/ctn,
0.96kg/roll,9.88kg/ctn



2344BC(All-TAG RF label)

Frequency: 8.2MHz

Dimension: 23mm*44mm

Color:barcode

Packing details: 1000pcs/roll,2000pcs/roll,5000pcs/roll



2344PW(All-TAG RF label)

Frequency: 8.2MHz

Dimension: 23mm*44mm

Color:White

Packing details: 2000pcs/roll



3132BC(All-TAG RF label)

Frequency: 8.2MHz

Dimension: 31mm*32mm

Color:barcode

Packing details: 1000pcs/roll,2000pcs/roll,5000pcs/roll




3132PW(All-TAG RF label)

Frequency: 8.2MHz

Dimension: 31mm*32mm

Color:white

Packing details:
1000pcs/roll,2000pcs/roll,5000pcs/roll,8000pcs/roll



ALL-TAG

3338PW(All-TAG RF label)

Frequency: 8.2MHz

Dimension: 33mm*38mm

Color:White

Packing details: 1000pcs/roll,2000pcs/roll,5000pcs/roll,
8000PCS/ROLL



ALL-TAG

3338BC(All-TAG RF label)

Frequency: 8.2MHz

Dimension: 33mm*38mm

Color:Barcode

Packing details: 1000pcs/roll,2000pcs/roll,5000pcs/roll,



ALL-TAG

33RL(All-TAG RF label)

Frequency: 8.2MHz

Dimension: 33mm

Color:White

Packing details: 1000pcs/roll



RF-102(Jewelry Label)

Frequency: 8.2MHz

Spec: Deactivatable/Non-Deactivatable

Dimension: 30mmx30mm or Customized

Color: Barcode/White/Black/Transparent/Thermal

Packing: 20,000pcs/ctn, 0.019cbm(29x29x24cm),
10kg



RF-2050(Oval Label)

Frequency: 8.2MHz

Spec: Deactivatable/Non-Deactivatable

Dimension: 23mmx47mm

Color: Barcode/White/Black/Transparent/Thermal

Packing: 20,000pcs/ctn,0.018cbm(26x26x27cm),
8.5kg



RF-1965(Lipstick Label)

Frequency: 8.2MHz

Spec: Deactivatable/Non-Deactivatable

Dimension: 19mmx65mm

Color: Transparent

Packing: 20,000pcs/ctn,0.014cbm(31x31x15cm),
8kg



RF-4060(Shoe Label)

Frequency: 8.2MHz

Spec: Deactivatable/Non-Deactivatable

Dimension: 40mmx58mm

Color: Transparent

Packing: 20,000pcs/ctn,0.025cbm(28x28x32cm),
12kg



RF-101(Deactivate Paper)

Frequency: N/A

Dimension: Customized

Color: Barcode/White/Black or Customized

Packing:40,000pcs/ctn, 0.021cbm(30x30x24cm),
14kg

Detacher



D-01A(Steel Countertop)

Dimension: Ø95mmx30mm

Magnetic Force: Standard

Weight: 750g

Packing: 50pcs/ctn,
0.027cbm(42x27x24cm),
38.5kg



D-01B(Aluminum Countertop)

Dimension: Ø75mmx25mm

Magnetic Force: Standard

Weight: 210g

Packing: 100pcs/ctn,
0.027cbm(42x27x24cm),
22kg



D-01C(TT Countertop)

Dimension:

Ø80mmx30mm

Magnetic Force: Standard

Weight: 210g

Packing: 100pcs/ctn,
0.027cbm(42x27x24cm),
22kg



D-02A(Aluminum Countertop)

Dimension:

Ø65mmx25mm

Magnetic Force: Standard

Weight: 290g

Packing: 100pcs/ctn,
0.027cbm(42x27x24cm),
20.5kg



D-03A(Karaok)

Dimension: Ø55mmx125mm

Magnetic

Force:Standard/Super

Weight: 300g

Packing: 60pcs/ctn,

0.057cbm(43x36x37cm), 18kg



D-03B(Torch)

Dimension: Ø56mmx135mm

Magnetic Force: Standard

Weight: 460g

Packing: 33pcs/ctn,

0.033cbm(42x29x27cm), 16kg



D-04A (Small Countertop)

Dimension:Ø60mmx33mm

Magnetic Force: Standard

Weight: 260g

Packing: 100pcs/ctn,

0.024cbm(41.5x25.5x23cm), 26kg



D-04B(Super Countertop)

Dimension:

Ø75mmx45mm

Magnetic Force: Super

Weight: 460g

Packing: 60pcs/ctn,

0.027cbm(42x27x24cm), 23kg



D-04C(Super Countersunk)

Dimension: Ø75mmx45mm

Magnetic Force: Super

Weight: 460g

Packing: 60pcs/ctn,

0.027cbm(42x27x24cm), 27kg



D-04D(Hyper Detacher)

Dimension: Ø90mmx52mm

Magnetic Force: Hyper

Weight: 1200g

Packing: 30pcs/ctn,

0.024cbm(42x25x23cm), 36kg



D-05A(Cone)

Dimension:

Ø75mmx45mm

Magnetic Force: Super

Weight: 460g

Packing: 60pcs/ctn,

0.027cbm(42x27x24cm), 28kg



D-05B(Cone W/Natch)

Dimension:

Ø75mmx45mm

Magnetic Force: Super

Weight: 460g

Packing: 60pcs/ctn,

0.027cbm(42x27x24cm), 27.5kg



D-06A(Flat Golf Detacher)

Dimension: Ø75mmx35mm

Magnetic Force: Super

Weight: 460g

Packing: 60pcs/ctn,



D-06B(Golf/Dome Detacher)

Dimension: Ø75mmx35mm

Magnetic Force: Super

Weight: 460g



D-06C(Golf Detacher W/Natch)

Dimension:Ø72mmx35mm

Magnetic Force: Super

Weight: 400g



D-07A(Magnetic I)

Dimension: Ø75mmx35mm

Magnetic Force: Super

Weight: 460g

Packing: 60pcs/ctn,

0.027cbm(42x27x24cm),
22.5kg



D-07B304(Magnetic II)

Dimension: Ø75mmx35mm

Magnetic Force: Super

Weight: 460g

Packing: 60pcs/ctn,
0.027cbm(42x27x24cm), 24kg

Packing: 60pcs/ctn,
0.027cbm(42x27x24cm),
26kg



D-07C(Magnetic III)

Dimension: Ø75mmx35mm

Magnetic Force: Super

Weight: 460g

Packing: 60pcs/ctn,
0.027cbm(42x27x24cm),
26kg

Packing: 50pcs/ctn,
0.021cbm(41.5x28x18cm),
21kg



**D-07D(Magnetic III
W/Natch)**

Dimension: Ø72mmx39mm

Magnetic Force: Super

Weight: 389g

Packing: 50pcs/ctn,
0.021cbm(41.5x28x18cm),
20kg

0.027cbm(42x27x24cm),
28.5kg



D-07E(Magnetic IV)

Dimension: Ø74mmx35mm

Magnetic Force: Super

Weight: 420g

Packing: 50pcs/ctn,
0.027cbm(42x27x24cm),
37kg



D-08A(Plastic Coated)

Dimension: Ø82mmx75mm

Magnetic Force: Super

Weight: 360g

Packing: 50pcs/ctn,
0.033cbm(42x29x27cm), 18kg



D-08B(Plastic Dome)

Dimension: Ø72mmx39mm

Magnetic Force: Super

Weight: 320g

Packing: 50pcs/ctn,
0.021cbm(41.5x28x18cm),
17kg



D-09A(Dome W/Natch)

Dimension: Ø73mmx34mm

Magnetic Force: Super

Weight: 400g

Packing: 50pcs/ctn,
0.021cbm(41.5x28x18cm),
20kg



D-09B(Hyper Detacher)

Dimension: Ø90mmx52mm

Magnetic Force: Hyper

Weight: 1200g

Packing: 30pcs/ctn,
0.024cbm(42x25x23cm),
36kg



D-10A(Flexible Detacher)

Dimension: Ø40mmx45mm

Magnetic Force:

Standard/Super

Weight: 400g

Packing: 50pcs/ctn,



D-10B(Cylindrical)

Dimension: Ø40mmx45mm

Magnetic Force:

Standard/Super

Weight: 211g

Packing: 50pcs/ctn,



D-11A(Magnetic Lid)

Dimension: Ø21mmx34mm

Weight: 28g

Packing: 500pcs/ctn,
0.012cbm(34x24x14.5cm),
14kg



D-11B(Magnetic Lid)

Dimension: Ø45mmx38mm

Weight: 48g

Packing: 250pcs/ctn,
0.011cbm(34x24x14cm),
12kg

0.021cbm(41.5x28x18cm),
22kg

0.021cbm(41.5x28x18cm),
22kg



D-12A(Stoplock Releaser)

Dimension: Ø20mmx58mm

Magnetic Force: Standard

Weight:60g

Packing: 400pcs/ctn,

0.014cbm(34x24x17cm), 24kg

D-12B(Stoplock Releaser)

Dimension: Ø20mmx58mm

Magnetic Force: Standard

Weight:60g

Packing: 400pcs/ctn,

0.014cbm(34x24x17cm),
24kg

D-13B(HK08 stop lock
releaser)

Size:65*16*35mm

Color:Black

Weight:25g

Material:ABS+Aluminium

D-14A(security hook
releaser)

Dimension: 120x23x12mm

Color: Black/White

Material :ABS+aluminium



**SD-10A(AM Manual
Detacher)**

Frequency: 58KHz

Dimension: 185mmx90mm

Packing:

10pcs/ctn,0.034cbm(42x30x2
7cm),5.5kg

**SD-10B(Ultra Gator
Detacher)**

Frequency: 58KHz

Dimension:

245mmx114mmx75mm

Packing:

20pcs/ctn,0.032cbm(50x40
x16cm),10kg.

SD-10C(AM Table Top)

Frequency: 58KHz

Dimension:

150mmx102mm

Packing:

5sets/ctn,0.02cbm(49x20x
20cm),8.5kg

SD-10D(AM Flush Mount)

Frequency: 58KHz

Dimension:

220mmx180mm

Packing:

5sets/ctn,0.031cbm(49x25x
25cm),9.5kg

Detector/Deactivator



SD-01A(RF Deactivator)

Frequency: 8.2MHz

Dimension: 245mmx235mm

Packing: 10pcs/ctn, 0.057cbm(43x36x37cm), 10kg

Color: Black

Description: Digital intergated deactivator with pad into one unit. It gives instant beep with visual indication once labels are killed and continous beep if labels can't be killed.



SD-01B(RF Deactivator)

Frequency: 8.2MHz

Dimension: 220mmx220mm

Packing: 6pcs/ctn, 0.028cbm(42x26x26cm), 6kg

Color: Dark Purple

Description: Digital intergated deactivator with pad into one unit. It gives instant beep with visual indication once labels are killed and continous beep if labels can't be killed.



SD-01CRF Deactivator)

Frequency: 8.2MHz

Dimension: 160mmX108mmX35mm (Deactivator),
300mmX300mmX18mm (Pad)

Color: Black

Packing: 10pcs/ctn,0.023cbm(36x32x20cm),5kg(Deactivator)

10pcs/ctn,0.057cbm(43x37x36cm),5kg(Pad)

Description: Deactivator and pad are separated and it can work with one-to-one or one-to-two mode



SD-01D(RF Deactivator)

Frequency: 8.2MHz

Dimension: 160mmX108mmX35mm (Deactivator),
300mmX300mmX18mm (Pad)

Color: Black

Packing: 10pcs/ctn,0.023cbm(36x32x20cm),5kg(Deactivator)

10pcs/ctn,0.057cbm(43x37x36cm),5kg(Pad)

Description: Deactivator and pad are separated and it can work with one-to-one or one-to-two mode. It gives continous beep if labels can't be killed.



SD-02A(AM Deactivator)

Frequency: 58K

Dimension: 230mmx190mmx55mm

Color: Gray

Packing: 5 sets/ctn, 0.031cbm(39x33x24cm), 8kg

Description: Detect at 15cm and deactivate at 10cm. Audible and visual indication of deactivation. Plug and play allow for table top and flush mounting.



SD-02B(AM Deactivator)

Frequency: 58KHz

Dimension: 325mmx285mmx130mm

Color: Grey

Packing: 6 sets/ctn, 0.08cbm(59x34x40cm), 13kg

Description: Detect at 15cm and deactivate at 10cm. Audible and visual indication of deactivation. Plug and play allow for table top and flush mounting.



SD-03A(WG Double Checker)

Frequency: 58KHz

Dimension: 340mmx250mmx25mm

Packing: Customized

Description: Detect both hard tags and AM labels up to 20cm. Contact degaussing function.



SD-05A(RF/AM Verifier)

Frequency: 8.2MHz/58KHz

Dimension: 345mmx75mm

Packing: 50pcs/ctn,0.075cbm(58x35x37cm),8kg

Description: Detect up to 20cm for RF labels and 10cm for AM labels. Audible and visual indication of detection.



SD-06A(AM Verifier)

Frequency: 58KHz

Dimension:380mmx180mmx60mm

Packing: 1pcs/ctn, 0.015cbm(35x24x18cm), 1.5kg

Description: Detect up to 15cm for AM labels. Audible and visual indication of detection.



SD-07A(AM/RF Verifier)

Frequency: 52KHz/8.2MHz

Dimension: 200mmx85mm

Packing: 100pcs/ctn,0.075cbm(58x35x37cm),15kg

Description: Detect up to 20cm for RF labels and 10cm for AM labels. Audible and visual indication of detection.