



SHENZHEN UECTC CO.,LTD

ADD:F/2, Rongli industrial park Guanlan Town,Longhua district,Shenzhen,China.518000
 Tel / Fax:0755-36618705 36618706 Mob(WeChat):13925279166 Contact:Mr.Chen
 QQ:1587441979 SKYPE:Feier755 E-Mail:sales@uectc.com Web:www.uectc.com

LATEST PRODUCTS / Household Medical Devices

Add 30%~200% handling fee for sample order, MOQ:2000PCS











ITEM NO.	PICTURE	FEATURES	PRICE(USD)	REF.
UM-B01 Arm type electronic blood pressure monitor		Product parameters: 1. The power supply:d.c. 6V 4*AAA Alkaline batteries 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure ± 3mmHg(0.4 kPa)/ pulse: ±5% 4. Armband circumference:22-40cm (8.7-15.7in) 5. Single weight:223g 6. Product size:118*110*52mm(4.65"*4.33"*2.05") 7. The screen size:48*65mm(1.89"*2.56") 8. Measuring way:Step-down measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$16.50	Package size: -Package Size:17.5*15.5*9.5cm -Weight:N.W/226g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg Color box
UM-B02 Arm type electronic blood pressure monitor		Product parameters: 1. The power supply:d.c. 6V 4*AAA Alkaline batteries 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure ± 3mmHg(0.4 kPa)/ pulse: ±5% 4. Armband circumference:22-40cm (8.7-15.7in) 5. Single weight:223g 6. Product size:118*110*52mm(4.65"*4.33"*2.05") 7. The screen size:58*85mm(1.89"*2.56") 8. Measuring way:Step-down measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$16.50	Package size: -Package Size:17.5*15.5*9.5cm -Weight:N.W/226g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg Color box
UM-B02E Arm type electronic blood pressure monitor		Product parameters: 1. The power supply:d.c. 6V 4*AAA Alkaline batteries 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure ± 3mmHg(0.4 kPa)/ pulse: ±5% 4. Armband circumference:22-40cm (8.7-15.7in) 5. Single weight:223g 6. Product size:118*110*52mm(4.65"*4.33"*2.05") 7. The screen size:58*85mm(1.89"*2.56") 8. Measuring way:Step-down measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$16.50	Package size: -Package Size:17.5*15.5*9.5cm -Weight:N.W/226g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg Color box
UM-B02T Arm type electronic blood pressure monitor		Product parameters: 1. The power supply:d.c. 6V 4*AAA Alkaline batteries 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure ± 3mmHg(0.4 kPa)/ pulse: ±5% 4. Armband circumference:22-40cm (8.7-15.7in) 5. Single weight:223g 6. Product size:118*110*52mm(4.65"*4.33"*2.05") 7. The screen size:58*85mm(1.89"*2.56") 8. Measuring way:Step-down measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$28.50	Package size: -Package Size:17.5*15.5*9.5cm -Weight:N.W/226g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg Color box
UM-B05 Arm type electronic blood pressure monitor		Product parameters: 1. The power supply:d.c. 6V 4*AAA Alkaline batteries 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure ± 3mmHg(0.4 kPa)/ pulse: ±5% 4. Armband circumference:22-40cm (8.7-15.7in) 5. Single weight:220g 6. Product size:140*71*30mm(5.51"*2.8"*1.18") 7. The screen size:52*88mm(2.05"*3.47") 8. Measuring way:Step-down measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$14.50	Package size: -Package Size:21.5*15.5*4.5cm -Weight:N.W/226g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg Color box
UM-B06T Arm type electronic blood pressure monitor		Product parameters: 1. The power supply:d.c. 6V 4*AAA Alkaline batteries 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure ± 3mmHg(0.4 kPa)/ pulse: ±5% 4. Storage capacity:2 * 120 groups of memory 5. Single weight:236g 6. Product size:120*66*30mm(4.72"*2.59"*1.18") 7. The screen size:30*58mm(1.81"*2.28") 8. Measuring way:Step-down measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$28.50	Package size: -Package Size:21.5*15.5*4.5cm -Weight:N.W/226g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg Color box

ITEM NO.	PICTURE	FEATURES	PRICE(USD)	REF.
UM-B07 Arm type electronic blood pressure monitor		Product parameters: 1. The power supply:d.c. 6V 4*AAA Alkaline batteries 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure \pm 3mmHg(0.4 kPa)/ pulse: \pm 5% 4. Armband circumference:22-40cm (8.7-15.7in) 5. Single weight:226g 6. Product size:118*110*52mm(4.65"*4.33"*2.05") 7. The screen size:48*65mm(1.89"*2.56") 8. Measuring way:Step-down measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$16.50	Package size: -Package Size:17.5*15.5*9.5cm -Weight:N.W/226g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg Color box
UM-B13 Arm type electronic blood pressure monitor		Product parameters: 1. The power supply:d.c. 6V 4*AAA Alkaline batteries 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure \pm 3mmHg(0.4 kPa)/ pulse: \pm 5% 4. Armband circumference:22-40cm (8.7-15.7in) 5. Single weight:269g 6. Product size:140*120*67mm(5.51"*4.72"*2.64") 7. The screen size:80*60mm(3.14"*2.36") 8. Measuring way:Step-down measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$16.50	Package size: -Package Size:17.5*15.5*9.5cm -Weight:N.W/226g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg Color box
UM-B15 Arm type electronic blood pressure monitor		Product parameters: 1. The power supply:d.c. 6V 4*AAA Alkaline batteries 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure \pm 3mmHg(0.4 kPa)/ pulse: \pm 5% 4. Armband circumference:22-40cm (8.7-15.7in) 5. Single weight:269g 6. Product size:140*120*67mm(5.51"*4.72"*2.64") 7. The screen size:80*60mm(3.14"*2.36") 8. Measuring way:Step-down measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$20.00	Package size: -Package Size:17.5*15.5*9.5cm -Weight:N.W/226g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg Color box
UM-B21 Arm type electronic blood pressure monitor		Product parameters: 1. The power supply:d.c. 6V 4*AAA Alkaline batteries 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure \pm 3mmHg(0.4 kPa)/ pulse: \pm 5% 4. Armband circumference:22-40cm (8.7-15.7in) 5. Single weight:260g 6. Product size:118*110*52mm(4.65"*4.33"*2.05") 7. The screen size:95*64mm(3.74"*2.52") 8. Measuring way:Step-down measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$16.50	Package size: -Package Size:17.5*15.5*9.5cm -Weight:N.W/226g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg Color box
UM-B22 Arm type electronic blood pressure monitor		Product parameters: 1. The power supply:d.c. 6V 4*AAA Alkaline batteries 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure \pm 3mmHg(0.4 kPa)/ pulse: \pm 5% 4. Armband circumference:22-40cm (8.7-15.7in) 5. Single weight:260g 6. Product size:118*110*52mm(4.65"*4.33"*2.05") 7. The screen size:95*64mm(3.74"*2.52") 8. Measuring way:Step-down measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$16.50	Package size: -Package Size:17.5*15.5*9.5cm -Weight:N.W/226g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg Color box
UM-B23 Arm type electronic blood pressure monitor		Product parameters: 1. The power supply:d.c. 6V 4*AAA Alkaline batteries 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure \pm 3mmHg(0.4 kPa)/ pulse: \pm 5% 4. Armband circumference:22-40cm (8.7-15.7in) 5. Single weight:260g 6. Product size:118*110*52mm(4.65"*4.33"*2.05") 7. The screen size:95*64mm(3.74"*2.52") 8. Measuring way:Step-down measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$16.50	Package size: -Package Size:17.5*15.5*9.5cm -Weight:N.W/226g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg Color box

ITEM NO.	PICTURE	FEATURES	PRICE(USD)	REF.
UM-B23C Arm type electronic blood pressure monitor		Product parameters: 1. The power supply: Built-in Battery 2. Measuring range: Blood pressure (0-280mmHg/ 0-37.3kPa) / pulse (40-199 beats/min) 3. Accuracy of measurement: Static pressure \pm 3mmHg(0.4 kPa) / pulse: \pm 5% 4. Armband circumference: 22-40cm (8.7-15.7in) 5. Single weight: 269g 6. Product size: 118*110*52mm(4.65"*4.33"*2.05") 7. The screen size: 95*64mm(3.74"*2.52") 8. Measuring way: Step-down measurement (oscillographic method) 9. Product material: ABS environment-friendly raw materials + LED display + electronic materials 10. MOQ: 2000 pcs	US\$33.50	Package size: -Package Size: 17.5*15.5*9.5cm -Weight: N.W/226g, G.W/620g -Carton Size: 90*75*65cm -Packing Quantity: 30pcs/ carton -Carton Weight: N.W/18.6kg, G.W/20.1kg Color box
UM-B25 Arm type electronic blood pressure monitor		Product parameters: 1. The power supply: d.c. 6V 4*AAA Alkaline batteries 2. Measuring range: Blood pressure (0-280mmHg/ 0-37.3kPa) / pulse (40-199 beats/min) 3. Accuracy of measurement: Static pressure \pm 3mmHg(0.4 kPa) / pulse: \pm 5% 4. Armband circumference: 22-40cm (8.7-15.7in) 5. Single weight: 223g 6. Product size: 118*110*52mm(4.65"*4.33"*2.05") 7. The screen size: 48*65mm(1.89"*2.56") 8. Measuring way: Step-down measurement (oscillographic method) 9. Product material: ABS environment-friendly raw materials + LED display + electronic materials 10. MOQ: 2000 pcs	US\$16.50	Package size: -Package Size: 17.5*15.5*9.5cm -Weight: N.W/226g, G.W/620g -Carton Size: 90*75*65cm -Packing Quantity: 30pcs/ carton -Carton Weight: N.W/18.6kg, G.W/20.1kg Color box
UM-B26 Arm type electronic blood pressure monitor		Product parameters: 1. The power supply: d.c. 6V 4*AAA Alkaline batteries 2. Measuring range: Blood pressure (0-280mmHg/ 0-37.3kPa) / pulse (40-199 beats/min) 3. Accuracy of measurement: Static pressure \pm 3mmHg(0.4 kPa) / pulse: \pm 5% 4. Armband circumference: 22-40cm (8.7-15.7in) 5. Single weight: 223g 6. Product size: 118*110*52mm(4.65"*4.33"*2.05") 7. The screen size: 48*65mm(1.89"*2.56") 8. Measuring way: Step-down measurement (oscillographic method) 9. Product material: ABS environment-friendly raw materials + LED display + electronic materials 10. MOQ: 2000 pcs	US\$16.50	Package size: -Package Size: 17.5*15.5*9.5cm -Weight: N.W/226g, G.W/620g -Carton Size: 90*75*65cm -Packing Quantity: 30pcs/ carton -Carton Weight: N.W/18.6kg, G.W/20.1kg Color box
UM-B56 Arm type electronic blood pressure monitor		Product parameters: 1. The power supply: d.c. 6V 4*AAA Alkaline batteries 2. Measuring range: Blood pressure (0-280mmHg/ 0-37.3kPa) / pulse (40-199 beats/min) 3. Accuracy of measurement: Static pressure \pm 3mmHg(0.4 kPa) / pulse: \pm 5% 4. Armband circumference: 22-40cm (8.7-15.7in) 5. Single weight: 220g 6. Product size: 105*125*55mm(4.13"*4.92"*2.17") 7. The screen size: 42*62mm(1.65"*2.44") 8. Measuring way: Step-down measurement (oscillographic method) 9. Product material: ABS environment-friendly raw materials + LED display + electronic materials 10. MOQ: 2000 pcs	US\$14.50	Package size: -Package Size: 17.5*15.5*9.5cm -Weight: N.W/226g, G.W/620g -Carton Size: 90*75*65cm -Packing Quantity: 30pcs/ carton -Carton Weight: N.W/18.6kg, G.W/20.1kg Color box
UM-B57 Arm type electronic blood pressure monitor		Product parameters: 1. The power supply: d.c. 6V 4*AAA Alkaline batteries 2. Measuring range: Blood pressure (0-280mmHg/ 0-37.3kPa) / pulse (40-199 beats/min) 3. Accuracy of measurement: Static pressure \pm 3mmHg(0.4 kPa) / pulse: \pm 5% 4. Armband circumference: 22-40cm (8.7-15.7in) 5. Single weight: 220g 6. Product size: 105*125*55mm(4.13"*4.92"*2.17") 7. The screen size: 42*62mm(1.65"*2.44") 8. Measuring way: Step-down measurement (oscillographic method) 9. Product material: ABS environment-friendly raw materials + LED display + electronic materials 10. MOQ: 2000 pcs	US\$14.50	Package size: -Package Size: 17.5*15.5*9.5cm -Weight: N.W/226g, G.W/620g -Carton Size: 90*75*65cm -Packing Quantity: 30pcs/ carton -Carton Weight: N.W/18.6kg, G.W/20.1kg Color box
UM-B65T Arm type electronic blood pressure monitor		Product parameters: 1. The power supply: d.c. 6V 4*AAA Alkaline batteries 2. Measuring range: Blood pressure (0-280mmHg/ 0-37.3kPa) / pulse (40-199 beats/min) 3. Accuracy of measurement: Static pressure \pm 3mmHg(0.4 kPa) / pulse: \pm 5% 4. Storage capacity: 2 * 120 groups of memory 5. Single weight: 226g 6. Product size: 120*66*30mm(4.72"*2.59"*1.81") 7. The screen size: 30*58mm(1.81"*2.28") 8. Measuring way: Step-down measurement (oscillographic method) 9. Product material: ABS environment-friendly raw materials + LED display + electronic materials 10. MOQ: 2000 pcs	US\$29.00	Package size: -Package Size: 21.5*15.5*4.5cm -Weight: N.W/226g, G.W/620g -Carton Size: 90*75*65cm -Packing Quantity: 30pcs/ carton -Carton Weight: N.W/18.6kg, G.W/20.1kg Color box

ITEM NO.	PICTURE	FEATURES	PRICE(USD)	REF.
UM-B66T Arm type electronic blood pressure monitor		Product parameters: 1. The power supply:d.c. 6V 4*AAA Alkaline batteries 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure \pm 3mmHg(0.4 kPa)/ pulse: \pm 5% 4. Storage capacity:2 * 120 groups of memory 5. Single weight:226g 6. Product size:120*66*30mm(4.72"*2.59"*1.81") 7. The screen size:30*58mm(1.81"*2.28") 8. Measuring way:Step-down measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$16.50	Package size: -Package Size:21.5*15.5*4.5cm -Weight:N.W/226g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg
UM-B92 Arm type electronic blood pressure monitor		Product parameters: 1. The power supply:Built-in lithium battery 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure \pm 3mmHg(0.4 kPa)/ pulse: \pm 5% 4. Armband circumference:22-40cm (8.7-15.7in) 5. Single weight:270g 6. Product size:117*122*56mm(3.51"*3.66"*1.68") 7. The screen size:107*66mm(3.21"*2.19") 8. Measuring way:Step-down measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$24.50	Package size: -Package Size:21.5*18.5*9.5cm -Weight:N.W/226g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg
UM-C01 Electronic blood pressure monitor		Product parameters: 1. The power supply:d.c. 4.5V 3*AA Alkaline batteries 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure \pm 3mmHg(0.4 kPa)/ pulse: \pm 5% 4. Armband circumference:22-40cm (8.7-15.7in) 5. Single weight:162g 6. Product size:127*85*28mm(5.00"*3.34"*1.10") 7. The screen size:63*63mm(2.48"*2.48") 8. Measuring way:Boost-pressure measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$20.00	Package size: -Package Size:17.5*15.5*9.5cm -Weight:N.W/290g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg
UM-C01A Electronic sphygmomanometer		Product parameters: 1. The power supply:d.c. 4.5V 3*AA Alkaline batteries 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure \pm 3mmHg(0.4 kPa)/ pulse: \pm 5% 4. Armband circumference:22-40cm (8.7-15.7in) 5. Single weight:162g 6. Product size:127*85*28mm(5.00"*3.34"*1.10") 7. The screen size:63*63mm(2.48"*2.48") 8. Measuring way:Boost-pressure measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$20.00	Package size: -Package Size:17.5*15.5*9.5cm -Weight:N.W/290g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg
UM-C02 Electronic blood pressure monitor		Product parameters: 1. The power supply:d.c. 4.5V 3*AA Alkaline batteries 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure \pm 3mmHg(0.4 kPa)/ pulse: \pm 5% 4. Armband circumference:22-40cm (8.7-15.7in) 5. Single weight:162g 6. Product size:127*85*28mm(5.00"*3.34"*1.10") 7. The screen size:63*63mm(2.48"*2.48") 8. Measuring way:Boost-pressure measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$20.00	Package size: -Package Size:17.5*15.5*9.5cm -Weight:N.W/290g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg
UM-C03 Electronic Sphygmomanometer		Product parameters: 1. The power supply:d.c. 4.5V 3*AA Alkaline batteries 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure \pm 3mmHg(0.4 kPa)/ pulse: \pm 5% 4. Armband circumference:22-40cm (8.7-15.7in) 5. Single weight:189g 6. Product size:126*85*57mm(4.96"*3.34"*2.24") 7. The screen size:66*69mm(2.59"*2.71") 8. Measuring way:Boost-pressure measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$20.00	Package size: -Package Size:17.5*15.5*9.5cm -Weight:N.W/290g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg

ITEM NO.	PICTURE	FEATURES	PRICE(USD)	REF.
UM-C03A Electronic Sphygmomanometer		Product parameters: 1. The power supply:d.c. 4.5V 3*AA Alkaline batteries 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure \pm 3mmHg(0.4 kPa)/ pulse: \pm 5% 4. Armband circumference:22-40cm (8.7-15.7in) 5. Single weight:189g 6. Product size:126*85*57mm(4.96**3.34**2.24") 7. The screen size:66*69mm(2.59**2.71") 8. Measuring way:Boost-pressure measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$20.00	Package size: -Package Size:17.5*15.5*9.5cm -Weight:N.W/290g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg  Color box
UM-C04 Electronic Sphygmomanometer		Product parameters: 1. The power supply:d.c. 4.5V 3*AA Alkaline batteries 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure \pm 3mmHg(0.4 kPa)/ pulse: \pm 5% 4. Armband circumference:22-40cm (8.7-15.7in) 5. Single weight:189g 6. Product size:126*85*57mm(4.96**3.34**2.24") 7. The screen size:66*69mm(2.59**2.71") 8. Measuring way:Boost-pressure measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$20.00	Package size: -Package Size:17.5*15.5*9.5cm -Weight:N.W/290g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg  Color box
UM-F01 Arm type electronic blood pressure monitor		Product parameters: 1. The power supply:d.c. 6V 4*AAA Alkaline batteries 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure \pm 3mmHg(0.4 kPa)/ pulse: \pm 5% 4. Armband circumference:22-40cm (8.7-15.7in) 5. Single weight:289g 6. Product size:118*110*52mm(4.64**4.33**2.0") 7. The screen size:74*58mm(2.91**2.28")+C42 8. Measuring way:Boost-pressure measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$22.50	Package size: -Package Size:17.5*15.5*9.5cm -Weight:N.W/290g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg  Color box
UM-F1101 Arm type electronic blood pressure monitor		Product parameters: 1. The power supply:3xAAA batteries of DC5V Type-C cable 2. Measuring range:SYS: 60-270 mmHg; DIA: 40-220 mmHg; 3. Accuracy:Blood Pressure: \pm 3 mmHg ; Pulse Rate: \pm 5% 4. Low battery:3.6V \pm 0.2V; low battery 5.Auto power-off:60s without operation 6. Single weight:244g 7. Product size:140.5mm(length)*104.5mm(width)* 80mm(height) 8. The screen size:66mm(length)* 69mm(width) 3.74inches 9. Measuring Method:Oscillometric Method--Inflation Technology 10.Product material:ABS environment-friendly raw materials +LED display + electronic materials 11. MOQ:2000 pcs	US\$15.50	Package size: -Package Size:17.5*15.5*9.5cm -Weight:N.W/290g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg  Color box
UM-F1101T Arm type electronic blood pressure monitor		Product parameters: 1. The power supply:3xAA batteries of DC5V Type-C cable 2. Measuring range:SYS: 60-270 mmHg; DIA: 40-220 mmHg; 3. Accuracy:Blood Pressure: \pm 3 mmHg ; Pulse Rate: \pm 5% 4. Armband circumference:22-40cm (8.7-15.7in) 5. Single weight:244g 6. Product size:140.5mm(length)*104.5mm(width)* 80mm(height) 7. The screen size:66mm(length)* 69mm(width) 3.74inches 8. Measuring Method:Oscillometric Method--Inflation Technology 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$14.50	Package size: -Package Size:17.5*15.5*9.5cm -Weight:N.W/290g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg  Color box
UM-F1102T Arm type electronic blood pressure monitor		Product parameters: 1. The power supply:3xAA batteries of DC5V Type-C cable 2. Measuring range:SYS: 60-270 mmHg; DIA: 40-220 mmHg; 3. Accuracy:Blood Pressure: \pm 3 mmHg ; Pulse Rate: \pm 5% 4. Auto power-off:60s without operation 5.Low battery:3.6V \pm 0.2V; low battery 6. Single weight:259g 7. Product size:140.5mm(length)*104.5mm(width)* 80mm(height) 8. The screen size:65mm(length)* 85mm(width) 4.21inches 9. Measuring Method:Oscillometric Method--Inflation Technology 10.Product material:ABS environment-friendly raw materials +LED display + electronic materials 11. MOQ:2000 pcs	US\$15.50	Package size: -Package Size:17.5*15.5*9.5cm -Weight:N.W/290g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg  Color box

ITEM NO.	PICTURE	FEATURES	PRICE(USD)	REF.
UM-F1103 Arm type electronic blood pressure monitor		Product parameters: 1. The power supply:3xAAA batteries of DC5V Type-C cable 2. Measuring range:SYS: 60-270 mmHg; DIA: 40-220 mmHg; 3. Accuracy:Blood Pressure: ±3 mmHg ; Pulse Rate: ± 5% 4. Auto power-off:60s without operation 5.Low battery:3.6V±0.2V: low battery 6. Single weight:260g 7. Product size:140.5mm(length)*104.5mm(width)*80mm(height) 8. The screen size:65mm(length)* 85mm(width) 4.21inches 9. Measuring Method:Oscillometric Method-Inflation Technology 10.Product material:ABS environment-friendly raw materials +LED display + electronic materials 11. MOQ:2000 pcs	US\$14.50	Package size: -Package Size:17.5*15.5*9.5cm -Weight:N.W/290g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg  Color box
UM-F1103T Arm type electronic blood pressure monitor		Product parameters: 1. The power supply:3xAAA batteries of DC5V Type-C cable 2. Measuring range:SYS: 60-270 mmHg; DIA: 40-220 mmHg; 3. Accuracy:Blood Pressure: ±3 mmHg ; Pulse Rate: ± 5% 4. Auto power-off:60s without operation 5.Low battery:3.6V±0.2V: low battery 6. Single weight:260g 7. Product size:140.5mm(length)*104.5mm(width)*80mm(height) 8. The screen size:65mm(length)* 85mm(width) 4.21inches 9. Measuring Method:Oscillometric Method-Inflation Technology 10.Product material:ABS environment-friendly raw materials +LED display + electronic materials 11. MOQ:2000 pcs	US\$13.50	Package size: -Package Size:17.5*15.5*9.5cm -Weight:N.W/290g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg  Color box
UM-F1701 Arm type electronic blood pressure monitor		Product parameters: 1. The power supply:3xAAA batteries of DC5V Type-C cable 2. Measuring range:SYS: 60-270 mmHg; DIA: 40-220 mmHg; 3. Accuracy:Blood Pressure: ±3 mmHg ; Pulse Rate: ± 5% 4. Auto power-off:60s without operation 5.Low battery:3.6V±0.2V: low battery 6. Single weight:260g 7. Product size:140.5mm(length)*104.5mm(width)*80mm(height) 8. The screen size:65mm(length)* 85mm(width) 4.21inches 9. Measuring Method:Oscillometric Method-Inflation Technology 10.Product material:ABS environment-friendly raw materials +LED display + electronic materials 11. MOQ:2000 pcs	US\$14.00	Package size: -Package Size:17.5*15.5*9.5cm -Weight:N.W/290g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg  Color box
UM-W01 Wrist electronic sphygmomanometer		Product parameters: 1. The power supply:d.c. 3V 2*AAA Alkaline batteries 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure ± 3mmHg(0.4 kPa)/ pulse: ±5% 4. Armband circumference:13.5-19.5cm (5.3-7.7in) 5. Single weight:123g 6. Product size:84*68*25mm(3.3"*2.67"*0.98") 7. The screen size:43.4*50.8mm(1.7"*2.0") 8. Measuring way:Step-down measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$16.50	Package size: -Package Size:12.5*15.5*9.5cm -Weight:N.W/290g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg  Color box
UM-W02 Wrist electronic sphygmomanometer		Product parameters: 1. The power supply:d.c. 3V 2*AAA Alkaline batteries 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure ± 3mmHg(0.4 kPa)/ pulse: ±5% 4. Armband circumference:13.5-19.5cm (5.3-7.7in) 5. Single weight:103g 6. Product size:25*68*68mm(0.98"*2.68"*2.68") 7. The screen size:35*43mm (1.38"*1.69") 8. Measuring way:Step-down measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$14.50	Package size: -Package Size:12.5*15.5*9.5cm -Weight:N.W/290g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg  Color box
UM-W03 Wrist electronic sphygmomanometer		Product parameters: 1. The power supply:d.c. 3V 2*AAA Alkaline batteries 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure ± 3mmHg(0.4 kPa)/ pulse: ±5% 4. Armband circumference:13.5-19.5cm (5.3-7.7in) 5. Single weight:103g 6. Product size:25*68*68mm(0.98"*2.68"*2.68") 7. The screen size:35*43mm (1.38"*1.69") 8. Measuring way:Step-down measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs	US\$14.50	Package size: -Package Size:12.5*15.5*9.5cm -Weight:N.W/290g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg  Color box





SHENZHEN UECTC CO.,LTD

ADD:F/2, Rongli industrial park,Guanlan Town,Longhua district,Shenzhen,China,518000
 Tel / Fax:0755-36618705 36618706 Mob(WeChat):13925279166 Contact:Mr.Chen
 QQ:1587441979 SKYPE:Feier755 E-Mail:sales@uectc.com Web:www.uectc.com

LATEST PRODUCTS / Household Medical Devices

Add 30%~200% handling fee for sample order,MOQ:2000PCS

ITEM NO.	PICTURE	FEATURES	PRICE(USD)	REF.
<p>UM-1701 Wrist electronic sphygmomanometer</p>		<p>Product parameters: 1. The power supply:d.c. 3V 2*AAA Alkaline batteries 2. Measuring range:Blood pressure (0-280mmHg/ 0-37.3kPa)/ pulse (40-199 beats/min) 3. Accuracy of measurement:Static pressure ± 3mmHg(0.4 kPa)/ pulse: ±5% 4. Armband circumference:13.5-19.5cm (5.3-7.7in) 5. Single weight:108g 6. Product size:79mm(length)*70mm(width)* 25mm(height) 7. The screen size:44mm(length)* 43mm(width) 2.42 inches 8. Measuring way:Step-down measurement (oscillographic method) 9.Product material:ABS environment-friendly raw materials +LED display + electronic materials 10. MOQ:2000 pcs</p>	<p>US\$10.00</p>	<p>Package size: -Package Size:12.5*15.5*9.5cm -Weight:N.W/290g,G.W/620g -Carton Size:90*75*65cm -Packing Quantity:30pcs/ carton -Carton Weight:N.W/18.6kg,G.W/20.1kg</p>  <p>Color box</p>
<p>Other terms: 1. The price includes the factory standard blister packaging,Additional cost of special packing design requested by buyer will be added into unit price. 2. MOQ: 2000pcs/per model 3. Price term: FOB Shenzhen 4. Warranty period: 1 Year 5. Certificate: CE/ROHS 6. Payment: Deposit 30% and balance by T/T before shipment 7. Deliver time: with in 25-35 days after receipt of the deposit</p>				
<p>Sample orderbank account: Beneficiary Name: Chen Shungui Beneficiary Bank: China Merchants Bank, H.O. Shenzhen, China Bank address: China Merchants Bank Tower NO.7088, Shennan Boulevard, Shenzhen, China 518000, PRC Account No.:6214 8578 0170 9843 (for USD/HKD/RMB) SWIFT CODE:CMBCCNBS ***** Payment Thru Western Union: Beneficiary: Chen Shungui China Post Office Address: GuanLan Town,Longhua District,Shenzhen City,Guangdong Province,China 518000</p>				
<p>Account Name: SHENZHEN UECTC CO.,LTD * If the account name is too long, you can continue filling it into the address field. Account Number: 79969486756 Bank Name: DBS Bank (Hong Kong) Limited Bank Address: 11th Floor, The Center, 99 Queen's Road Central, Central, Hong Kong Country/Region: Hong Kong Type of Account: Business Account Bank code: 016 Branch code: 478 * Payers paying from non-Hong Kong banks do not need to include the branch code SWIFT/BIC: DHBKHKHH (DHBKHKHHXXX * If 11 characters are required)</p>				