

# LINYI PETROS POWER MACHINERY CO. LTD

Phone: +86-18669464771 Website: [www.fanhongxi.com](http://www.fanhongxi.com) Email: [fanhongxi@126.com](mailto:fanhongxi@126.com) WeChat: tu5223



Model	WY-500-4M
Engine	Changgong diesel engine 8 HP (5.15Kw/2600rpm)
Transmission type	belt drive
Gear box	4 forward gears and 2 reverse
Ground distance	20 cm
Dumper type	<b>No</b>
Start type	electric
Gross weight	400 KG
Loading weight	500 KG
Wheelbase	760/790 mm
Cluth type	Belt release control type
Engine and gear box link type	Belt drive
Gear box	2+1 gear box
Rear axle	Even driving axle, differential, two to three axis for the chain transmission
Hanger bracket	The front axle and rear axle and the fixed frame
Wheel hub size	front wheel 3.00D-8 / rear-wheel 3.00D-10
Wheel size and quantity	Front wheel - 8-4.00 bar pattern / 2 pcs, rear wheel 4.00-10 words wheel / 4 pcs
Overall size	2800x1180x1130 mm
Contain box size	1630x1050x200 mm
<b>FOB PRICE</b>	



Model	WY-500-4A
Engine	Changgong diesel engine 8 HP (5.15Kw/2600rpm)
Transmission type	belt drive
Gear box	4 forward gears and 2 reverse
Ground distance	20 cm
Dumper type	<b>Auto dumper</b>
Start type	electric
Gross weight	400 KG
Loading weight	500 KG
Distance between shafts	1330 mm
Wheelbase	760/790 mm
Cluth type	Belt release control type
Gear box	2+1 gear box
Front axle type	Square tube welding structure
Hanger bracket	The front axle and rear axle and the fixed frame
Main body type	Square tube welding structure composed of longitudinal beam and beams
Wheel hub size	front wheel 3.00D-8 / rear-wheel 3.00D-10
Wheel size and quantity	Front wheel - 8-4.00 bar pattern / 2 pcs, rear wheel 4.00-10 words wheel / 4 pcs
Steering mode	Lock lever
Service braking system	The front wheel brake and the brake
Parking braking system	The middle of the drum brake
Overall size	2800x1180x1130 mm
Contain box size	1630x1050x200 mm
<b>FOB PRICE</b>	



Model	WY-500-4S
Attachment	Sprayer
Engine	Changgong diesel engine 8 HP (5.15Kw/2600rpm)
Transmission type	belt drive
Gear box	4 forward gears and 2 reverse
Ground distance	20 cm
Dumper type	<b>Auto dumper</b>
Start type	electric
Gross weight	400 KG
Loading weight	500 KG
Distance between shafts	1330 mm
Wheelbase	760/790 mm
Cluth type	Belt release control type
Gear box	2+1 gear box
Front axle type	Square tube welding structure
Hanger bracket	The front axle and rear axle and the fixed frame
Main body type	Square tube welding structure composed of longitudinal beam and beams
Wheel hub size	front wheel 3.00D-8 / rear-wheel 3.00D-10
Wheel size and quantity	Front wheel - 8-4.00 bar pattern / 2 pcs, rear wheel 4.00-10 words wheel / 4 pcs
Steering mode	Lock lever
Service braking system	The front wheel brake and the brake
Parking braking system	The middle of the drum brake
Overall size	2800x1180x1130 mm
Contain box size	1630x1050x200 mm
<b>FOB PRICE</b>	



Model	WY-500-8M
Engine	Changgong diesel engine 8 HP (5.15Kw/2600rpm)
Transmission type	belt drive
Gear box	4 forward gears and 2 reverse
Ground distance	20 cm
Dumper type	<b>No</b>
Start type	electric
Gross weight	400 KG
Loading weight	500 KG
Distance between shafts	Frist and second 1330mm/second and third 500mm
Wheelbase	760/790 mm
Cluth type	Belt release control type
Engine and gear box link type	Belt drive
Gear box	2+1 gear box
Front axle type	Square tube welding structure
Wheel size and quantity	Front wheel - 8-4.00 bar pattern / 2 pcs, rear wheel 4.00-10 words wheel / 8 pcs
Wheel pressure	323KPA
Steering mode	Lock lever
Service braking system	The front wheel brake and the brake
Parking braking system	The middle of the drum brake
Overall size	32500x1180x1180 mm
Contain box size	2080x1050x200 mm
<b>FOB PRICE</b>	



Model	WY-500-8A
Engine	Changgong diesel engine 8 HP (5.15Kw/2600rpm)
Transmission type	belt drive
Gear box	4 forward gears and 2 reverse
Ground distance	20 cm
Dumper type	<b>Auto dumper</b>
Start type	electric
Gross weight	400 KG
Loading weight	500 KG
Distance between shafts	Frist and second 1330mm/second and third 500mm
Wheelbase	760/790 mm
Cluth type	Belt release control type
Engine and gear box link type	Belt drive
Gear box	2+1 gear box
Front axle type	Square tube welding structure
Wheel size and quantity	Front wheel - 8-4.00 bar pattern / 2 pcs, rear wheel 4.00-10 words wheel / 8 pcs
Wheel pressure	323KPA
Steering mode	Lock lever
Service braking system	The front wheel brake and the brake
Parking braking system	The middle of the drum brake
Overall size	32500x1180x1180 mm
Contain box size	2080x1050x200 mm
<b>FOB PRICE</b>	









