## LINYI WALI MACHINERY CO.,LTD

Skype: wangyanyu52 Email: walijixie@126.com Phone: +86-15165525420 Website: www.walijixie.com



Model	3WPZ-500
Engine	Changchai diesel engine single cylinder
Power	18KW (25HP) /2200-2300r/min
Gear box	3 forward / 1 backwards
Tank capacity	500L
Overall size	4150X1680X2270 mm
Sprayer pump type	diaphragm pump
Sprayer pump flow	60L/min
Sprayer boom type	3 section of folding, automatic
Work width	12 m
Net weight	1390 KG
Ground Clarence	1.05 m
Start type	Electric
Stirring way	return flow agitation
Sprayer nozzle	Imported from spraying component / 23 nozzle
Work efficiency	40 hectare/hour
FOB PRICE	



Model	3WPZ-550
Overall size	5000x2070x2350 mm
Wheelbase	1540 mm
Drive type	four wheel drive four steering
Distance between shafts	1980 mm
Start type	electric
Spray range	12M
Engine	Laidong diesel engine 21KW (31HP)
Work pressure	0.3~0.5 Mpa
Nozzle quantity	24 pcs
Ground Clarence	1350 mm
Spray pump	diaphragm pump
Height range of boom	700-1600 mm
Nozzle quantity	24 pcs
Tank Volume	550L
Work Speed	15Km/h (Road) / 3-6Km/h (working)
Work efficiency	3-5 hectare/ hours
Fertilizer capacity	200 L
FOB PRICE	



Model	3WZ-700A
Overall dimension mm	3750×1722×2750
Axle distance (mm)	1566
	810
ground distance (mm)	
wheel base (mm)	1200
Whole machine weight	950 KG
Engine	Changchai diesel engine 3M78
Engine Type	In-line three water-cooling four-stroke diesel engine
Rate power (kW/r/min)	15.2 KW /2400
Drive system Type	All-wheel-drive/round synchronous turning
Drive system Drive type	Hydraulic power steering
Drive system	HST vice transmission (CVT)
Drive system Speed	4-10 km/h
Brake (brake and the parking	Wet multi-disc brake
sharing)	wei muiti-aisc drake
Drive system Tire	120/90-26(air pressure 250kpa)
Battery	60
Tank capacity	700 KG
stirring type	Backflow mixing
Sprayer pump model	50 plunger pump
Sprayer pump type	In-line three plunger
Sprayer pump pressure	2.5 Mpa
working pressure	1.0~2.2 Mpa
Boom type	Wings of three full electronic control lance
sprayer type	Drip-proof fan nozzle
work width (m)	10
Nozzle height from the ground	450~1800 mm
FOB PRICE	



Model	3WPZ-700E
Engine	Changchai diesel engine
Power	36.8kw(52HP)/2200r/min
Gear box	3 forward / 2 backwards
Tank capacity	700L
Overall size	4950X1680X2300mm
Sprayer pump type	diaphragm pump
Sprayer pump flow	60L/min
Sprayer boom type	3 section of folding, automatic
Work width	12 m
Ground Clarence	1.05 m
Sprayer nozzle	Imported from spraying component / 23 nozzle
Net weight	1460 KG
Start type	Electric
Stirring way	return flow agitation
Work efficiency	about 55 hectare/hour
FOB PRICE	





















