

Company Profile

公司簡介

台湾芮奇有限公司已成立二十余年，是一家专注于生产和销售~包装后整类产品的公司，产品例如有：梯形胶钉、弹性胶钉、胶钉机、枪打胶钉、吊牌枪、套环枪、手穿套环、枪打套环、跳码机、标签纸等等。经过多年的实践与开发，已成为服装辅料领域的专业领头企业。

公司在打造优质辅料的基础上，并致力研发自动化包装机器，助力工厂提高效率。

芮奇人非常尊重知识产权，并不遗余力维护市场秩序。其旗下品牌有：芮奇、SAGA、saip、ARTEKA、长颈鹿等等。至今已经荣获多项国家专利，包括有发明专利、外观专利、实用新型专利。

芮奇有限公司凭着优良的产品品质，优惠的价格，严格专业的管理体系，专业的服务销售系统，以及优秀的工作团队，于2004年正式成立广州市芮奇塑胶有限公司，扩大对广大客户的服务范围和增加多变的合作模式。

我们期待您随时来电或来函索取样品与资料，以建立长期友好的合作关系，芮奇有限公司将会为您提供最专业的服务！

Company Profile

Mitchell Co., Ltd was founded for more than 20 years. We are specialize in producing and selling packing series productions, like plastic staple pin, elastic staple pin, staple pin attacher, tag pin, tag gun, loop gun, loop lock, loop fastener, price labeler, self-adhesive label etc.

With practice and development for many years, we have become a professional leading company in garment accessories field.

Based on supplying high quality garment accessories, we are also dedicated in developing automatically packing machine to assist factory to increase high efficiency.

Mitchell respects intellectual property and we are implemented strictly for the market order. Our brands: SAGA, SAIP, ARTEKA, GIRAFFE, etc. We have been awarded national patents, including invention patent, appearance patent and utility model patent.

With excellent product quality, affordable price, strict and specialty management system, professional after-sales service system, and excellent team, we founded Guangzhou Mitchell Plastic Co., Ltd branch in 2004 and trying our best to expand the range of services to our customers and increase variable patterns of cooperation.



目錄 Table of Contents



SPA-80 標籤膠釘機
SPA-80 Staple Pin Attacher

Page 2




梯形膠釘
Staple Pin

Page 3



彈性膠釘機
Elastic stapler

Page 4



彈性膠釘
Elastic staple

Page 5



TM-300C 氣電一體膠針機
Hybrid Tagging Machine

Page 6



TM-300-3 三頭電氣合一膠針機
Hybrid Tagging Machine

Page 7



自动送卡膠針機
Tags Feeding Machine

Page 8



自动送卡套環機
Loop Feeding Machine

Page 9



TM-100 打釘機/氣動膠針機/槍
Tagging Machine / Pneumatic Tagging Machine/Gun

Page 10~11



V-TOOL 套環槍
Fas Bano'k101 套環槍
Loop gun

Page 12~13



吊牌槍
Tag Gun

Page 14~20



膠針/套環/膠釘
SAGA PIN/Loop Lock/Staple Pin

Page 21~27



鬆緊帶
Elastic Tape

Page 28



槍針/機針
Tag Gun Needle
Tagging Machine Needle

Page 29



跳碼機/標籤紙/標價機/氣動釘書機
Consecutive Numbering Tools
Self-adhesive Label
Price Labeler
Automatic Stapling Machine

Page 30~32



襪鉤/膠夾/紫帶
String Loop/Sock Hook/Clip/Cable Tie

Page 33

SPA-80 標籤膠釘機

Staple Pin Attacher



專業的洗水壓皺定位設備。
可隨意起皺圓貓須,快速釘打牛仔骨位。
The professional washing crumpling and positioning equipment
provides convenient crumple and fast fixing on jeans.



標籤膠釘機規格說明
(Staple Pin Attacher product specification)

名稱 (Description)	技術參數 (Technical Parameter)
淨重 (Net weight)	19Kg (公斤)
電壓 (Voltage)	220V/50HZ
功率 (Power)	60W (瓦)
釘裝厚度 (Max.thickness)	12mm(毫米)
膠釘尺寸 (Staple size)	13mm(毫米)



常用零配件 Commonly used spare parts

- 1 電磁閥 Assembly capacitor 220V
- 2 腳踏板 Foot switch
- 3 離合器 Clutch
- 4 刀片 Knife
- 5 止退片 Assembly anti-back ratchet
- 6 機針 適配機針 (Applicable needles)
標準機針 Standard needles # NTT-SW $\varnothing$ 1.70mm
細針 Fine needles # NTT-FW $\varnothing$ 1.50mm
Made in Swiss
細針 Fine needles # NTT-F $\varnothing$ 1.48mm
特細針 Ultra Fine needles # NTT-UF $\varnothing$ 1.4 mm
- 7 頂針 Ejector rod
- 8 電源線 Power cord

梯形膠釘

Staple Pin

塑料綫 (包紮用)



使用範圍 USING RANGE




Staple Pin

- 1 標籤膠釘S-25 (可供應其它彩色)
包裝: 1/2", 13mm 25,000 Pcs/Roll;
4 Rolls / 100,000 Pcs/Box
拉力: 0.8kg/1.71bs
Tension force: 0.8kg/1.71bs
- 2 產品包裝封口 (代替訂書針)
Packing & Sealing
- 3 水洗 Stone washing
- 4 西裝 The Suit
連接西裝袖標, 易于拆除。
- 5 西褲 Slacks
連接西褲綫標, 易于拆除。
- 6 品牌標籤膠釘 Logo Staple Pin
品牌標籤膠釘可以訂做LOGO
Customized logo staple pin available

EPA-60 彈性膠釘機

Elastic Stapler



EPA-60 彈性膠釘機

彈性膠釘機與傳統包裝方式相比可節約包材成本,提高生產效率,便捷的包裝方式,可以牢固地將家居用品、玩具、餐廚具和小五金扣緊在紙卡上。

Compare with other conventional packaging technologies, EPA60 can successfully reduce the packaging waste and improve productivity, replace blister card, skin packs, cable ties and tapes. The system securely fastens items such as housewares, toys, hardware to backing cards.

技術參數 Technical Parameters

- ★循環速度0.59秒
Fastening term 0.59 second.
- ★工作氣壓為80PSI(0.55MPa)
Air pressure: 80PSI OR 0.55 MPa
- ★可調針距10~120mm
Adjustable distance of two needles: 10mm~120mm

優勢說明: Our advantages

★節約包材成本 Reduce the material of package cost
彈性膠釘的包裝材料成本可大幅降低。並且使用材料符合歐美環保要求。
The material of our elastic staple cost for package are lower than the conventional packaging technologies. The material complies the EU, USA environmental standards.

★提高生產效率 Improve Productivity
膠釘機以氣動驅動作為動力, 祇需0.5秒, 即可固定好一個位置, 效率可提高3倍以上。
EPA60 is pneumatic, it only takes 0.5 second to fasten the products. The efficiency could be tripled.

★體驗式營銷 Experience Marketing
客戶購買前可直接觸摸和感受商品, 安全的包材且降低安全疑慮。
Customer can directly touch and feel the products. the plastic material pin reduce the injury.

★可調節兩針針距, 適用於大小不同的物品。
The spacing between two needles is adjustable, to feet for various kind of products size.

★取下其中一側的機針和頂針, 可作為單針使用, 這樣可以有長膠釘的效果。
Remove one side of the needle and ejected rod, it can use as single needle, It had the effect of long size of tag pin.

★無需用電、不發熱、無需膠水。
No electrics, No heat, No glue.

專利號: 21201420325992.0



配合機器使用
Operation of the machine



傳統方式
Traditional way



WEP加寬款
WEP Widening

彈性膠釘

Elastic Staple

塑料綫 (包扎用)



★ WEP加寬款 Widen



★ EP普通款 Regular



EP產品參數:

尺寸: 15~180mm
顏色: 透明、黑色
拉力: 2.3Kg/5lbs
包裝: 10,000支/卷

Specifications:

Size available: 15~180mm
Color: Natural, Black
Tension force: 2.3 Kg/5lbs
Packaging: 10,000 PCS/ROLL


WEP產品參數:

尺寸: 15~100mm
顏色: 透明、黑色
拉力: 4.5Kg/9.8lbs
包裝: 7,000支/卷

Specifications:

Size available: 15~100mm
Color: Natural, Black
Tension force: 4.5 Kg/ 9.8lbs
Packaging: 7,000 PCS/ROLL

案例 Example



TM-300C 氣電一體膠針機

Hybrid Tagging Machine



第二代升級版結合TM-300與TM-300B為一體。
The 2nd generation is upgrade version which combined TM-300 and TM-300B with adding electric control system box.

優點 (Advantage):

- 更大程度的壓縮施打物件降低對紙卡的傷害。
upgraded presser foot can compress applied material more fit and reduce damage to hand tag.
- 一台機體相容兩種尺寸的槍頭
One machine is compatible with two sizes of gun head, and only needs to change the corresponding size of head.
- 與TM-300B相比速度更快
Tagging speed of TM-300C is faster than TM-300B.
- 手觸與腳踏兩種開關方式可交替置換使用
On-off mode can be hand touch or foot switch. Both can be replaced.
- 增加退膠針電控按鈕, 退膠針更方便
Add release tag pin button on electric system which is more convenient to release tag pin.

技術參數 (Technical parameter)



項目(Item)	參數(Parameter)
參數 (Parameter)	0.5MPa±0.1MPa
電源 (Voltage)	220V/50HZ
釘裝厚度(Thickness range)	25mm&40mm
可放置深度(Max. Distance)	75mm
釘裝速度(Tagging speed)	75發/分鐘 75pcs/min
配套膠針(Suitable fastener)	標準膠針: 8-230mm STD Fasteners: 8-230mm 細膠針: 5-75mm Fine Fasteners: 5-75mm
淨重(Net weight)	7.1kg


配4款槍頭 Suitable gun head

- N2-EXL 細長針槍頭(可打厚度25mm)
FINE EXTRA LONG GUN HEAD (TAGGING MAXIMUM THICKNESS 25mm)
- N2-FUL 細針加長槍頭(可打厚度40mm)
FINE ULTRA LONG GUN HEAD (TAGGING MAXIMUM THICKNESS 40mm)
- N2-ELW 標準長針槍頭(可打厚度25mm)
STD EXTRA LONG GUN HEAD (TAGGING MAXIMUM THICKNESS 25mm)
- N2-RUL-HD 標準加長針槍頭(可打厚度40mm)
STD HEAVY DUTY ULTRA LONG (TAGGING MAXIMUM THICKNESS 40mm)



TM-300-3 電氣合一膠針機

Hybrid Tagging Machine



TM-300-3特點: (Features)

- 可三個機頭同時作業, 或任意使用其中1個或2個機頭作業。
- 可調整各機頭之間間距, 最短兩針距35mm, 最寬兩針距310mm
- 一針同時打三個工位, 省時省力。

TM-300-3 features:

- Three heads can be used at the same time, or one or two of them can be used arbitrarily.
- The distance between each machine head can be adjusted. The minimum distance of two needles is 35mm, and the maximum distance of two needles is 110mm.
- One needle can strike three positions at the same time, save time and effort.

電氣合一(膠針機)規格說明

(Hybrid Tagging Machine product specification)




名稱 (Description)	技術參數 (Technical Parameter)
淨重 (Net weight)	21 kg(公斤)
電壓 (Voltage)	220V/50HZ
工作氣壓 (Work air pressure)	≥0.5MPa
釘裝厚度(Thickness)	25~43mm(毫米)



FM-703S 自動送卡膠針機


Tags Feeding Machine



FM-703S 適用範圍 Application Range

任何穿透式吊掛紙卡的產品。如：服飾、襪子、毛巾、日用品.....

Applicable for any kinds of product with tag.
For example: Garment, Towels, Socks, Commodity.



技術參數 (Technical Parameter)



名稱 (Description)	FM-703S技術參數 (Technical Parameter)	
氣壓 Air pressure:	0.5±0.1MPa	
電源 Voltage:	220V/50HZ	
紙卡尺寸 Tag size	寬width20~78mm 高height30~105mm	
卡槽數量 Tag tank	1~3 sets	
送卡速度 Feeding tag speed	0.5S/pcs(Adjustable)	
釘扣速度 Tagging speed	0.3S	
開關方式 Operation system 手動/腳踏	手動/腳踏	touch
急停方式 Emergency system 按鈕急停	按鈕急停	emergency button
配套膠針 Supporting tag pin	SAGA PIN	
釘打厚度 Tagging thickness	16mm	
重量 Weight	54kg	

FM-101 自動送卡套環機

Loop Feeding Machine



產品優勢 Advantages

- 1、解放雙手，不再忙亂
- 2、提高效率
- 3、降低疲勞度

- Releasing your hands and will not m ss around
- Increasing efficiency
- Reducing fatigue



專利證書
Patent certificate

FM-101 適用範圍 Application Range

任何使用扣環懸掛紙卡產品皆適用!例如:箱包、鞋帽、廚具、玩具、文具、手工具。

Applicable for any kinds of product on loop lock with tag. For example: Lug-gage, Hat, Shoe, Kitchen tool, toy, artware, commodity.



技術參數 (Technical Parameter)



名稱 (Description)	FM-101技術參數 (Technical Parameter)	
氣壓 Air pressure:	0.5±0.1MPa	
電源 Voltage:	220V/50HZ	
紙卡尺寸 Tag size	寬width20~78mm 高height30~105mm	
卡槽數量 Tag tank	1~2 sets	
送卡速度 Feeding tag speed	0.5S/pcs(Adjustable)	
釘扣速度 Tagging speed	0.6S	
開關方式 Operation system 腳踏	腳踏	touch
急停方式 Emergency system 按鈕急停	按鈕急停	emergency button
配套膠針 Supporting tag pin	FAS LOOP	
釘打厚度 Tagging thickness	25mm	
重量 Weight	38kg	

TM-100 打釘機

Tagging Machine

Maximum thickness for tagging reaches 60mm



專利證書
Patent




打釘機規格說明
(Tagging Machine product specification)

名稱 (Description)	技術參數(Technical Parameter)
淨重 (Net weight)	2kg (公斤)
釘裝厚度(Max. thickness)	60mm (毫米)

適用範圍


Application Range



適用厚料
For Thick Material



洗水
Stone Washing



容易拆卸
Easy to Remove

以上兩款可配用多種機針
Matchable with Different Machine Needles



N2-ESL (Length: 81mm)
超長標準機針 (STD & ultra long needle)



N2-ELW (Length: 49mm)
標準長機針 STD long needle



N2-EXL (Length: 48mm)
細長機針 Fine long needle




N2-FUL (Length: 62mm)
特長細機針 (Fine & ultra long)



N2-HD-UL (Length: 62mm)
特長標準機針 STD & long needle

氣動膠針機/槍

Pneumatic Tagging Machine/Gun



TM-200 氣動膠針機(手觸開關)
Pneumatic Tagging Machine

打釘機規格說明
(Tagging Machine product specification)


名稱 (Description)	技術參數(Technical Parameter)
淨重 (Net weight)	3kg (公斤)
釘裝厚度(Max. thickness)	60mm (毫米)



TM-70 氣動膠針槍
Pneumatic Tagging Gun

打釘機規格說明
(Tagging Machine product specification)

名稱 (Description)	技術參數(Technical Parameter)
淨重 (Net weight)	0.8 kg (公斤)
釘裝厚度(Max. thickness)	60mm (毫米)



V-TOOL SYSTEM 套環槍



裝挂吊牌的新趨勢 New Trend for Fixing

- 商品不再留下針孔及油污,亦不再受膠針、套環、接頭的傷害,提升商品質感。
- 輕巧、方便的機型設計,讓任何人都能輕鬆上手,提高效率,降低人工成本。
- Goods without leaving pinholes and greasy dirt, eliminate injury from pins, loops and joints, enhance product texture.
- Light weight and convenient model design, easy to operate by any users, improves efficiency, reduce labor costs.

V-Fastener




產品名稱 (Description): V-Fastener 槍用套環
尺寸 (Size): No.3(80mm)、No.4(100mm)、No.5(130mm)
包裝方式 (Package): 5,000pcs/box (50,000pcs/carton)
拉力 (Tension force): 4.5Kgs

特點:

- ★ V字型彎曲、折角設計,好取用、效率高
- ★ 不需要在商品上穿孔、賣相佳
- ★ 獨立裝置、使用安全

Features:

- ★ V-shaped bend, chine design, good access, and high efficiency
- ★ No need to perforate products, comfortable appearance
- ★ Independent device, use safely



FasBarite 101 套環槍



- 伸縮性活動槍嘴,讓產品輕鬆、快速定位。
- 細長的針頭,方便插入細小洞口。
- 棉線與PP兩種不同材料吊綫選擇。
- Flexible tool makes fixing easier and faster.
- A fine long needle makes the perforation more convenient.
- Cotton and pp material strings for choice.




Loop



Fas Ito Loop (聚脂綫)
尺寸: 80mm、130mm
包裝: 5000Pcs/box 8Boxes /carton



Fas Loop (PP)
尺寸: 80mm、130mm
包裝: 5000Pcs/box 8Boxes /carton




60M 微型膠針槍

Micro Extra Fine Gun



60M微型膠針槍主要用于精細和高密度的織物、內衣和牛仔洗水等，小口徑槍針，降低對物品的損害。

Mainly used for fine and high-density fabrics, underwear and jeans washing etc. Extra Fine Needle minimizes damage to applied goods.



Sizes Available:

3.5mm, 4.5mm, 5.4mm



60M 吊牌槍適應以上幾款槍針
Needles Applicable for 60M



吊牌槍

Tag Gun

60S II Mark II 標準針槍 Tag gun STD



帶刀標準槍針 Mark II STD



60S II吊牌槍適應以上幾款槍針
Needles Applicable for 60S II



60X II Mark II 細針槍 Tag gun fine



帶刀細槍針 Mark II fine



60X II吊牌槍適應以上幾款槍針
Needles Applicable for 60X II



60II吊牌槍優點:

- 手把包膠，更舒適。
Covered with TPR handle, more comfortable.
- 支點加固，更耐用。
Reinforce the pivot, more durable.
- 結構優化，更順暢。
Optimize the structure, more smoothly.

吊牌槍

Tag Gun

33S Mark I 標準針槍 Tag gun STD



不帶刀標準槍針 Mark I STD



33S吊牌槍適應以上幾款槍針
Needles Applicable for 33S



33X Mark I 細針槍 Tag gun fine



不帶刀細槍針 Mark I fine



33X吊牌槍適應以上幾款槍針
Needles Applicable for 33X



吊牌槍

Tag Gun

55S Mark II 標準針槍 Tag gun STD



帶刀標準槍針 Mark II STD



55S吊牌槍適應以上幾款槍針
Needles Applicable for 55S




55X Mark II 細針槍 Tag gun fine



帶刀細槍針 Mark II fine



55X吊牌槍適應以上幾款槍針
Needles Applicable for 55X



60H 鞋槍 / 60S-M 肉槍

Shoe Gun / Meat Gun



60H 鞋槍 Shoe Gun

兩款槍針搭配使用: 尖頭鞋針、平頭鞋針。

Shoe Gun 60H is heavy duty with two styles of needle, one is with Blunt Tip needle, and the other is with Pointed Tip needle

鞋釘 Shoe Pin

- 最常用鞋釘尺寸是55mm (28~82mm可生產), 各種顏色可以定制生產。
The most popular size of shoe pin is 55mm (28mm to 82mm available) Nature color, any other color if required.

- 包裝: 2,500支/盒 10盒/箱 (尼龍料)
Package: 2,500pcs/box, 10boxes/ctn (Nylon)

Comparison



60S-M 肉槍 Meat Gun

- 槍身特殊挖空設計, 方便清洗;
槍針選擇瑞士不銹鋼針, 抗腐蝕更耐用。
Special hollowed design in the gun body, convenient to clean
Fitted with Swiss stainless steel needle, anticorrosion and durable
- BP-SN 尼龍球形膠針膠針經過食品級測試, 誤食也不必過於擔心。
BP-SN nylon ball pin FDA approval
- 以上產品專為食品行業釘扣標籤設計適用於魚和肉類標籤, 便于追溯貨源。
The product specially designed and made for food industry, applicable for labelling for fish and meat, easy for tracing the source.
- 包裝: 5,000支/盒 10盒/箱 (尼龍料)
Package: 5,000pcs/box, 10boxes/ctn (Nylon)

吊牌槍

Tag Gun



帶刀標準長針 N2-L Mark II STD Long



帶刀標準超長針 N2-EL Mark II Extra STD Long



帶刀細長針 N2-XL Mark II Fine Long



帶刀超長細槍針 FINE&ULTRA LONG GUN HEAD





Barote

日本Bano'k系列吊牌槍


Japan Bano'k series Tag Gun

503SL



N-L Long Needle




503XL


N-XL Fine Long Needle



503X


N-X Fine Needle



503S


N-1 Standard Needle



日本Bano'k503系列吊牌槍

產品特點：可選擇膠針側排方式，避免連杆排出時損壞商品，增加使用便利性。

Japan Bano'k 503 Series Tag Gun
Product Advantages:
Can choose the way of ejecting pins,
avoid damage to the goods,
enhance convenience use.

(1)下排


ejecting downside



●適用50發/排膠針使用
Applicable for 50pcs/clip fastener

(2)側排

Ejecting side edge



●適用100發/排及125發/排膠針使用
Applicable for 100pcs/clip or 125pcs/clip fastener



SAGA PIN 75發膠針

SAGA PIN 75 Pcs Tag Pin




图 1



图 2



SAGAPIN的優點:

- 1、葉片新穎精緻,尺碼夠大且形狀特別,減少脫落現象。(圖示1)
- 2、骨架短,減少骨架晃動造成衣物損傷,并降低換膠針頻率。(圖示2)
- 3、完善搭配已普及的鉤式吊牌槍,利于吊牌槍更新換代。(圖示3)

Advantage of SAGA PIN :

- 1.Big paddle ensure security,avoid label fall off.
- 2.Lessen damage to fabric compared to 100 pcs/clip pin with long skeleton.Lessen rate of changing clips compared to 50pcs/clip pin
- 3.Minimize cubical content of package,lessen transportation cost



图 3

材料	型號	尺寸	拉力	每排數量	每盒數量	每箱數量
Material	ITEM NO.	Size	Tension force	Pcs/Clip	Pcs/Box	Box/Carton
P. P.	FUSP8~230	8~230mm	1.7kg/3.7lbs	75	5000	20
	FUXP8~75					


標準膠針

STD Fasteners



SAGA PIN 75發/排 標準膠針 Micro Pin Standard

材料	型號	尺寸	拉力	每排數量	每盒數量	每箱數量
Material	ITEM NO.	Size	Tension force	Pcs/Clip	Pcs/Box	Box/Carton
P. P.	FUSP8~230	8~230mm	1.7kg/3.7lbs	75	5025	20
NYLON	FUSR10~75	10~75mm	2.5kg/5.5lbs			



mini pin 75發/排迷你膠針 mini pin

材料	型號	尺寸	拉力	每排數量	每盒數量	每箱數量
Material	ITEM NO.	Size	Tension force	Pcs/Clip	Pcs/Box	Box/Carton
P. P.	MSP8~75	8~75mm	1.7kg/3.7lbs	75	5025	40
NYLON	MSR10~75	10~75mm	2.5kg/5.5lbs			



一般型標準膠針 Tag Pin Standard

材料	型號	尺寸	每排數量	每盒數量	每箱數量
Material	ITEM NO.	Size	Pcs/Clip	Pcs/Box	Box/Carton
P. P.	YP8~230	8~230mm	50	5000	20
NYLON	YR8~125	8~125mm			



特大頭膠針 Micro Spaced Std Biggest Paddle Pin TUSP-T

材料	型號	尺寸	每排數量	每盒數量	每箱數量
Material	ITEM NO.	Size	Pcs/Clip	Pcs/Box	Box/Carton
P. P.	TUSP-T	15~75mm	100	10000	10





球型標準膠針 Ball Pin Standard

材料	型號	尺寸	每排數量	每盒數量	每箱數量
Material	ITEM NO.	Size	Pcs/Clip	Pcs/Box	Box/Carton
P. P.	TP-BPS20~75	20~75mm	100	5000	20
NYLON	TR-BPS25~50	25~50mm			

問號鉤/圓鉤排釘

Fasteners Hook Pin/Ring Pin



適用於吊挂任何物品，
(加重型的承受力更強，拉力可達3.5KG)
Suitable for hanging articles,
(Reinforced its pulling force
Maximum Pulling force up to 3.5kgs)



普通型 (Regular type)



加重型 (Heavy Duty type)




75發問號排釘 Hook Pin


材料	型號	尺寸	每排數量	每盒數量	每箱數量
Material	ITEM NO.	Size	Pcs/Clip	Pcs/Box	Box/Carton
P. P.	TPH015~35	15~35mm	75	5000	20
NYLON	TRH015~30	15~30mm			



普通型 (Regular type)



加重型 (Heavy Duty type)



75發圓鉤排釘 Ring Pin


材料	型號	尺寸	每排數量	每盒數量	每箱數量
Material	ITEM NO.	Size	Pcs/Clip	Pcs/Box	Box/Carton
P. P.	TPRI 15~35	15~35mm	75	5000	20
NYLON	TRRI 15~30	15~30mm			

球形膠針

Ball Pin



球形膠針100%的安全性 Ball Pin, 100% secure



球形膠針 Ball Pin



細針槍 Fine



標準針槍 Standard

● 請參照圖片，球形膠針可完全顯示出100%的安全性，無論你如何轉動此膠針頭，它仍然100%的安全，因為它的膠針頭是圓形的，且直徑為8mm/12mm，是一般吊牌孔直徑的四倍，因此，它不可能從直徑為2至3毫米的標籤孔旋轉出來，從而避免了價格標籤中較高與較低價值之間的調換。

● Follow the example here and see the full assurance that Ball Pin provides, no matter how you turn over Ball Pin, it is still 100 % secure because the paddle is round, 8mm/12mm in diameter, it is four times bigger than the hole of label (tag). The paddle is impossible to get through the hole of the label which measuring 2 to 3mm in diameter, that avoids changing the label from higher prices to lower values.

細膠針/鞋釘膠針/雙針排釘

Fine Fasteners / Shoe Pin / Double Pin



SAGA PIN 75發/排 細膠針 Micro Pin Fine

材料	型號	尺寸	拉力	每排數量	每盒數量	每箱數量
Material	ITEM NO.	Size	Tension force	Pcs/Clip	Pcs/Box	Box/Carton
P. P.	FUXP 8~75	8~75mm	1.7kg/3.71bs	75	5000	20
NYLON	FUXR 10~40	10~40mm	2.2kg/4.81bs			



工字型細膠針 I Pin

材料	型號	尺寸	每排數量	每盒數量	每箱數量
Material	ITEM NO.	Size	Pcs/Clip	Pcs/Box	Box/Carton
P. P.	LEXP 3~25	3~25mm	100	10000	20
NYLON	L3~35-TEND				




微型膠針 Micro Extra Fine Pin

材料	型號	尺寸	每排數量	每盒數量	每箱數量
Material	ITEM NO.	Size	Pcs/Clip	Pcs/Box	Box/Carton
NYLON	MEF 3.5 MEF 4.5 MEF 5.4	3.5mm 4.5mm 5.4mm	100 or 125	10000	100



鞋釘膠針 Shoe Pin

材料	型號	尺寸	拉力	每排數量	每盒數量	每箱數量
Material	ITEM NO.	Size	Tension force	Pcs/Clip	Pcs/Box	Box/Carton
NYLON	TSR 28~82	28~82mm	6.6 Kgs	50	2500	10



雙針排釘 Double Pin

材料	型號	尺寸	每排數量	每盒數量	每箱數量
Material	ITEM NO.	Size	Pcs/Clip	Pcs/Box	Box/Carton
P. P.	YPD 25~75	25mm~75mm	50	5000	20
NYLON	YRD 25~65	25mm~65mm			

手穿套環 / 珠帶

Loop Lock / Loop Tie

手穿套環 Loop Lock



1. 扁頭不露頭設計, 不損傷織物。
2. 獨家扁平手持位, 操作順手。
3. 抽取順暢。
4. 色澤光亮透明。

1. Special design of flat head barrel, not hurting the fabric and the products.
2. Handling part easy for user to operate and lock the SAGA Loop.
3. Smooth and easy to take out the SAGA Loop.
4. SAGA Loop appearance nice and clear.



扁頭不露頭套環 SAGA Loop

材料	型號	尺寸	每盒數量	每箱數量
Material	ITEM NO.	Size	Pcs/Box	Box/Carton
P. P.	TLBF 3"~11"	3"~11"	5000	20
NYLON	TLBF-R 3"~9"	3"~9"		



酒桶頭套環 Loop Lock Barrel

材料	型號	尺寸	每盒數量	每箱數量
Material	ITEM NO.	Size	Pcs/Box	Box/Carton
P. P.	YLB 2"~9"	2"~9"	5000	20
NYLON	ZLB-R 2"~7"	2"~7"		



三叉頭套環 Loop Lock Cone

材料	型號	尺寸	每包數量	每盒數量	每箱數量
Material	ITEM NO.	Size	Pcs/Bag	Bags/Box	Box/Carton
P. P.	YL 2"~24"	2"~24"	1000	50	2
NYLON	ZL-R 2"~9"	3"~9"			

珠帶 Loop Tie



珠帶 Loop Tie

材料	型號	尺寸	每包數量	每盒數量	每箱數量
Material	ITEM NO.	Size	Pcs/Bag	Bags/Box	Box/Carton
P. P.	YLT 3"~9"	3"~9"	1000	5	20
NYLON	ZLT-R 3"~7"	3"~7"			

品牌膠針/品牌標籤膠釘/綫扣

Logo Tag Pin/Logo Staple Pin / String Loop

品牌標籤膠針主要功能與優點

- 具有品牌棉綫扣一樣的功能, 但是價格相對低廉。
- 與普通的標準膠針一樣的操作方式, 具有高效率, 但可以附上商標或者圖標以便識別品牌, 避免仿造。
- 搭配特制品牌膠針槍使用。
- 可刻印的平槓頭部分尺寸達20×5.5mm, 短的商標或者圖標都適合刻印。

產品規格

- 總長度: 50mm~75mm
- 包裝: 20pcs/clip, 2,000pcs/inner box, 20,000pcs/outer carton


Advantages of logo tag pin

- With the same function as Logo StringTach but save costs
- Same operation as normal tag pin standard with high efficiency but attaches logo for brand identification & avoid imitation
- Fasteners should be applied with special logo tag gun
- With 20 x 5.5mm printing size on the paddle, short brand name and logo are applicable for printing

Specifications

- Size available :50mm~75mm (overall length)
- Packaging : 20pcs/clip, 2,000pcs/inner box, 20,000pcs/outer carton

品牌膠針槍 60G Logo Tag Gun



綫扣 String Loop




- 結合價格標籤, 品牌標籤與產品信息
Combination of price label, brand mark and product information

- 增加商品檔次及價值
Enhance value for products

- 便于操作, 易拆除, 不可重複使用
Easy to operate and remove, not available for recycle use

鬆緊帶

Elastic tape



產品型號及其規格 (Products No. & Sizes)

ItemNo.	Width (mm)	Thickness (mm)	Length (yds/kg)	ItemNo.	Width (mm)	Thickness (mm)	Length (yds/kg)	ItemNo.	Width (mm)	Thickness (mm)	Length (yds/kg)
TEF-0312	3mm	0.12mm	2510 yds	TEF-0608	6mm	0.08mm	1960 yds	TEF-0828	8mm	0.28mm	390 yds
TEF-0412	4mm	0.12mm	1960 yds	TEF-0610	6mm	0.10mm	1475 yds	TEF-1012	10mm	0.12mm	740 yds
TEF-0510	5mm	0.10mm	1810 yds	TEF-0612	6mm	0.12mm	1255 yds	TEF-1022	10mm	0.22mm	415 yds
TEF-0512	5mm	0.12mm	1525 yds	TEF-0622	6mm	0.22mm	685 yds	TEF-1026	10mm	0.26mm	349 yds
TEF-0515	5mm	0.15mm	1225 yds	TEF-0816	8mm	0.16mm	710 yds	TEF-1030	10mm	0.30mm	240 yds
TEF-0520	5mm	0.20mm	920 yds	TEF-0824	8mm	0.24mm	470 yds	TEF-1012	10mm	0.12mm	740 yds

R 系列(R series)

採用臺灣高鼎聚脂型TX-80A TPU 原料，環保無毒，FDA認證。用此原料加工生產的鬆緊帶具有輕薄有質感、回彈性好、耐腐蝕性、耐水解和水洗等特點，廣泛用于服裝行業。

外觀：直爽，自然壓痕、順暢
加工型：不打結，後續加工方便，大大提高縫制效率，適用於中、高檔針織服飾的縫制

回彈率：200% 不變形
氣燙收縮率：6~8 %
包裝：0.5kg/卷 24袋/箱

Raw materials: Made by Taiwan Fine Coating Thermoplastic Polyurethane (Extrude grade, Hardness of 80A) Raw materials, environmentally friendly, harmless, FDA verified.

Characteristics:

- With excellent Elasticity (200% or more)
- Extraordinarily thin and light tape provides indistinct appearance after loaded in cloth
- Incredibly hygienic due to its chemical composition
- With smooth and soft edges
- Safely containing no AZO chemical compounds or heavy metals

Appearance: Straight, natural stia and smooth

Packaging: 0.5kg/Roll 24Roll/CTN

B系列(B series)

採用國產聚脂型180AS TPU 原料，環保無毒，FDA認證。用此原料加工生產的鬆緊帶具有輕薄有質感、回彈性好、耐腐蝕性、耐水解和水洗等特點，廣泛用于服裝行業。

外觀：微皺、彎曲，略有粘感
加工型：易打結，後續加工性一般，適用於普通針織服飾的縫制

回彈率：200% 不變形
氣燙收縮率：6~8 %
包裝：0.5kg/袋 48袋/箱

Raw materials: Made by domestic Thermoplastic Polyurethane (Extrude grade, Hardness of 80A) raw materials, environmentally friendly, harmless, FDA verified.

Characteristics:

- With excellent Elasticity (200% or more)
- Extraordinarily thin and light tape provides indistinct appearance after loaded in cloth
- Incredibly hygienic due to its chemical composition
- With smooth and soft edges
- Safely containing no AZO chemical compounds or heavy metals

Appearance: a little creased, crooked, a bit of sticky

Packaging: 0.5kg/bag 48bag/CTN

槍針/機針

Tag Gun Needle/Tagging Machine Needle

槍針 Tag Gun Needle

Standard

N2-P Mark II STD *Made in Swiss*



N2-S Mark II STD



N1-S Mark I STD



N4-P Mark II STD



N4-S Mark II STD




N3-S Mark I STD



Fine


N2-X Mark II Fine *Made in Swiss*




N2-F Mark II Fine



N1-F Mark I Fine




N4-X Mark II Fine



N4-F Mark II Fine



N3-F Mark I Fine



Long

N2-L Mark II STD Long



N3-L Mark I Long



N1-L Mark I Long



N2-XL Mark II Fine Long



N3-XL Mark I Fine Long



N2-EL Mark II Extra Long




Micro Extra Fine

N2-MT *Made in Swiss*
Micro extra fine




N2-MK *Made in Korea*
Micro extra fine



機針 Tagging Machine Needle

N2-EXL Fine long needle



N2-EEL Ultra long tapered needle




N2-ELW STD long needle



N2-ESL STD & ultra long needle



N2-FUL Fine & ultra long



N2-RUL-HD STD&Heavy Duty Ultra Long



跳碼機/標籤紙

Consecutive Numbering Tools / Self-adhesive Label

德國METO跳碼機 Consecutive Numbering Tools

PA Metal



PA 2207

1 Printing Lines with
3 fixed characters
4 sequential characters
(total 7 characters)
Label size: 22X12mm

1231234

PA 2208

1 printing Lines with
4 fixed characters
4 sequential characters
(Total 8 characters)
Label size: 22X12mm

12341234

PA Line S

Lightweight and durable
轻巧堅固



字帶規格
Printer Head Configuration

PA 722/822

1 Printing Lines with
3/4 fixed characters
4/4 sequential characters
(Total 7 or 8 Characters)
Label size: 22X12mm

54L1234

12341234

METO 標籤紙 Self-adhesive Label



#2 長效普通型膠水，一般是商業用途(如展示產品的標識)，也可用於面料上。

#3 無汗損型膠水，適用於各類服裝、織物上。(這款用於服裝上最多)

#4 長效特強型膠水，適用於服裝、織物、塑膠、金屬上。

#5 冷凍型膠水，適用於冷凍狀態下的包裝、塑膠、金屬上。

包裝：22x12MM 1500張/卷、42卷/盒、420卷/箱。
26x12MM 1500張/卷、36卷/盒、360卷/箱。

#2 Long term regular glue, usually for commercial purposes (such as showing product identification), can also be used on fabric

#3 Applicable to all types of clothing, fabric

#4 Strong long-term type of glue, applied to clothing, fabric, plastic, metal

#5 Refrigerated glue for the frozen type of the packaging, plastics, metal

Packing: 22x12mm, 1500pcs/roll, 42rolls/box, 420rolls/ctn
26x12mm, 1500pcs/roll, 36rolls/box, 360rolls/ctn

METO 墨球/墨輪 Ink Roller



跳碼機

Consecutive Labeller

意大利EVO跳碼機 Consecutive Labeller



意大利Blitz跳碼機 Consecutive Labeller



(第二代產品)
The 2nd generation product

意大利Open跳碼機 Consecutive Labeller



(第一代產品)
The 1st generation product



第三代產品優點：

- 1、用紙、調節方式、用途及大部分零件與第一代(OPEN)第二代(BLITZ)相同。
- 2、握把增加舒適的軟膠。
- 3、墨球更易更換。
- 4、機頭更耐用。
- 5、安裝紙卷更方便。
- 6、外觀強度更高。

The 3rd generation product advantages:

- *The size of its applied label, progression pattern, function and most of the parts are the same as the 1st generation (Openex) and the 2nd generation (Blitz) labelers.
- *More comfortable rubber handle
- *Easier to disassemble
- *More durable machine head
- *More convenient to fit the labels
- *Better tenacity for the cover

意大利Blitz氣動跳碼機 Pneumatic consecutive Labeller



單跳	雙跳	固定不跳
MODELS AVAILABLE FOR 22x12 LABELS		
MOD.	FIXED DIGITS	CONSECUTIVE DIGITS
2253	5	3
2234	3	4
MODELS AVAILABLE FOR 26x12 LABELS		
MOD.	FIXED DIGITS	CONSECUTIVE DIGITS
2653	5	3
2644	4	4

FIXED DIGITS	CONSECUTIVE DIGITS
1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1
2 2 2 2 2 2 2 2 2 2	2 2 2 2 2 2 2 2 2 2
3 3 3 3 3 3 3 3 3 3	3 3 3 3 3 3 3 3 3 3
4 4 4 4 4 4 4 4 4 4	4 4 4 4 4 4 4 4 4 4
5 5 5 5 5 5 5 5 5 5	5 5 5 5 5 5 5 5 5 5
6 6 6 6 6 6 6 6 6 6	6 6 6 6 6 6 6 6 6 6
7 7 7 7 7 7 7 7 7 7	7 7 7 7 7 7 7 7 7 7
8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8
9 9 9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9 9
0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0
1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1
2 2 2 2 2 2 2 2 2 2	2 2 2 2 2 2 2 2 2 2
3 3 3 3 3 3 3 3 3 3	3 3 3 3 3 3 3 3 3 3
4 4 4 4 4 4 4 4 4 4	4 4 4 4 4 4 4 4 4 4
5 5 5 5 5 5 5 5 5 5	5 5 5 5 5 5 5 5 5 5
6 6 6 6 6 6 6 6 6 6	6 6 6 6 6 6 6 6 6 6
7 7 7 7 7 7 7 7 7 7	7 7 7 7 7 7 7 7 7 7
8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8
9 9 9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9 9
0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0

標籤紙 / 氣動釘書機

Self-adhesive Label / Automatic Stapling Machine

國產標籤紙

Self-adhesive Label



國產編碼紙(可做花邊或者直邊)

- #1 可轉移型膠水, 無殘膠, 低粘度, 適合柔軟面料;
- #2 永久性低粘型, 一般是商業用途(展示產品的標識), 也可用於面料上.
- #3 永久性中粘型, 適用於各種面料, 特別精細面料, 例如: 棉、滌綸.
- #4 永久性強粘型, 適用於比較粗糙的布料, 例如: 麻、牛仔.
- #4+ 加強粘型, 可用於粗糙或光滑面料、金屬表面。(保質期4個月)
- #5 永久性膠質, 無殘膠, 熨燙後也不會留下任何膠水痕跡.

包裝: 1,500張/卷、10卷/條, 500卷/箱, 可按要求做不同張數的。

Domestic adhesive label (wavy-edge and straight-edge label shapes)

- #1 Removable glue to delicate textile, low viscosity
- #2 Permanent Standard, for commercial purpose (such as showing product identification), also applicable for fabric
- #3 Permanent Soft, textile application, for light fabrics and linings such as cotton, terylen.
- #4 Permanent strong, applicable to coarse fabric such as flax, denim.
- #4+ Permanent Plus, for coarse or smooth fabric, metal surface. (validity four month)
- #5 Permanent glue water, no glue water after ironing and pressing.

package: 1,500 pcs/roll 10 roll/row, 500 roll/carton. available for customized package.

氣動釘書機

Automatic Stapling Machine



- 優點: 省力、快速釘打, 可多角度組合。
- 機型: 單頭機、雙頭機、三頭機、四頭機。
- 適合範圍: 日用品、五金工具等包裝封釘;
紙箱紙盒拼接封釘。
- 適用釘子: 24/6、24/8、26/6、26/8釘書針

- Advantages: Work easily and quickly;
Many angles combined available.
- Type: Single Head Machine, Double Heads Machine,
Three Heads Machine, Four Heads Machine
- Application Range: Any kinds package with stapling
(for example: commodity and hardware tools, cartons, boxes)
- Supporting Staples: 24/6、24/8、26/6、26/8

襪鉤/膠夾/紮帶

Sock Hook/Clip/Cable Tie

襪鉤/膠夾

Sock Hook/Clip



紮帶 Cable Tie



- 耐用、承受力強、耐酸、絕緣性好。
Durable, strong bearing capacity,
acid-resisting and well insulativity.

- 寬度: 1.8 ~ 9.0mm
長度: 60 ~ 1200mm 均可生產
Width: 1.8~9.0mm
Length: 60~1200mm

服裝洗水扎染

線管綁扎