




Company Introduction

Anhui Fengxin Industrial Co., Ltd ,as a professional manufacturer of the industrial products like Roofing Products And Fiberglass Products was located in NO.205 National highway between Nanjing and Yangzhou city.

FX has a great team that own leading and professional technique, standard management and perfect service. We have built long-term and steady business relationship with hundreds of customers all over the world.

AGM glass mat separator is applied in automobile / motorcycle batteries, heavy duty batteries and long life batteries.











Test Report

Size:1.3mm thickness (20Kpa)

Size.1.5iiiii tiiekiiess (zortpa)					
N	Test Item	Unit	Specifications	Result	Judg
О			1.3mm Thickness		e
1	Thickness	mm	±5%d	1.3	OK
2	Electrical Resistance	Ω .dm2	≤0. 00050d	0.00042	OK
3	Tensile Strength	kN/m	≤2.0mm	≥0.54	OK
			≥2.0mm	≥0.84	OK
4	Basic Weight	g/m².mm	20Kpa	154	OK
5	Max Pore Diameter	μm	≤20µm	18.5	OK
6	Pressurzing Acid Absorption	%	≥550	580	OK
7	Porosity	%	≥90	93	OK
8	Acid-Wicking Height	mm/5min	≥90mm/5min	105	OK
9	Weight Loss In Acid Soaking	%	≤3.0	2.3	OK
10	Iron Content	%	≤0.0030	0.0012	OK
11	Chlorine Content	%	≤0.0020	0.0010	OK
12	Moisture Content	%	≤0.50	0.13	OK
13	Acid Boiling	min	≥7min no dropping off		OK
14	TEST RESULT OK				



Characterstics of AGM separators are:

- * High Acid proof
- * High porosity and small pore size.
- * High liquid absorptivity.
- * Low electric resistance
- * Capable of preventing short circuits
- * Unique saturation profile and lower stratification
- * Superior tensile strength
- * Faster upward wicking and faster downward wicking

FX AGM glass mat separator is a combination of AGM and Glass mat. It is used as separator in flooded / vented storage battery. It is produced with the newest formula in the world today and prepared under top high technique.

Company: Anhui Fengxin Industrial Co., Ltd

Add: Room 205,Renhe Road,Tianchang City,Anhui Province,China PC: 239300
Tel/Fax:86-550-7701080 Mobile No: 8615212005673 Email:sales@fxindustrial.com

