


Portable Monitor











Caremed, All For Your Care





Model No.	Picture	Features	MOQ	Packing Details
CBP360A		<ol style="list-style-type: none"> 1.LCD Size:56*44mm (W*L) 2.8 inch 2.One-touch Operation 3.WHO Classification Indicator 4. Irregular Heartbeat Detection 5. Large and Clear LCD display 6. 2*120 times Memory 7. Date/Time display 8. Automatically turn off 9. Adaptor is available for choice 10.talking funtion is optional 	1000pcs	Qty per CTN: 24pcs Dimension: 48.5*29*35.5cm G.W.:14.0kgs N.W.: 13.2kgs 13400pcs/20FT 27800pcs/40FT P.S:Estimated actual available CBM 20Ft=28cbm 40Ft=58cbm
CBP388A		<ol style="list-style-type: none"> 1.LCD Size: 42x 58mm (W*L) 2.8 inch 2.One-touch Operation 3.WHO Classification Indicator 4. Irregular Heartbeat Detection 5. Large and Clear LCD display 6. 2*120 times Memory 7. Date/Time display 8. Automatically turn off 9. Adaptor is available for choice 10.talking funtion is optional 	1000pcs	Qty per CTN: 24pcs Dimension: 38.5*37*35.5cm G.W.:11.2kgs N.W.:10.1kgs 13200pcs/20FT 27500pcs/40FT P.S:Estimated actual available CBM 20Ft=28cbm 40Ft=58cbm
CBP369A		<ol style="list-style-type: none"> 1.LCD Size: 46*57mm (W*L) 2.9 inch 2.One-touch Operation 3.WHO Classification Indicator 4. Irregular Heartbeat Detection 5. Large and Clear LCD display 6. 2x120 times Memory 7. Date/Time display 8. Automatically turn off 9. Adaptor is available for choice 10.talking funtion is optional 	1000pcs	Qty per CTN: 24pcs Dimension: 48.5*29*35.5cm G.W.:14.2kgs N.W.: 13.3kgs 13400pcs/20FT 27800pcs/40FT P.S:Estimated actual available CBM 20Ft=28cbm 40Ft=58cbm
CBP313A		<ol style="list-style-type: none"> 1.LCD Size:50*72mm (W*L) 3.5 inch 2.One-touch Operation 3.WHO Classification Indicator 4. Irregular Heartbeat Detection 5. Large and Clear LCD display 6. 2*120 times Memory 7. Date/Time display 8. Automatically turn off 9. Adaptor is available for choice 10.talking funtion is optional 	1000pcs	Qty per CTN:24pcs Dimension: 46*39.5*35.5cm G.W.: 14.6kgs N.W.: 13.2kgs 10,418pcs/20FT 21,580pcs/40FT P.S:Estimated actual available CBM 20Ft=28cbm 40Ft=58cbm
CBP310A		<ol style="list-style-type: none"> 1.LCD Size: 42*60mm (W*L) 2.9 inch 2.One-touch Operation 3.WHO Classification Indicator 4. Irregular Heartbeat Detection 5. Large and Clear LCD display 6. 2x120 times Memory 7. Date/Time display 8. Automatically turn off 9. Adaptor is available for choice 10.talking funtion is optional 	1000pcs	Qty per CTN: 24pcs Dimension: 38.5*37*35.5cm G.W.:12.3kgs N.W.:11.2kgs 13200pcs/20FT 27500pcs/40FT P.S:Estimated actual available CBM 20Ft=28cbm 40Ft=58cbm





Model No.	Picture	Features	MOQ	Packing Details
CBP312		<ol style="list-style-type: none"> 1.LCD Size: 46mm x 69mm 2.One-touch Operation 3.WHO Classification Indicator 4. Irregular Heartbeat Detection 5. Large and Clear LCD display 6. 199 times Memory 7. Date/Time display 8. Automatically turn off 9. Adaptor is available for choice 10.talking funtion is optional 	1000pcs	Qty per CTN:24pcs Dimension: 46*39.5*35.5cm G.W.: 14.8kgs N.W.: 13.5kgs 10,418pcs/20FT 21,580pcs/40FT P.S:Estimated actual available CBM 20Ft=28cbm 40Ft=58cbm
CBP318A		<ol style="list-style-type: none"> 1.LCD Size: 63x 68mm(W*L) 3.7 inch. 2.One-touch Operation 3.WHO Classification Indicator 4. Irregular Heartbeat Detection 5. Large and Clear LCD display 6. 2x120 times Memory 7. Date/Time display 8. Automatically turn off 9. Adaptor is available for choice 10.talking funtion is optional 	1000pcs	Qty per CTN:24pcs Dimension: 46*39.5*35.5cm G.W.: 14.8kgs N.W.: 13.5kgs 10,418pcs/20FT 21,580pcs/40FT P.S:Estimated actual available CBM 20Ft=28cbm 40Ft=58cbm
CBP382A Bluetooth 4.0 optional 		<ol style="list-style-type: none"> 1.LCD Size: LCD Size: 49x59mm(W*L) 3.0 inch . 2.One-touch Operation 3.WHO Classification Indicator 4. Irregular Heartbeat Detection 5. Large and Clear LCD display 6. 2x120 times Memory 7. Date/Time display 8. Automatically turn off 9. Adaptor is available for choice 10.talking funtion is optional 	1000pcs	Qty per CTN: 24pcs Dimension: 42*35*33.5cm G.W.: 13.4 kgs N.W.: 12.2 kgs 13600pcs/20FT 28200pcs/40FT P.S:Estimated actual available CBM 20Ft=28cbm 40Ft=58cbm
CBP319 Bluetooth 4.0 optional 		<ol style="list-style-type: none"> 1.LCD Size:40x58mm (W*L) 2.8 inch 2.One-touch Operation 3.WHO Classification Indicator 4. Irregular Heartbeat Detection 5. Large and Clear LCD display 6. 199 times Memory 7. Date/Time display 8. Automatically turn off 9. Adaptor is available for choice 10.Bluetooth is optional 	1000pcs	Qty per CTN: 24pcs Dimension: 52*42*27cm G.W.: 12.6kgs N.W.: 11.5kgs 11300pcs/20FT 23600pcs/40FT P.S:Estimated actual available CBM 20Ft=28cbm 40Ft=58cbm
CBP319A Bluetooth 4.0 optional 		<ol style="list-style-type: none"> 1.LCD Size: 58x62mm (W*L) 3.3 inch 2.One-touch Operation 3.WHO Classification Indicator 4. Irregular Heartbeat Detection 5. Large and Clear LCD display 6. 2x120 times Memory 7. Date/Time display 8. Automatically turn off 9. Adaptor is available for choice 10.Bluetooth is optional 	1000pcs	Qty per CTN: 24pcs Dimension: 52*42*27cm G.W.: 12.6kgs N.W.: 11.5kgs 11300pcs/20FT 23600pcs/40FT P.S:Estimated actual available CBM 20Ft=28cbm 40Ft=58cbm


Model No.	Picture	Features	MOQ	Packing Details
CBP380A		<ol style="list-style-type: none"> 1.LCD Size: 70x78mm (W*L) 4.1 inch 2.One-touch Operation 3.WHO Classification Indicator 4. Irregular Heartbeat Detection 5. Large and Clear LCD display 6.2x120 times Memory 7. Date/Time display 8. Automatically turn off 9. Adaptor is available for choice 10.talking funtion is optional 	1000pcs	Qty per CTN: 24pcs Dimension: 42*35*33.5cm G.W.: 13.6 kgs N.W.: 12.6 kgs 13600pcs/20FT 28200pcs/40FT P.S:Estimated actual available CBM 20Ft=28cbm 40Ft=58cbm
CBP315A		<ol style="list-style-type: none"> 1.LCD Size:89*98mm (W*L) 5.2 inch 2.One-touch Operation 3.WHO Classification Indicator 4. Irregular Heartbeat Detection 5. Large and Clear LCD display 6. 2*120 times Memory 7. Date/Time display 8. Automatically turn off 9. Adaptor is available for choice 10.talking funtion is optional 	1000pcs	Qty per CTN:24pcs Dimension: 46*42*35.5cm G.W.: 14.6kgs N.W.: 13.2kgs 9700pcs/20FT 20200pcs/40FT P.S:Estimated actual available CBM 20Ft=28cbm 40Ft=58cbm
CBP386A (Patented Tricolor backlight)	 	<ol style="list-style-type: none"> 1.LCD Size:70*78mm Tricolor Backlight 2.One-touch Operation 3.WHO Classification Indicator 4. Irregular Heartbeat Detection 5. Large and Clear LCD display 6. 2x120 times Memory 7. Date/Time display 8. Automatically turn off 9. Adaptor is available for choice 10.talking funtion is optional 	1000pcs	Qty per CTN: 24pcs Dimension: 42*35*33.5cm G.W.: 13.6 kgs N.W.: 12.6 kgs 13600pcs/20FT 28200pcs/40FT P.S:Estimated actual available CBM 20Ft=28cbm 40Ft=58cbm
CBP365A		<ol style="list-style-type: none"> 1.LCD Size:52*91mm (W*L) 4.1 inch 2.One-touch Operation 3.WHO Classification Indicator 4. Irregular Heartbeat Detection 5. Large and Clear LCD display 6. 2*120 times Memory 7. Date/Time display 8. Automatically turn off 9. Adaptor is available for choice 10.talking funtion is optional 	1000pcs	Qty per CTN:24pcs Dimension: 46*42*35.5cm G.W.: 14.6kgs N.W.: 13.2kgs 9800pcs/20FT 20500pcs/40FT P.S:Estimated actual available CBM 20Ft=28cbm 40Ft=58cbm
CBP366A (Blue backlight)		<ol style="list-style-type: none"> 1.LCD Size:70*59mm 3.6inch Blue Backlit 2.One-touch Operation 3.WHO Classification Indicator 4. Irregular Heartbeat Detection 5. Large and Clear LCD display 6.2x120 times Memory 7. Date/Time display 8. Automatically turn off 9. Adaptor is available for choice 10.talking funtion is optional 	1000pcs	Qty per CTN: 24pcs Dimension: 42*35*33.5cm G.W.: 13.6 kgs N.W.: 12.4 kgs 13600pcs/20FT 28200pcs/40FT P.S:Estimated actual available CBM 20Ft=28cbm 40Ft=58cbm

Model No.	Picture	Features	MOQ	Packing Details
CBP320A		<ol style="list-style-type: none"> 1.LCD Size: 70mm*76.5mm 2.One-touch Operation 3.WHO Classification Indicator 4. Irregular Heartbeat Detection 5. Large and Clear LCD display 6. 2x120 times Memory 7. Date/Time display 8. Automatically turn off 9. Adaptor is available for choice 10.talking funtion is optional 	1000pcs	<p>Qty per CTN: 24pcs Dimension: 38.5*37*35.5cm G.W.:12.6kgs N.W.:11.5kgs 13200pcs/20FT 27500pcs/40FT P.S:Estimated actual available CBM 20Ft=28cbm 40Ft=58cbm</p>
CBP389A		<ol style="list-style-type: none"> 1.LCD Size:84*76.5mm 2.One-touch Operation 3.WHO Classification Indicator 4. Irregular Heartbeat Detection 5. Large and Clear LCD display 6. 2x120 times Memory 7. Date/Time display 8. Automatically turn off 9. Adaptor is available for choice 10.talking funtion is optional 	1000pcs	<p>Qty per CTN: 24pcs Dimension: 38.5*37*35.5cm G.W.:13.2kgs N.W.:12.1kgs 13200pcs/20FT 27500pcs/40FT P.S:Estimated actual available CBM 20Ft=28cbm 40Ft=58cbm</p>

Model No.	Picture	Features	MOQ	Packing Details
BP189W		<ol style="list-style-type: none"> 1.LCD size: 30mm x 46mm 2.One-touch Operation 3.WHO Classification Indicator 4. Irregular Heartbeat Detection 5. Large and Clear LCD display 6. 199 times Memory 7. Date/Time display 8. Automatically turn off 9.talking funtion is optional 	1000pcs	Qty per CTN: 40pcs Dimension: 53*24*39.5cm G.W.: 10.6kgs N.W.: 9.4kgs
BP-JC160		<ol style="list-style-type: none"> 1.LCD size: 26mm x 48mm 2.One-touch Operation 3.WHO Classification Indicator 4. Irregular Heartbeat Detection 5. Large and Clear LCD display 6. 199 times Memory 7. Date/Time display 8. Automatically turn off 9.talking funtion is optional 	1000pcs	Qty per CTN: 40pcs Dimension: 53*24*39.5cm (L*W*H) G.W.:11.0kgs N.W.: 9.6kgs
BP165W		<ol style="list-style-type: none"> 1.LCD size: 26mm x 48mm 2.One-touch Operation 3.WHO Classification Indicator 4. Irregular Heartbeat Detection 5. Large and Clear LCD display 6. 199 times Memory 7. Date/Time display 8. Automatically turn off 9.talking funtion is optional 	1000pcs	Qty per CTN: 40pcs Dimension: 53*24*39.5cm (L*W*H) G.W.: 11.0kgs N.W.: 10.0kgs
BP169W		<ol style="list-style-type: none"> 1.LCD size: 43mm x 33mm 2.One-touch Operation 3.WHO Classification Indicator 4. Irregular Heartbeat Detection 5. Large and Clear LCD display 6. 2x120 times Memory 7. Date/Time display 8. Automatically turn off 9.talking funtion is optional 	1000pcs	Qty per CTN: 40pcs Dimension: 53*24*39.5cm (L*W*H) G.W.: 10.8kgs N.W.: 9.6kgs
BP163W		<ol style="list-style-type: none"> 1.LCD size: 32mm x 45mm 2.One-touch Operation 3.WHO Classification Indicator 4. Irregular Heartbeat Detection 5. Large and Clear LCD display 6. 199 times Memory 7. Date/Time display 8. Automatically turn off 9.talking funtion is optional 	1000pcs	Qty per CTN: 40pcs Dimension: 53*24*39.5cm (L*W*H) G.W.: 11.2kgs N.W.: 10.1kgs

Model No.	Picture	Features	MOQ	Packing Details
BP168W		<ol style="list-style-type: none"> 1.LCD size: 45mm x 46mm 2.One-touch Operation 3.WHO Classification Indicator 4. Irregular Heartbeat Detection 5. Large and Clear LCD display 6. 2x120 times Memory 7. Date/Time display 8. Automatically turn off 9.talking funtion is optional 	1000pcs	Qty per CTN: 40pcs Dimension: 53*24*39.5cm (L*W*H) G.W.: 10.8kgs N.W. : 9.8kgs
BP166W		<ol style="list-style-type: none"> 1.LCD size: 45mm x 46mm 2.One-touch Operation 3.WHO Classification Indicator 4. Irregular Heartbeat Detection 5. Large and Clear LCD display 6. 2x120 times Memory 7. Date/Time display 8. Automatically turn off 9.talking funtion is optional 	1000pcs	Qty per CTN: 40pcs Dimension: 53*24*39.5cm (L*W*H) G.W.: 10.9kgs N.W. 10.0kgs

Model No.	Picture	Features	MOQ	Packing Details
CMT-216		<ol style="list-style-type: none"> 1.Security, quickly and accurately measurement . 2.Fever alarm,last memory of measurement 3.LCD display 4.temperature range: 32-42.9 in C (Celsius), 89.6--109.22in F (Fahrenheit) 5.three measure method: mouth, underarm or anal 6. Power supply: lithium battery(can be change). 7.Automatic power-off function; 	3000pcs	Qty per CTN:240pcs Dimension: 540*400*320mm G.W.: 9.80kgs N.W.: 8.90kgs 97,000pcs/20FT 201,200pcs/40FT P.S:Estimated actual available CBM 20Ft=28cbm 40Ft=58cbm
CMT-215		<ol style="list-style-type: none"> 1.Security, quickly and accurately measurement 2.Fever alarm,last memory of measurement 3.LCD display 4.temperature range: 32-42.9 in C (Celsius), 89.6--109.22in F (Fahrenheit) 5.three measure method: mouth, underarm or anal 6. Power supply: lithium battery(can be change) 7.Automatic power-off function; 	3000pcs	Qty per CTN:240pcs Dimension: 585*405*330mm G.W.: 10.98kgs N.W.: 10.16kgs
CMT-218		<ol style="list-style-type: none"> 1.Security, quickly and accurately measurement 2.Fever alarm,last memory of measurement 3.LCD display 4.temperature range: 32-42.9 in C (Celsius), 89.6--109.22in F (Fahrenheit) 5.three measure method: mouth, underarm or anal 6. Power supply: lithium battery(can be change) 7.Automatic power-off function; 	3000pcs	Qty per CTN:240pcs Dimension: 540*400*320mm G.W.: 9.80kgs N.W.: 8.90kgs 97,000pcs/20FT 201,200pcs/40FT P.S:Estimated actual available CBM 20Ft=28cbm 40Ft=58cbm
CIFR600		<ol style="list-style-type: none"> 1.Temperature Range: 32.0°C---42.9°C (Body tem.) 2.Accuracy: ±0.2°C (36°C---39°C) 3.Measurement Method: ear touch for 1second,forehead touch for 2 second 4.Beeper Function,12 memories, ; Fever Alarm 5.Operation environment: Tem. 10°C---40°C Humidity 30%RH--85%RH 6. Power supply: DC 3V 7.Measuring principle: Infrared temperature sensing technique 8. Storage Environment: Tem. -20°C - +60°C Humidity 10%RH--95%RH 	1000pcs	Qty per CTN:40pcs Dimension: 380*300*410mm (L*W*H) N.W.: 5.0kgs G.W.: 5.8kgs 23900pcs/20FT 49600pcs/40FT P.S:Estimated actual available CBM 20Ft=28cbm 40Ft=58cbm

Model No.	Picture	Features	MOQ	Packing Details
FR800		<ol style="list-style-type: none"> 1. Temperature Range: 32.0°C---42.9°C (Body tem.) 0°C---100°C (Ambient Tem.) 2. Accuracy: ±0.2°C (36°C---39°C) 3. Measurement Method: Non-touch with forehead about 1.5 sec, with a distance of 5cm 4. 30 memories, Beeper Function; Fever Alarm(>37.5°C) 5. Operation environment: Tem. 10°C---40°C Humidity 30%RH--85%RH 6. Power supply: DC 3V 7. Measuring principle: Infrared temperature sensing technique 8. Storage Environment: Tem. -20°C - +60°C Humidity 10%RH--95%RH 	1000pcs	<p>Qty per CTN:40pcs Dimension: 380*300*410mm (L*W*H) N.W.: 5.0kgs G.W.: 5.8kgs 23900pcs/20FT 49600pcs/40FT P.S:Estimated actual available CBM 20Ft=28cbm 40Ft=58cbm</p>