

Shenzhen Guangyang ZhongKang Tech Ltd

	Laser therapy device						
Model number	Picture	Price	Name	Function			
GY-L2	Lase origing part The darge socket Uses dring part The darge socket Uses dring part Charger None tonige Prove tingley Re early Laser probe Re early Laser probe Pals relieve hard beam Asser probe		650nm Laser Therapy Watch (3-IN-1) laser medium: GaAlAs Semiconductor Laser wavelength: 650nm Terminal laser output: 22 laser beams and 2 nasal cavity laser beam, 2 ear cavaity laser beams laser output power: 2-5mW laser operate voltage: 3.0V input voltage: 100-220V power source: lithumion battery with capacity 1600m Ah Lithium battery voltage: DC3.7-4.2V Time range: 10-60 min can be adjusted	Wrist irradiation: 1. Our device adopt 650nm laser irradiate the acupoint. 2. It will penetrate our vessel wall. 3. We can absorb the laser energy to produce the lipopotein lypase, the lypase will decompose the fat garbage in the blood so that improve the microcirculation. 4. Improve the red blood cell carrying oxygen capacity so as to purify the blood or hyperviscosity improve the islet function, make the insulin secretion to normal level. 5. It can lower the hyperlipidemia, hyperglycemia, hypertention. Finally treat the diabetes. Nasal cavity irradiation: 1. Our nasal cavity have large number of the capillary. 2. It's more easy to stimulate the nasal nerve, improve the skull blood circulation and whole microciculation. 3. Transport more oxygen and nutrition to our brain. 4. Finally prevent the cerebral thrombosis stroke, sudden death, cardiovascular and cerebrovascular. Pain part irradiation: 1. The body pain relief probe adopt 650nm to non-invasive irradiate our pain point. 2. To penetrate the meridian, absorb the inflammatory edema, dredge the meridian and channel, Producing more biological cyzeme to cure kinds of disease. Such as the cervical spondylosis, lumbar disc of herniation, frozen shoulder, arthritis, prostatitis, sport injury, wound, joint pain, fracture etc.			
GY-K520			Knee Joint reliever size: £193*W168*H144mm NW of product: 750g Input Voltage: AC100~240V 50/60Hz Rated Voltage: DC5V Rated Power: 12.5W Heating temperature: LOW:45±3°C, Medium: 50±3°C, High: 55±3°C Auto time: 15minutes Laser wavelength: 808nm Laser diode: 3pcs LED light: 16pcs	★ Recovery mode: laser + infrared light + kneading + hot compress ★ Repair mode: laser + kneading + hot compress ★ Relaxation mode: infrared light + kneading + hot compress large CD display humanized design, 90 degree exterior shape			

GY-K680	₹ SSCH*	Knee Laser Massager Weight: 400 g power supply: DC 6.0, 2A (power adaptor) Media: Semiconductor laser 650nm *6pcs + LED *12pcs including: remote controller, main unit, power frame, user manual	Have three effects: Improve micro-blood circulation, pain relief and diminish inflammation 1. Patella fracture, ligamentous injury, The knee joint and cartilage damage, chronic sport injury. 2. Infectious diseases such as fester osteoarthritis 3. Non-infective knee diseases: rheumatic arthritis
GY-S920		Slimming Belt N.W.: 900 g Dimension: L328 X W120 X H115mm Input Voltage: AC100~240V 50/60Hz Rated Voltage: DC12V Rated Power: 24W Heating temperature: LOW:38±3°C, Medium: 42±3°C, High: 46±3°C Auto time: 15minutes Red laser wavelength: 808nm RF frequency: 500kHZ 6-in-1 function: red laser, infrared heating, vibration, Kneading, RF, CV	1. 2 LCD display, working situation can be clearly seen. 2. 808nm Red light, makes skin getting tightness. 3. CV function, enhance the cells metabolism, increase cell's energy. 4. RF (radio frequency), shape your body. 5. Vibration massage function to accelerate blood circulation. 6. Carbon fiber infrared heating, deep to repair damaged tissues. 7. According to the principle of human body engineering design to ensure the device perfectly match the bally and waist line. 8. Portable design, can be fold under 180 degree.
GY-W600	WashClast I. seer Manager Power Adaptor See Manager Power Adaptor Femole control CE & O	Waist Massager Weight: 955g power supply: DC 6.0, 2A (power adaptor) Media: Semiconductor laser 650nm *6pcs + LED *12pcs including: remote controller, main unit, power frame, user manual	It combines the technologies of massage, pressing,kneading and vibration with laser irradiation together Mode 1: Used for strain of lumbar muscles. No light therapy. Massage and vibration work together. Mode 2: Used for bulging of lumbar disc. No light therapy. Massage and vibration work separately. Mode 3: Used for protrusion of lumbar intervertebral disc. Massage only. Mode 4: Used for relax and repair of back muscle. Vibration only. Mode 5: Used for acute back injury. Light therapy only.
GY-L789	SSCH CC# O	Laser pain relief Net weight: 5kgs laser medium: GaAlAs Semiconductor terminal laser output power: 500mW Predominantly laser output wavelength: 810nm *1pc probe indication light wavelength: 650nm *6pcs power supply: 110-220V , 50/60HZ including: mainframe, probe, power line and goggles, manual	1. Increase production of ATP (Adenosine Triphosphate). 2. Increase cellular metabolism. 3. Increase collagen production. 4. Increase enzyme production. 5. Increase e synthesis 6. Better blood flow. 7. Better lymphatic flow and drainage. 8. Eliminate inflammation.
1	-	Whole body analyze machine	

GY-518D (8D NLS)	SSCH SD-LRIS	Color: Silv Software: Language Romania, O.S.: Win Accessori cable*1, E for softwa Packing s	Health Analyzer ver Vector 03 and Vector expert, update freely E: English, German, Russian, Spanish, Czech, Korean, Japanese, Italian, Portuguese, French XP/Vista/7/8/10 ies: Main machine*1, Headphone Sensor*1, USB Black connecting Cable*2, Testing Cup*1, USB doogle ire*1, DVD software*1, Aluminum box*1 ize: 42*33*13cm veight: 4kgs	1. Complex Analysis of all organs and systems of the human body 1). The cardiovascular system 2). Gastro-intestinal tract 3). Genital-urinary system 4). Musculoskeletal system 5). Bronchi-pulmonary system 6). The endocrine system 7). Visual and hearing aids/organs 8). The nervous system 9). Biochemical analysis of blood without interference 2. Infection in the organs and systems - viruses, bacteria, fungi, protozoa, helminths infection, etc. (staphylococci and streptococci, giardiasis, trichomonas, chlamydia, urea plasma, and so on) 3. Qualitative assessment of hormone levels, adrenal, pituitary, pancreas, thyroid, gonads
GY-718D (touch 8D NLS)	SSCH In the latest three	Color: bla Software: Language Romania, O.S.: Win Accessori connectin Aluminum Packing s	Vector 03 and Vector expert, update freely e: English, German, Russian, Spanish, Czech, Korean, Japanese, Italian, Portuguese, French, Chinese XP/Vista/7/8/10 ies: Main machine*1, Headphone Sensor*1, Black g Cable*2, Testing Cup*1, USB doogle for software*1,	3. dealitative assessment in formation levels, adterial, pituliarly, particles, thyroid, gonaus 4. LRIS NLS Lris Level of immunity 5. Allergy diagnosis (complex tests up to 500 allergens) 6. Medical testing (individual selection of drugs) 7. Chromosomal diagnosis 8. Laboratory Analysis (blood counts, biochemical parameters, hormones, trace elements) 9. Treatment of pathological processes identified by the bio resonance therapy (meta-therapy). 10.The treatment method litho-therapy (spectral frequencies individually selected minerals) 11. Detect Fear, Emotional Matrix, relationship Matrix Meta Therapy, Bacterial Therapy, Phytotherapy, Stone Therapy, Physiotherapy, Acupuncture Therapy, Aura Therapy, Chakra Therapy, Preparation Making, Bacterial research, Vegeto-test, Smart-filter, Entropy analysis, NLS analysis, Comparative analysis Vedio: https://www.youtube.com/watch?v=SpgvwYhTXC0
GY-4025 (Hunter 4025)	SSCH SSCH Ruster 4925 NLS Gagary until FOODS Gagary until FOODS Gagary until G	Color: Silv Software: Language Chinese O.S.: Win Accessori cable*1, E for softwa Packing s	D25 Health Analyzer ver Metapathia GR hunter E: English, German, Russian, Spanish, French, Polish, dows 64 bits system ies: Main machine*1, Headphone Sensor*1, USB Black connecting Cable*2, Testing Cup*1, USB doogle re*1, DVD software*1, Aluminum box*1 iize: 49*36*14cm veight: 5kgs	The main feature of Metapathia GR Hunter software is function called "Three-dimensional Scanning" which allows to localize automatically a nidus where tumor appeared,heritable diseases, etc. and to find the reason of appearance at genome level, passing one after another histological cuts, cytological cuts, chromosome sets, separate chromosomes, and go deeper to fragments of DNA helix. Automatically Detect Root Cause 3-D Spiral Scanning Method 1432 Organs and Tissues 4012 Preparations and Processes
GY-4025 (touch Hunter 4025)	SSCH.	Color: bla Software: Language Chinese O.S.: Win Accessori cable*1, E for softwa Packing s	025 Health Analyzer Touch Screen ick Metapathia GR hunter E: English, German, Russian, Spanish, French, Polish, idows 64 bits system ies: Main machine*1, Headphone Sensor*1, USB Black connecting Cable*2, Testing Cup*1, USB doogle ire*1, DVD software*1, Aluminum box*1 ize: 49*36*14cm veight: 8.5kgs	Meta Therapy Stone Therapy (Lithotherapy) Phytotherapy Preparation making Bacterial research, Vegeto-test, Smart-filter, Entropy analysis, NLS analysis, Comparative analysis Average time of scanning - 2 sec Accuracy of researches: 95% Vedio: https://www.youtube.com/watch?v=jaTzbfG1jQs

GY-D04	SSCH"	2-in-1 Quantum Resonance Analyzer with Massage Therapy	The Quantum Analyzer Acupoint Massage replaces the need for ultrasonic, health data will be collected within minutes from various body systems. 2 in 1 designed.And the massage part is the detox foot spa.
new mini quantum		new mini quantum	
GY-D03	SSCH CCO	Mini Quantum	
GY-D04	SSCH CCCO	Medium Quantum	Spicing Programs Spicing Program Spicing Spicing Spicing Spicing Spicing Spicing Spicing Spicing S
GY-D01	SSCH"	Large Quantum	Summarization Summarization
DM-918C	SSCH	918 Quantum	This second is closured and and a support contains This second is closured and and a support contains Compaction Report Full Payor(C) Sove Report(VEE) Sove Report(VEE) Return(S) Compaction Report Full Payor(C) Sove Report(VEE) Sove Report(
DM-918S	SSCH CONTRACTOR OF THE PARTY OF	918 Pads Quantum	
		 Iriscope Cameras	

GY-I518	SSCH	Iriscope Camera(5.0MP)	Help the client know his health condition frankly, including the problem which you have get in the former, now and future, and the Iridology will be your health counselor, tell you how to keep away
GY-9822U	SSCH mono Capacit Active Concerns from Conce	Iriscope Camera (12.00MP)	from the illness and sub-health.
		Partial Detector and Therapy De	vice
GY-BRT1	INITIAL SETTING OF DEVICE (b): Set SITP Set SITP Set SITP	Bioresonance Therapy SSCH BRT Color: black item Size: 8.5*10.5cm item Weight: 171.5g style: PC tablet, easy to take away Number of frequency: ≥4000 kinds to cure diseases TFT display resolution: 800*600 Pixels Internal Memory: 86, support external SD card Feature: with Wi-Fi and full touch screen	SSCH is definite in the following cases: Functional disorders of different genesis; Diseases of central organs, central nervous system and sense organs; Diseases of vegetative nervous system; Different pains, pain syndromes of various localizations and genesis; Diseases of cardiovascular system; Diseases of respiratory system; Diseases of digestive system; Diseases of skin and subcutaneous tissues; Diseases of musculoskeletal system; Diseases of uniary system and reproduction; and all kinds of ailing wounds, injuries and ulcer. Vedio: http://www.sschbrt.com/
GY-757		Infrared electric & magnetic Prostate treatment device Outline dimension: L370 x W310 x T80 (mm) weight: 2500g Power: 110V/220V,50/60Hz max electric current: 0.45A frequency: massge 1-250Hz	Applicable Symptoms: Prostatitis, hyperplasia of prostate,pelvic inflammation, with symptoms of dribbling or painful urination, and painful testicles. etc. Women: pelvic inflammatory disease, annex inflammation, irregular menstruation, menstrual pain, cold palace, cervicitis, cervical swelling, hemorrhoids. Menstrual pain, 15 minutes to relieve pain, hemorrhoids day by day bear fruit, three days recovery Men: prostatitis, proctitis, colitis, hemorrhoids Advantage Infrared Ray, Electronic Pulse and Magnetic 3 technology within 1 machine; Ergonomically designed ensure snug, comfortable fit; Easy-To-Use with LCD control panel; Adjustable temperature, magnet and pulse intensity; Additional heated and electronic pulse lumbar pain relief belt.

GY-C010	Colon hydrotherapy instrument	Colon Hydrotherapy Instrument size: 49°49°28 cm weight: 7kgs voltage: AC 220V ± 22V, 50Hz ± 1Hz water flow rate: adjustable 0.5-1,9L/min output temperature: adjustable 29-40 °C Fast preheating: ready in 10 seconds Safety:Over-heat, over-pressure and over-temperature protection	1. Improve Intestine Function, Get Rid of Constipation Immediate and complete cleansing of harmful impacted feces and intestinal toxins has been proved to be a cure for constipation, hemorrhoids and flatulence. It can effectively prevent digestive system diseases such as colon inflammation and rectum cancer. 2. Reduce Liver and Kidney Burden. Excreting impacted feces and toxins can significantly reduce blood toxin level, lower liver and kidney burden. This improves liver and kidney detoxification functions and prevent liver and kidney diseases. 3. Effectively Purify Blood It can lower blood pressure, blood fat, blood acid and blood viscosity and improve microcirculations. It is also an effective treatment for lassitude, insomnia, dizziness, headache, memory loss, body malodor, oral malodor and can prevent heart disease. 4. Build Up Immunity It greatly improves functions of all body organs, build up healthy body system. It enhances immunity, prevent bacteria and virus invasion, prevent diseases and cancers 5. Rejuvenate Skin and Lose Weight By excretion of impacted feces and toxins, all body organs are fully recovered. It helps reduce belly fat and rebuild body shape to keep fit. It also improves the skin brightness and elasticity, removes acnes and speckles. 6. Prevent Gynecological Diseases The instrument comes with an unique ozone generator which can sterilize and reduce inflammations in women's private part. It is a effective and convenient treatment for gynecological diseases.
GY-G08	SSCH" High potential remote controls (CB 0	High Potential Therapy Device	1.Relieve climate symptoms such as fever agitated 2.Relieve pain of neck, shoulder, back, joints and other body parts 3.Reduce constipation unsustainable 4.Improve sleep 5.Help quit cigarettes and alcohol 6.Help diet, weight management
GY-KWD808	₹ SSCH (CE® C	Pulse Electrotherapy Device	Improving sleep quality. Eliminating physical fatigue caused by long work Cleaning relaxing muscles and joints meridian enhance human immunity Pain relief
GB-68A	₹ SSCH	Acupuncture Pen size: L180×W60×T25(mm) weight: about 105g power: DC9V,rechargeable battery frequency: 1-365HZ , 9.8HZ-33.11HZ	Diagnosis therapy, as your best home doctor, locating weak acupoints on palm or all over the body with different detector heads Electrical acupuncture therapy, treatment on the acupoints and relieve pain and muscle stiffness. Far infrared heating therapy, which effectively promote blood circulation and relive chronic pain Low frequency therapy, simulation treatment modes: hammering, acupuncture, naprapathy cupping, scraping, massage ,etc.

GY-880	SSCH"	Microcirculation	You can observe microcirculation pipe loop patterns, the number of pipe loop, blood flow, bleeding, etc., help determine the sub-health status and blood stasis and brain cardiovascular related diseases.
	((0)	Skin analyzer + ipl hair removal de	evice
GY-W100	₹ SSCH T	Face Beautifier Media: Semiconductor light emitting diode Wavelength: 522nm green light 590nm yellow light Illuninance area: 380mmx24mm Weight: 130g Power: AC adapter (DC5.0V, 0.5A)	Green Light 522nm:The diodes continuously emit a precise frequency (520 nm) in a controlled manner so as to prevent and reduce brown spots and lighten the skin. Yellow Light 590nm:The diodes emit a precise frequency (590 nm) in a controlled, pulsed manner to stimulate the fibroblasts which produce collagen.
GY-S003	Shocae products Utestyles Violend	aiDirect Pro Smart Skin Analyzer with WIFI function size: 100×35×54.5 mm weight: 220g material: ABS battery:450mA lithium battery picture pixels: 2 Megapixel, 100 times zoom Power: 6W, Frequency: 12Hz Input voltage: DC 5V / 1 A V, Output voltage: 3.7-4.2 V	Downloaded Cosbeauty APP, select one test dimension prepare for testing, click take photo button to caputre picture 1. Intelligent test: smart skin testing, problems warming 2. Personal skin care (solves oil skin, dry skin, acne, spots, pigmentation and large pores) 3. Record testing results at all times

GY-S10	Skin analyzer 1 for the state of the state	Digital USB Skin Moisture Analyzer a) Imaging System: USA 1/3.25 inch CMOS; b) Hardware: 2 mega pixel; c) Maximum Resolution: 1600*1200; d) Magnification Factor: 50 times; e) Operating Temperature: 10-40 °C; f) Operating Humidity: Below 80%; g) Power Supply: USB 5V; h) External Material: Main Unit: ABS OS: Win 7/8/10, vista, XP, Win2000, Win2003 USB Connection can be connected to computer or laptop	Skin analyzer equipment is a kind of intelligent skin image capture, data analysis and report generator system, which integrate the high definition skin image capturing hardware, and the professional software to find out potential problems of skin in epidermis layer, dermis layer and UV layer. It is possible to find out the skin problems quickly and precisely, and record the analysis report in software by generating a skin status trend figure, together with a treatment prescription by preinput data, including cosmetics and beauty care applications to apply. This equipment can be widely used in home, beauty salons and clinics, or cosmetic department store. a. Skin moisture test (severe water shortage, lower moisture content, dermis lack of water, epidermis lack of water, sufficient moisture) b. Skin grease test (less secretion, normal secretion, secretion more, excessive secretion, grease pustule) c. Skin texture test (clear and regular, slightly irregular, slightly coarse, moderate irregular, severe irregular) d. Skin color test (gloomy skin color, dark red skin color, slightly dark, skin rosy, pale skin color) e. Skin wrinkle test (no wrinkles, wrinkle appear, small wrinkles, irregular wrinkles, deep wrinkles) f. Skin pigmentation test (the pigment calm, slight spotted, epidermis spotted, dermis spotted, severe spotted) g. Skin inflammation test (normal skin, sensitive skin, more red blood silk, severe red blood silk, red blood silk spotted) i. Skin pore test (normal pores, slightly oxidized, blocking pores, blackheads, badly clogged)
GY-801		IPL Hair Removal size: 18*14.3*9.2cm weight: 638g material: ABS screen size: 4.5cm² Type of Lampe: Intense pulsed light Lamp: 300,000 flashes Buit-in lithium-battery,capacity 2400*3mAh Input power: 100V-240V/1A Output power: 16V/1A Rated Frequency Range: 50Hz/60Hz Power source: Intense pulsed light adjustable intensity: 5 levels intensity settings Energy output: 2-4J/cm² Energy output area 3*1 cm²	

	,		_			
GY-014	PerfectSmooth #1 that ferrood Device	IPL Hair Removal size: 80.5*144.6*218.6mm weight: 355g material: ABS screen size: 4.5cm² Type of Lampe: Intense pulsed light Lamp: 100,000 flashes Cord charging design powered by AC/DC adaptor Input power: 100V-240V/1.5A Output power: 12V/3A Rated Frequency Range: 50Hz/60Hz IPL Wavelength Range: Hair removal spectrum > 510nm Skin rejuvenation spectrum > 700nm	Permanent hair removal comparison Skin Rejuvenation,perfect smooth skin Acne Clearance,clean and clear skin 3 Optional function lamp cartridge replacement, 5 treatment levels, one button to the best solution option: device can be used with only with hair removal lamp or together with three lamps including hair removal lamp, skin rejuvenation lamp and acne treatment lamp			
GY-014 M		Mini IPL Hair Removal size: 132*79.5*47mm input power: 100-240V/1.5A output power: 12V/3A rated frequency range: 50/60HZ IPL wavelength: Hair removal spectrum >510nm compact size with high resolution LCD display an instant skin color sensor long lamp life 350,000 flashes large spot size 3.5cm² 5 light energy intensity modes	comfortable, safe and permanent hair removal result.			
	massager, detox machine					
GY-787	SSCH"	Neck Massager Pillow Massager size: 22*15*13 cm net weight: 750g Power adapter: AC 100-240V 50/60Hz/ DC 6V Electrical source: DC6V (AA x 4) /Power adapter	A display zone: Respectively display three function: Air pressure, Heating, Vibration, by combing the above 3 functions, there are 7 output modes, namely: Air Pressure+Heating+Vibration, Air pressure+Heating, Heating+Vibration, Air pressure+Heating+Vibration. The default mode for the starting mode is: Air pressure+Heating+Vibration. B: Displaying of the Intensity, there are 5 levels of intensity for function Air Pressure, Heating and Vibration, marked by, the intensity level for the starting state is. C: Time display area, time setting is divided into 3 time periods, respectively 10, 20 and 30 minutes. 4 different therapy types: rhythmic air pressure massager, acupressure stimulation, high frequency vibration and infrared soothing heat therapy Compact to relieve headaches, strain injuries, poor circulation, and migraine, Promotes deep relaxation and melts tension away			
GY-1DS	SSCH	Slimming Belt	1.Heating effect:keep proper body temperature 2.Maturing effect:promote the growth of body cells 3.Purfying effect:supply the nutrition equally inside the body 4.Dry humidity			

GY-2DS	SSCH"		Waist Therapeutic Belt	Lumbago, backache, waist weakness, lumbar muscle strain and other diseases.
GY-D001			Ionic Cleanse Detox Foot Spa Voltage: 110V/220V Rated Power: 60W Current: 0.5-2.5A Type: single personal use or double use for optional	1.Remove the poisonous function 2.Remove infrared ray function 3.Massage function
GY-C001	ASSENCE OF THE PARTY OF THE PAR		Rated frequency: 50Hz / 60Hz Rated power: 60W packing size: 40*35*18cm weight: 6.5kgs	Hydrogen molecular biology instrument use electrolyze water into rich hydrogen, since hydrogen has small molecular weight, strong permeability, fast diffusion rate, very easy to be absorbed by skin. Skin is the largest organ of body with very large capacity to absorb hydrogen. Absorbed hydrogen can be transported to the body through the skin's blood.
		1	Families use	
VS300	SSCH" Color School Color Color			Function button Color - 5 colors adjustable Brightness - 3 degree brightness adjustable Size - 3 kinds of image sizes Mode - Normal and Enhanced mode Inverse - Highlight the veins or Highlight the surrouding tissues

GY-18B			/for vogetable fruit outlory or infant supplies)	Wash fruits and vegetables, a comprehensive degradation of fruits and vegetables, seafood, meat, beans pesticides to kill harmful bacteria, viruses and eggs; removing preservatives, hormones, toxins and heavy metals.		
	http://iriscope.en.alibaba.com/					