| |
|---|
| **CHINA SHOOT MACHINERY CO.,LIMITED** |
| **E-mail: qujun@shootmachine.com,shootmachine@gmail.com** |
| **Website: www.shootmachine.com, www.shootmachine.cn** |
| **Tel: +86 535 4314888, 4222377** |
| **Fax: +86 535 4314888** |
| **Skype ID: ytmptrade, QQ: 1592903460** |


| **METAL BAND SAW** | |
|---|---|
| **MODEL** | **SH5023M** |
| Motor | 115/230V 60HZ 1500W; 380V 50HZ 1500W |
| Blade size | 3035x27x0.9mm |
| Blade speed | 25,40,51,71m/min(60HZ)<br>21,33,42,59m/min(50HZ) |
| The bow swivel degree | 0-45degeree |
| Cutting capacity at 90 degree | 228mm 355x228mm |
| Cutting capacity at 45 degree | 152mm 152x228mm |
| Table height | 635mm |
| N.W./G.W. | 279/340kgs |
| Packing size | 1680x565x1120mm |
| Unit/20' container | 26pcs |

| |
|---|
| **CHINA SHOOT MACHINERY CO.,LIMITED** |
| **E-mail: qujun@shootmachine.com,shootmachine@gmail.com** |
| **Website: www.shootmachine.com, www.shootmachine.cn** |
| **Tel: +86 535 4314888, 4222377** |
| **Fax: +86 535 4314888** |
| **Skype ID: ytmptrade, QQ: 1592903460** |


| **METAL BAND SAW** | |
|---|---|
| **MODEL** | **SH4510WA-1/2** |
| Motor | 370W(0.5HP) |
| Blade size | 1470x13x0.65mm |
| Blade speed | 45m/min(50HZ)<br>54m/min(60HZ) |
| The bow swivel degree | 0-45degeree |
| Cutting capacity at 90 degree | 100mm 100x150mm |
| Cutting capacity at 45 degree | 60mm 60x100mm |
| N.W./G.W. | 29/31kgs |
| Packing size | 730x360x450mm |
| Unit/20' container | 240pcs |

with stand

with standard switch

with switch by hand

| |
|---|
| **CHINA SHOOT MACHINERY CO.,LIMITED** |
| **E-mail: qujun@shootmachine.com,shootmachine@gmail.com** |
| **Website: www.shootmachine.com, www.shootmachine.cn** |
| **Tel: +86 535 4314888, 4222377** |
| **Fax: +86 535 4314888** |
| **Skype ID: ytmptrade, QQ: 1592903460** |


| **METAL BAND SAW** | |
|---|---|
| **MODEL** | **SH4017** |
| Motor | 900W(230V); 900/550W(380V) |
| Blade size | 2105x20x0.9mm |
| Blade speed | 80m/min(230V), 97m/min(110V)<br>80/40m/min(380V) |
| The bow swivel degree | 0-60degeree |
| Cutting capacity at 90 degree | 170mm 140x140mm 210x140mm |
| Cutting capacity at 45 degree | 120mm 110x110mm 130x110mm |
| Cutting capacity at 60 degree | 70mm 60x60mm 70x60mm |
| Table height | 970mm |
| N.W./G.W. | 160/200kgs |
| Packing size | 1260x540x900mm;750x560x150mm |
| Unit/20' container | 28pcs |

| |
|---|
| **CHINA SHOOT MACHINERY CO.,LIMITED** |
| **E-mail: qujun@shootmachine.com,shootmachine@gmail.com** |
| **Website: www.shootmachine.com, www.shootmachine.cn** |
| **Tel: +86 535 4314888, 4222377** |
| **Fax: +86 535 4314888** |
| **Skype ID: ytmptrade, QQ: 1592903460** |


| **METAL BAND SAW** | |
|---|---|
| **MODEL** | **SH5018WA** |
| Motor | 750W(1HP) |
| Blade size | 2360x20x0.9mm |
| Blade speed | 34,41,59,98m/min(50HZ)<br>41,49,69,120m/min(60HZ) |
| Vice tile | 0-45degree |
| Cutting capacity at 90 degree | 180mm 300x180mm |
| Cutting capacity at 45 degree | 100mm 110x170mm |
| Table height | 550mm |
| N.W./G.W. | 145/175kgs |
| Packing size | 1260x460x1080mm |
| Unit/20' container | 40pcs |

| |
|---|
| **CHINA SHOOT MACHINERY CO.,LIMITED** |
| **E-mail: qujun@shootmachine.com,shootmachine@gmail.com** |
| **Website: www.shootmachine.com, www.shootmachine.cn** |
| **Tel: +86 535 4314888, 4222377** |
| **Fax: +86 535 4314888** |
| **Skype ID: ytmptrade, QQ: 1592903460** |


| **METAL BAND SAW** | |
|---|---|
| **MODEL** | **SH5018WA-L** |
| Motor | 750W(1HP) |
| Blade size | 2360x20x0.9mm |
| Blade speed | 34,41,59,98m/min(50HZ)<br>41,49,69,120m/min(60HZ) |
| Vice tile | 0-45degree |
| Cutting capacity at 90 degree | 180mm 180x300mm |
| Cutting capacity at 45 degree | 110mm 110x180mm |
| Table height | 550mm |
| N.W./G.W. | 145/185kgs |
| Packing size | 1330x460x1080mm |
| Unit/20' container | 40pcs |

| |
|---|
| **CHINA SHOOT MACHINERY CO.,LIMITED** |
| **E-mail: qujun@shootmachine.com,shootmachine@gmail.com** |
| **Website: www.shootmachine.com, www.shootmachine.cn** |
| **Tel: +86 535 4314888, 4222377** |
| **Fax: +86 535 4314888** |
| **Skype ID: ytmptrade, QQ: 1592903460** |


| **METAL BAND SAW** | |
|---|---|
| **MODEL** | **SH5018WA-G** |
| Motor | 750W(1HP) |
| Blade size | 2360x20x0.9mm |
| Blade speed | 36,50,62m/min(50HZ)<br>43,60,74m/min(60HZ) |
| Vice tile | 0-45degree |
| Cutting capacity at 90 degree | 180mm 180x300mm |
| Cutting capacity at 45 degree | 110mm 110x180mm |
| Table height | 550mm |
| N.W./G.W. | 145/185kgs |
| Packing size | 1330x460x1080mm |
| Unit/20' container | 40pcs |

| |
|---|
| **CHINA SHOOT MACHINERY CO.,LIMITED** |
| **E-mail: qujun@shootmachine.com,shootmachine@gmail.com** |
| **Website: www.shootmachine.com, www.shootmachine.cn** |
| **Tel: +86 535 4314888, 4222377** |
| **Fax: +86 535 4314888** |
| **Skype ID: ytmptrade, QQ: 1592903460** |


| **METAL BAND SAW** | |
|---|---|
| **MODEL** | **SH5020** |
| Motor | 1100W(1HP) |
| Blade size | 2360x20x0.9mm |
| Blade speed | 24,41,61,82m/min(50HZ)<br>29,50,75,100m/min(60HZ) |
| The bow swivel degree | -45~+45degeree |
| Cutting capacity at 90 degree | 205mm 235x205mm |
| Cutting capacity at 45 degree | 135mm 135x125mm |
| Cutting capacity at -45 degree | 160mm 160x205mm |
| Table height | 810mm |
| N.W./G.W. | 190/217kgs |
| Packing size | 1230x650x820mm;580x550x260mm |
| Unit/20' container | 24pcs |

| |
|---|
| **CHINA SHOOT MACHINERY CO.,LIMITED** |
| **E-mail: qujun@shootmachine.com,shootmachine@gmail.com** |
| **Website: www.shootmachine.com, www.shootmachine.cn** |
| **Tel: +86 535 4314888, 4222377** |
| **Fax: +86 535 4314888** |
| **Skype ID: ytmptrade, QQ: 1592903460** |


| **METAL BAND SAW** | |
|---|---|
| **MODEL** | **SH5020G** |
| Motor | 1100W(1HP) |
| Blade size | 2360x20x0.9mm |
| Blade speed | 37,52,63m/min(50HZ)<br>44,62,75m/min(60HZ) |
| The bow swivel degree | -45~+45degeree |
| Cutting capacity at 90 degree | 205mm 235x205mm |
| Cutting capacity at 45 degree | 135mm 135x125mm |
| Cutting capacity at -45 degree | 160mm 160x205mm |
| Table height | 810mm |
| N.W./G.W. | 190/227kgs |
| Packing size | 1320x650x820mm;580x550x260mm |
| Unit/20' container | 24pcs |

| |
|---|
| **CHINA SHOOT MACHINERY CO.,LIMITED** |
| **E-mail: qujun@shootmachine.com,shootmachine@gmail.com** |
| **Website: www.shootmachine.com, www.shootmachine.cn** |
| **Tel: +86 535 4314888, 4222377** |
| **Fax: +86 535 4314888** |
| **Skype ID: ytmptrade, QQ: 1592903460** |


| **METAL BAND SAW** | |
|---|---|
| **MODEL** | **SH5015V** |
| Motor | 550W |
| Blade size | 1735x13x0.65mm |
| Blade speed | 20-65m/min |
| No of speed | variable |
| The bow swivel degree | 0~60degeree |
| Cutting capacity at 90 degree | 150mm 150x160mm |
| Cutting capacity at 45 degree | 105mm 150x105mm |
| Cutting capacity at 60 degree | 65mm |
| Table height | 840mm |
| N.W./G.W. | 62/65kgs |
| Packing size | 930x470x480mm;740x540x330mm |
| Unit/20' container | 46pcs |

| |
|---|
| **CHINA SHOOT MACHINERY CO.,LIMITED** |
| **E-mail: qujun@shootmachine.com,shootmachine@gmail.com** |
| **Website: www.shootmachine.com, www.shootmachine.cn** |
| **Tel: +86 535 4314888, 4222377** |
| **Fax: +86 535 4314888** |
| **Skype ID: ytmptrade, QQ: 1592903460** |


| **METAL BAND SAW** | |
|---|---|
| **MODEL** | **SH5015GC** |
| Motor | 550W |
| Blade size | 1735x13x0.65mm |
| Blade speed | 34m/min |
| The bow swivel degree | 0-60degree |
| Cutting capacity at 90 degree | 150mm 150x160mm |
| Cutting capacity at 45 degree | 105mm 150x105mm |
| Cutting capacity at 60 degree | 65mm |
| Table height | 840mm |
| N.W./G.W. | 62/65kgs |
| Packing size | 930x470x480mm; 740x540x330mm |
| Unit/20' container | 46pcs |

| |
|---|
| **CHINA SHOOT MACHINERY CO.,LIMITED** |
| **E-mail: qujun@shootmachine.com,shootmachine@gmail.com** |
| **Website: www.shootmachine.com, www.shootmachine.cn** |
| **Tel: +86 535 4314888, 4222377** |
| **Fax: +86 535 4314888** |
| **Skype ID: ytmptrade, QQ: 1592903460** |


| **METAL BAND SAW** | |
|---|---|
| **MODEL** | **SH5015B** |
| Motor | 550W |
| Blade size | 1735x13x0.65mm |
| Blade speed | 26,32,51m/min |
| The bow swivel degree | 0-60degree |
| Cutting capacity at 90 degree | 150mm 150x160mm |
| Cutting capacity at 45 degree | 105mm 150x105mm |
| Cutting capacity at 60 degree | 65mm |
| Table height | 840mm |
| N.W./G.W. | 58/61kgs |
| Packing size | 1020x470x520mm |
| Unit/20' container | 46pcs |

| |
|---|
| **CHINA SHOOT MACHINERY CO.,LIMITED** |
| **E-mail: qujun@shootmachine.com,shootmachine@gmail.com** |
| **Website: www.shootmachine.com, www.shootmachine.cn** |
| **Tel: +86 535 4314888, 4222377** |
| **Fax: +86 535 4314888** |
| **Skype ID: ytmptrade, QQ: 1592903460** |


| **METAL BAND SAW** | |
|---|---|
| **MODEL** | **SH5015G** |
| Motor | 550W |
| Blade size | 1735x13x0.65mm |
| Blade speed | 34m/min |
| The bow swivel degree | 0-60degree |
| Cutting capacity at 90 degree | 150mm 150x160mm |
| Cutting capacity at 45 degree | 105mm 150x105mm |
| Cutting capacity at 60 degree | 65mm |
| Table height | 840mm |
| N.W./G.W. | 58/61kgs |
| Packing size | 930x470x480mm |
| Unit/20' container | 46pcs |

| |
|---|
| **CHINA SHOOT MACHINERY CO.,LIMITED** |
| **E-mail: qujun@shootmachine.com,shootmachine@gmail.com** |
| **Website: www.shootmachine.com, www.shootmachine.cn** |
| **Tel: +86 535 4314888, 4222377** |
| **Fax: +86 535 4314888** |
| **Skype ID: ytmptrade, QQ: 1592903460** |


| **METAL BAND SAW** | |
|---|---|
| **MODEL** | **SH5015BC** |
| Motor | 550W |
| Blade size | 1735x13x0.65mm |
| Blade speed | 26,32,51m/min |
| The bow swivel degree | 0-60degree |
| Cutting capacity at 90 degree | 150mm 150x160mm |
| Cutting capacity at 45 degree | 105mm 150x105mm |
| Cutting capacity at 60 degree | 65mm |
| Table height | 840mm |
| N.W./G.W. | body:63/66kgs stand:38/41kgs |
| Packing size | body:1020x470x520mm<br>stand:740x540x330mm |
| Unit/20' container | 46pcs |

| |
|---|
| **CHINA SHOOT MACHINERY CO.,LIMITED** |
| **E-mail: qujun@shootmachine.com,shootmachine@gmail.com** |
| **Website: www.shootmachine.com, www.shootmachine.cn** |
| **Tel: +86 535 4314888, 4222377** |
| **Fax: +86 535 4314888** |
| **Skype ID: ytmptrade, QQ: 1592903460** |


| **METAL BAND SAW** | |
|---|---|
| **MODEL** | **SH4023** |
| Motor | 1100W(230V) 1100/590W(380V) |
| Blade size | 2450x27x0.9mm |
| Blade speed | 72m/min(230V), 87m/min(110V)<br>72/36m/min(380V) |
| The bow swivel degree | 0~60degeree |
| Cutting capacity at 90 degree | 220mm 150x150mm 260x150mm |
| Cutting capacity at 45 degree | 150mm 145x145mm 150x145mm |
| Cutting capacity at 60 degree | 90mm 85x85mm 100x85mm |
| Table height | 1045mm |
| N.W./G.W. | 218/264kgs |
| Packing size | 1450x570x1040mm;830x780x170mm |
| Unit/20' container | 28pcs |

| |
|---|
| **CHINA SHOOT MACHINERY CO.,LIMITED** |
| **E-mail: qujun@shootmachine.com,shootmachine@gmail.com** |
| **Website: www.shootmachine.com, www.shootmachine.cn** |
| **Tel: +86 535 4314888, 4222377** |
| **Fax: +86 535 4314888** |
| **Skype ID: ytmptrade, QQ: 1592903460** |


| **METAL BAND SAW** | |
|---|---|
| **MODEL** | **SH5025** |
| Motor | 1500/750W(380V) |
| Blade size | 2715x27x0.9mm |
| Blade speed | 72/36m/min |
| The bow swivel degree | -45~+60degeree |
| Cutting capacity at 90 degree | 250mm 240x240mm 310x240mm |
| Cutting capacity at 45 degree | 200mm 170x170mm 190x170mm |
| Cutting capacity at 60 degree | 120mm 95x95mm 120x95mm |
| Cutting capacity at -45 degree | 150mm 130x130mm 170x90mm |
| Table height | 1020mm |
| N.W./G.W. | 341/394kgs |
| Packing size | 1540x700x1050mm;1100x760x180mm |
| Unit/20' container | 22pcs |

| |
|---|
| **CHINA SHOOT MACHINERY CO.,LIMITED** |
| **E-mail: qujun@shootmachine.com,shootmachine@gmail.com** |
| **Website: www.shootmachine.com, www.shootmachine.cn** |
| **Tel: +86 535 4314888, 4222377** |
| **Fax: +86 535 4314888** |
| **Skype ID: ytmptrade, QQ: 1592903460** |


| **METAL BAND SAW** | |
|---|---|
| **MODEL** | **SH5027** |
| Motor | 1100/2200W(380V) |
| Blade size | 2950x27x0.9mm |
| Blade speed | 72/36m/min |
| The bow swivel degree | -45~+60degeree |
| Cutting capacity at 90 degree | 270mm 260x260mm 350x240mm |
| Cutting capacity at 45 degree | 230mm 210x210mm 230x150mm |
| Cutting capacity at 60 degree | 140mm 140x140mm |
| Cutting capacity at -45 degree | 200mm 170x170mm 200x140mm |
| Table height | 950mm |
| N.W./G.W. | 446/551kgs |
| Packing size | 1770x960x1180mm;1160x550x210mm |
| Unit/20' container | 12pcs |

| |
|---|
| **CHINA SHOOT MACHINERY CO.,LIMITED** |
| **E-mail: qujun@shootmachine.com,shootmachine@gmail.com** |
| **Website: www.shootmachine.com, www.shootmachine.cn** |
| **Tel: +86 535 4314888, 4222377** |
| **Fax: +86 535 4314888** |
| **Skype ID: ytmptrade, QQ: 1592903460** |


| **6" BELT & 9" DISC SANDER** | |
|---|---|
| **MODEL** | **SH2315** |
| Motor | 550W(750W) |
| Belt size | 150x1219mm(6"x48") |
| Disc size | 228mm(9") |
| Belt speed | 330m/min(50HZ) 395m/min(60HZ) |
| Disc speed | 1400r/min(50HZ) 1700r/min(60HZ) |
| N.W./G.W. | 51/54kgs |
| Packing size | 700x450x380mm |
| Unit/20' container | 252pcs |

| |
|---|
| **CHINA SHOOT MACHINERY CO.,LIMITED** |
| **E-mail: qujun@shootmachine.com,shootmachine@gmail.com** |
| **Website: www.shootmachine.com, www.shootmachine.cn** |
| **Tel: +86 535 4314888, 4222377** |
| **Fax: +86 535 4314888** |
| **Skype ID: ytmptrade, QQ: 1592903460** |


| **6" BELT & 10" DISC SANDER** | |
|---|---|
| **MODEL** | **SH2515** |
| Motor | 750W |
| Belt size | 152x1219mm |
| Disc size | 254mm |
| Table size | 310x203mm |
| Belt speed | 517m/min(50HZ) |
| Disc speed | 1400r/min(50HZ) |
| N.W./G.W. | 48/52kgs |
| Packing size | 720x410x440mm |
| Unit/20' container | 210pcs |

| |
|---|
| **CHINA SHOOT MACHINERY CO.,LIMITED** |
| **E-mail: qujun@shootmachine.com,shootmachine@gmail.com** |
| **Website: www.shootmachine.com, www.shootmachine.cn** |
| **Tel: +86 535 4314888, 4222377** |
| **Fax: +86 535 4314888** |
| **Skype ID: ytmptrade, QQ: 1592903460** |


| **Horizontal & vertical sander** | |
|---|---|
| **MODEL** | **SH436** |
| Motor | 370W |
| Belt size | 100x914mm |
| Table size | 210x203mm |
| Side table size | 300x210mm |
| N.W./G.W. | 28/30kgs |
| Packing size | 600x460x450mm |
| Unit/20' container | 240pcs |

| |
|---|
| **CHINA SHOOT MACHINERY CO.,LIMITED** |
| **E-mail: qujun@shootmachine.com,shootmachine@gmail.com** |
| **Website: www.shootmachine.com, www.shootmachine.cn** |
| **Tel: +86 535 4314888, 4222377** |
| **Fax: +86 535 4314888** |
| **Skype ID: ytmptrade, QQ: 1592903460** |


| **Gear grinding machine** | |
|---|---|
| **MODEL** | **SHJM-1** |
| Grinding blade's width | 6-75mm |
| Grinding range between teeth | 2-30mm |
| Grinding speed | 0-63teeth/min |
| Grinding motor | 250W(220V/50HZ) |
| Feed motor | 15W(220V/50HZ) |
| Grinding wheel size | 150(32)x10mm |
| Grinding wheel speed | 2800rpm |
| N.W./G.W. | 32.5/34.5kgs |
| Packing size | 650x460x460mm |
| Unit/20' container | 225pcs |

| |
|---|
| **CHINA SHOOT MACHINERY CO.,LIMITED** |
| **E-mail: qujun@shootmachine.com,shootmachine@gmail.com** |
| **Website: www.shootmachine.com, www.shootmachine.cn** |
| **Tel: +86 535 4314888, 4222377** |
| **Fax: +86 535 4314888** |
| **Skype ID: ytmptrade, QQ: 1592903460** |


| **Edge banding machine** | |
|---|---|
| **MODEL** | **SH-BNB-1** |
| Base size | 670x360mm |
| Hot air gun POS I | 1000W 350℃ 300l/min |
| Hot air gun POS II | 2000W 550℃ 500l/min |
| N.W./G.W. | 10/11.5kgs |
| Packing size | 690x380x190mm |
| Unit/20' container | 612pcs |

| |
|---|
| **CHINA SHOOT MACHINERY CO.,LIMITED** |
| **E-mail: qujun@shootmachine.com,shootmachine@gmail.com** |
| **Website: www.shootmachine.com, www.shootmachine.cn** |
| **Tel: +86 535 4314888, 4222377** |
| **Fax: +86 535 4314888** |
| **Skype ID: ytmptrade, QQ: 1592903460** |


| **Roll & ball stand** | |
|---|---|
| **MODEL** | **SH-BR1/B5-01** |
| Roller diameter | 50mm |
| Number of roller | 1 |
| Steel housing length | 410mm |
| Ball diameter | 25.4mm |
| Number of balls | 5 |
| N.W./G.W. | 8/9kgs |
| Packing size | 740x230x210mm |
| Unit/20' container | 825pcs |

滚子与钢球可相互转换
高度自由调节 从710到1030mm

Ball rollers allow feeding from any direction
Easily height adjust From710 to 1030mm

| |
|---|
| **CHINA SHOOT MACHINERY CO.,LIMITED** |
| **E-mail: qujun@shootmachine.com,shootmachine@gmail.com** |
| **Website: www.shootmachine.com, www.shootmachine.cn** |
| **Tel: +86 535 4314888, 4222377** |
| **Fax: +86 535 4314888** |
| **Skype ID: ytmptrade, QQ: 1592903460** |


| **Router table** | |
|---|---|
| **MODEL** | **SH-BXZ-3** |
| Main table surface | 784x250mm |
| Sliding table surface | 784x310mm |
| Table height | 850mm |
| Fence size | 270x50mm |
| Table inserts | 100/60mm 100/29mm |
| Dust chute size | 50mm |
| N.W./G.W. | 56/59kgs |
| Packing size | 880x650x210mm |
| Unit/20' container | 210pcs |

| |
|---|
| **CHINA SHOOT MACHINERY CO.,LIMITED** |
| **E-mail: qujun@shootmachine.com,shootmachine@gmail.com** |
| **Website: www.shootmachine.com, www.shootmachine.cn** |
| **Tel: +86 535 4314888, 4222377** |
| **Fax: +86 535 4314888** |
| **Skype ID: ytmptrade, QQ: 1592903460** |


| **Router table** | |
|---|---|
| **MODEL** | **SH-BX-6** |
| Table size | 680x510mm |
| Table thickness | 40mm |
| Table height | 860mm |
| Table inserts | 100/60mm 100/29mm |
| Dust chute size | 100mm |
| N.W./G.W. | 53/56kgs |
| Packing size | 860x640x220mm |
| Unit/20' container | 231pcs |