



SHUTTLE PERSONNEL CARRIER


Suzhou Eagle
EAGLE
Suzhou Eagle Electric Vehicle Manufacturing



EG6088K



Model	EG6088K	EG6118KA
Passenger Capacity	8	11
Motor Power (kW)	3 / 5	5
Voltage (V)	48	48
Range (loaded)(km)	70	60
Max. speed (km/h)	40	40
Min. Turning Radius (m)	4.5	4.5
Climbing Ability (loaded)	20%	20%
Overall Dimension (mm)	4270×1490×2050	4270×1490×2050



EG6118KA



Shuttle personnel carrier

SHUTTLE PERSONNEL CARRIER



EG6118KB



Model	EG6118KB	EG6158K
Passenger Capacity	11	14
Motor Power (kW)	5	5
Voltage (V)	72V/48V	72V/48V
Range (loaded)(km)	80/100	80/100
Max. speed (km/h)	45/40	45/40
Min. Turning Radius (m)	6	6
Climbing Ability (loaded)	25%/20%	25%/20%
Overall Dimension (mm)	5020 X 1490 X 2100	5020 X 1490 X 2900

EG6158K



Shuttle personnel carrier

Electric bus train



EG6158T WITH TRAILER



Model	EG6118TB WITH TRAILER	EG6158T WITH TRAILER
Passenger Capacity	23	29
Motor Power (KW)	6.3	6.3
Voltage (V)	72V	72V
Range (loaded)(km)	70	70
Max. speed (km/h)	40	40
Climbing Ability (loaded)	15%	15%

Suzhou Eagle
EAGLE
Suzhou Eagle Electric Vehicle Manufacturing



EG6118TB WITH TRAILER



Electric bus train