

LP International Industries Co. Ltd

樂為國際實業有限公司

Professional Remote Control & Led Lighting Manufacture

Email: info@Lpinte.com

Website: www.Lpinte.com



Remote Controller Catalogue

2020 REV01

Applications:

Audio/TV/Music/Radio/Ipod/Player/STB/SKY...

Waterproof LCD TVs, Outdoor TVs, Spa TVs...

Led lights, RGB lights, Electric parts, Auto Parts, Switch button...

Camera Shutter

PC Computers

And others what's you want to controls.....

Customized remotes

Customized remotes are totally original remote controls that match your product or brand identity.

They can be designed by your specifications or styled and developed by calling on the experience and skills of LPINTEs' designers and engineers.

With your uniquely created remote control, you can improve your brand awareness drastically.

After all, the remote is what the user holds in it's hand when controlling your device...

In case you want to enhance your customer's brand experience with your own customized remote, please don't hesitate to contact us. One of our account managers will get in touch with you.



Waterproof Remote Control Series



LPI-W053

Small form factor remote control

Waterproof IP67

IR Remote Controller

Application: Bathroom LCD TV, Steam Room TV...

OEM & ODM are welcome

Specifications

Number of keys	1~53
Dimensions	175x52x12mm
Case	ABS Plastic
Buttons Type	PET Membrane
Textplate	YES
Weight (incl. batteries)	53g
Battery	DC3.0V/CR2032



LPI-W061

Small form factor remote control

Waterproof IP67

IR Remote Controller

Application: Bathroom LCD TV, Steam Room TV...

OEM & ODM are welcome

Specifications

Number of keys	1-61
Dimensions	205x52x12mm
Case	ABS Plastic
Buttons Type	PET Membrane
Textplate	YES
Weight (incl. batteries)	75g

LPI-W061B-SEURA



LPI-W061B

Small form factor remote control

Waterproof IP67

IR Remote Controller

Application: Bathroom LCD TV, Steam Room TV...

OEM & ODM are welcome

Specifications

Number of keys	1-53
Dimensions	205x52x12mm
Case	ABS Plastic
Buttons Type	PET Membrane
Textplate	YES
Weight (incl. batteries)	75g
Battery	DC3.0V/CR2032





Waterproof Universal TV/SAT/DVD and Learning Remote Control

Universal TV/SAT/DVD Remote Controls with more than thousands of brands

TVs: More than thousands of Brands as Sony, Samsung, HITACHI, JVC, PHILIPS, ECHOSTAR...

DVD/SAT/SKYs...

Learning Function which idea for your special device

Waterproof IP67

MODEL	LPI-W053-UPRCU-V4
Dimensions	175x52x12mm
Weight (incl. batteries)	53g
Battery	DC3.0V/CR2032



IP67 WATERPROOF REMOTE CONTROL
UNIVERSAL + LEARNING


MODEL	LPI-W061B-UPRCU-V4
Dimensions	205x52x12mm
Weight (incl. batteries)	70g
Battery	DC3.0V/CR2032



LPI-W061B-V4.0

info@lpinte.com

MODEL	LPI-URCU-032(Weatherproof)
Dimensions	90x50x9mm
Weight (incl. batteries)	23g
Battery	DC3.0V/CR2032





	<p>LPI-M10</p> <p>Small form factor remote control Slim Design and switch button IR Remote Controller Application: led light, hood Down Kitchen Lighting, Ipod and others OEM & ODM are welcome</p> <p>Specifications</p> <table><tr><td>Number of keys</td><td>1~10 keys</td></tr><tr><td>Dimensions</td><td>98x47x8mm</td></tr><tr><td>Case</td><td>ABS Plastic</td></tr><tr><td>Buttons Type</td><td>PET Membrane</td></tr><tr><td>Textplate</td><td>YES</td></tr><tr><td>Weight (incl. batteries)</td><td>23g</td></tr><tr><td>Battery</td><td>DC3.0V/CR2025 (Include)</td></tr></table>	Number of keys	1~10 keys	Dimensions	98x47x8mm	Case	ABS Plastic	Buttons Type	PET Membrane	Textplate	YES	Weight (incl. batteries)	23g	Battery	DC3.0V/CR2025 (Include)
Number of keys	1~10 keys														
Dimensions	98x47x8mm														
Case	ABS Plastic														
Buttons Type	PET Membrane														
Textplate	YES														
Weight (incl. batteries)	23g														
Battery	DC3.0V/CR2025 (Include)														
	<p>LPI-M08</p> <p>Small form factor remote control Slim Design and metal dome button IR Remote Controller Application: Audio, RGB Led Light, Ipod, GPS, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table><tr><td>Number of keys</td><td>1~8keys</td></tr><tr><td>Dimensions</td><td>56X40X8mm</td></tr><tr><td>Case</td><td>ABS Plastic</td></tr><tr><td>Buttons Type</td><td>PET Membrane</td></tr><tr><td>Textplate</td><td>YES</td></tr><tr><td>Weight (incl. batteries)</td><td>9g</td></tr><tr><td>Battery</td><td>DC3.0V/CR2025 (Include)</td></tr></table>	Number of keys	1~8keys	Dimensions	56X40X8mm	Case	ABS Plastic	Buttons Type	PET Membrane	Textplate	YES	Weight (incl. batteries)	9g	Battery	DC3.0V/CR2025 (Include)
Number of keys	1~8keys														
Dimensions	56X40X8mm														
Case	ABS Plastic														
Buttons Type	PET Membrane														
Textplate	YES														
Weight (incl. batteries)	9g														
Battery	DC3.0V/CR2025 (Include)														
	<p>LPI-M08C Polished</p> <p>Small form factor remote control Slim Design and flexible PET button IR Remote Controller Application: Audio, RGB Led Light, Ipod, GPS, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table><tr><td>Number of keys</td><td>1~8 keys</td></tr><tr><td>Dimensions</td><td>126x45x26mm</td></tr><tr><td>Case</td><td>ABS Plastic, Polish finish</td></tr><tr><td>Buttons Type</td><td>PET Membrane</td></tr><tr><td>Textplate</td><td>YES</td></tr><tr><td>Weight (excl. batteries)</td><td>46g</td></tr><tr><td>Battery</td><td>DC3.0V/AAA*2 (not include)</td></tr></table>	Number of keys	1~8 keys	Dimensions	126x45x26mm	Case	ABS Plastic, Polish finish	Buttons Type	PET Membrane	Textplate	YES	Weight (excl. batteries)	46g	Battery	DC3.0V/AAA*2 (not include)
Number of keys	1~8 keys														
Dimensions	126x45x26mm														
Case	ABS Plastic, Polish finish														
Buttons Type	PET Membrane														
Textplate	YES														
Weight (excl. batteries)	46g														
Battery	DC3.0V/AAA*2 (not include)														
	<p>LPI-M10</p> <p>Small form factor remote control Slim Design and flexible PET button IR Remote Controller Application: Audio, RGB Led Light, Ipod, GPS, TV, Camera shutter OEM & ODM are welcome</p> <p>Specifications</p> <table><tr><td>Number of keys</td><td>1~12</td></tr><tr><td>Dimensions</td><td>102x42x10mm</td></tr><tr><td>Case</td><td>ABS Plastic</td></tr><tr><td>Buttons Type</td><td>PET Membrane</td></tr><tr><td>Textplate</td><td>YES</td></tr><tr><td>Weight (incl. batteries)</td><td>25g</td></tr><tr><td>Battery</td><td>DC3.0V/CR2025 (Include)</td></tr></table>	Number of keys	1~12	Dimensions	102x42x10mm	Case	ABS Plastic	Buttons Type	PET Membrane	Textplate	YES	Weight (incl. batteries)	25g	Battery	DC3.0V/CR2025 (Include)
Number of keys	1~12														
Dimensions	102x42x10mm														
Case	ABS Plastic														
Buttons Type	PET Membrane														
Textplate	YES														
Weight (incl. batteries)	25g														
Battery	DC3.0V/CR2025 (Include)														
	<p>LPI-M12</p> <p>Small form factor remote control Slim Design and flexible PET button IR Remote Controller Application: Audio, GPS, Digital products, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table><tr><td>Number of keys</td><td>1~12</td></tr><tr><td>Dimensions</td><td>87x34x8mm</td></tr><tr><td>Case</td><td>ABS Plastic</td></tr><tr><td>Buttons Type</td><td>PET Membrane</td></tr><tr><td>Textplate</td><td>YES</td></tr><tr><td>Weight (incl. batteries)</td><td>16g</td></tr><tr><td>Battery</td><td>DC3.0V/CR2025 (Include)</td></tr></table>	Number of keys	1~12	Dimensions	87x34x8mm	Case	ABS Plastic	Buttons Type	PET Membrane	Textplate	YES	Weight (incl. batteries)	16g	Battery	DC3.0V/CR2025 (Include)
Number of keys	1~12														
Dimensions	87x34x8mm														
Case	ABS Plastic														
Buttons Type	PET Membrane														
Textplate	YES														
Weight (incl. batteries)	16g														
Battery	DC3.0V/CR2025 (Include)														

	<p>LPI-M21 Small form factor remote control Slim Design,Silicone button IR Remote Controller Application: Audio,GPS, Didital products, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr><td>Number of keys</td><td>1~21</td></tr> <tr><td>Dimensions</td><td>87x40x8mm</td></tr> <tr><td>Case</td><td>ABS Plastic</td></tr> <tr><td>Buttons Type</td><td>PET Membrane</td></tr> <tr><td>Textplate</td><td>YES</td></tr> <tr><td>Weight (incl. batteries)</td><td>17g</td></tr> <tr><td>Battery</td><td>DC3.0V/CR2025 (Include)</td></tr> </table>	Number of keys	1~21	Dimensions	87x40x8mm	Case	ABS Plastic	Buttons Type	PET Membrane	Textplate	YES	Weight (incl. batteries)	17g	Battery	DC3.0V/CR2025 (Include)
Number of keys	1~21														
Dimensions	87x40x8mm														
Case	ABS Plastic														
Buttons Type	PET Membrane														
Textplate	YES														
Weight (incl. batteries)	17g														
Battery	DC3.0V/CR2025 (Include)														
	<p>LPI-M32 Small form factor remote control IR Remote Controller Application: Audio,GPS, Didital products, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr><td>Number of keys</td><td>1-32</td></tr> <tr><td>Dimensions</td><td>87x54x8mm</td></tr> <tr><td>Case</td><td>ABS Plastic</td></tr> <tr><td>Buttons Type</td><td>PET Membrane</td></tr> <tr><td>Textplate</td><td>YES</td></tr> <tr><td>Weight (incl. batteries)</td><td>21g</td></tr> <tr><td>Battery</td><td>DC3.0V/CR2025 (Include)</td></tr> </table>	Number of keys	1-32	Dimensions	87x54x8mm	Case	ABS Plastic	Buttons Type	PET Membrane	Textplate	YES	Weight (incl. batteries)	21g	Battery	DC3.0V/CR2025 (Include)
Number of keys	1-32														
Dimensions	87x54x8mm														
Case	ABS Plastic														
Buttons Type	PET Membrane														
Textplate	YES														
Weight (incl. batteries)	21g														
Battery	DC3.0V/CR2025 (Include)														
	<p>LPI-M32B Small form factor remote control Slim Design,Silicone button IR Remote Controller Application: Audio,GPS, Didital products, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr><td>Number of keys</td><td>1~32 Keys</td></tr> <tr><td>Dimensions</td><td>94x52x8mm</td></tr> <tr><td>Case</td><td>ABS Plastic</td></tr> <tr><td>Buttons Type</td><td>PET Membrane</td></tr> <tr><td>Textplate</td><td>YES</td></tr> <tr><td>Weight (incl. batteries)</td><td>23g</td></tr> <tr><td>Battery</td><td>DC3.0V/CR2025 (Include)</td></tr> </table>	Number of keys	1~32 Keys	Dimensions	94x52x8mm	Case	ABS Plastic	Buttons Type	PET Membrane	Textplate	YES	Weight (incl. batteries)	23g	Battery	DC3.0V/CR2025 (Include)
Number of keys	1~32 Keys														
Dimensions	94x52x8mm														
Case	ABS Plastic														
Buttons Type	PET Membrane														
Textplate	YES														
Weight (incl. batteries)	23g														
Battery	DC3.0V/CR2025 (Include)														
	<p>LPI-M44 Small form factor remote control IR Remote Controller Application: Audio,GPS, Didital products, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr><td>Number of keys</td><td>1~44</td></tr> <tr><td>Dimensions</td><td>124x54x8mm</td></tr> <tr><td>Case</td><td>ABS Plastic</td></tr> <tr><td>Buttons Type</td><td>PET Membrane</td></tr> <tr><td>Textplate</td><td>YES</td></tr> <tr><td>Weight (incl. batteries)</td><td>31g</td></tr> <tr><td>Battery</td><td>DC3.0V/CR2025 (Include)</td></tr> </table>	Number of keys	1~44	Dimensions	124x54x8mm	Case	ABS Plastic	Buttons Type	PET Membrane	Textplate	YES	Weight (incl. batteries)	31g	Battery	DC3.0V/CR2025 (Include)
Number of keys	1~44														
Dimensions	124x54x8mm														
Case	ABS Plastic														
Buttons Type	PET Membrane														
Textplate	YES														
Weight (incl. batteries)	31g														
Battery	DC3.0V/CR2025 (Include)														
	<p>LPI-W053 Small form factor remote control Slim Design,Silicone button IR Remote Controller Application: Audio,GPS, Didital products, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr><td>Number of keys</td><td>1~53 keys</td></tr> <tr><td>Dimensions</td><td>175x52x12mm</td></tr> <tr><td>Case</td><td>ABS Plastic</td></tr> <tr><td>Buttons Type</td><td>PET Membrane</td></tr> <tr><td>Textplate</td><td>YES</td></tr> <tr><td>Weight (incl. batteries)</td><td>46g</td></tr> <tr><td>Battery</td><td>DC3.0V/CR2032 (Include)</td></tr> </table> <div data-bbox="1228 1848 1468 2083">  </div>	Number of keys	1~53 keys	Dimensions	175x52x12mm	Case	ABS Plastic	Buttons Type	PET Membrane	Textplate	YES	Weight (incl. batteries)	46g	Battery	DC3.0V/CR2032 (Include)
Number of keys	1~53 keys														
Dimensions	175x52x12mm														
Case	ABS Plastic														
Buttons Type	PET Membrane														
Textplate	YES														
Weight (incl. batteries)	46g														
Battery	DC3.0V/CR2032 (Include)														

	<p>LPI-W061 Polished</p> <p>Small form factor remote control Slim Design,Silicone button IR Remote Controller Application: Audio,GPS, Didital products, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr> <td>Number of keys</td><td>1~61</td></tr> <tr> <td>Dimensions</td><td>205x52x12mm</td></tr> <tr> <td>Case</td><td>ABS Plastic</td></tr> <tr> <td>Buttons Type</td><td>Silicone Button</td></tr> <tr> <td>Textplate</td><td>YES</td></tr> <tr> <td>Weight (incl. batteries)</td><td>66g</td></tr> <tr> <td>Battery</td><td>DC3.0V/CR2032 (Include)</td></tr> </table>	Number of keys	1~61	Dimensions	205x52x12mm	Case	ABS Plastic	Buttons Type	Silicone Button	Textplate	YES	Weight (incl. batteries)	66g	Battery	DC3.0V/CR2032 (Include)
Number of keys	1~61														
Dimensions	205x52x12mm														
Case	ABS Plastic														
Buttons Type	Silicone Button														
Textplate	YES														
Weight (incl. batteries)	66g														
Battery	DC3.0V/CR2032 (Include)														
	<p>LPI-R04</p> <p>Small form factor remote control Slim Design,Silicone button IR Remote Controller Application: Audio,GPS, Didital products, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr> <td>Number of keys</td><td>4 Keys</td></tr> <tr> <td>Dimensions</td><td>110x50x12mm</td></tr> <tr> <td>Case</td><td>ABS Plastic</td></tr> <tr> <td>Buttons Type</td><td>Silicone Button</td></tr> <tr> <td>Textplate</td><td>YES</td></tr> <tr> <td>Weight (incl. batteries)</td><td>33g</td></tr> <tr> <td>Battery</td><td>DC3.0V/CR2032 (Include)</td></tr> </table>	Number of keys	4 Keys	Dimensions	110x50x12mm	Case	ABS Plastic	Buttons Type	Silicone Button	Textplate	YES	Weight (incl. batteries)	33g	Battery	DC3.0V/CR2032 (Include)
Number of keys	4 Keys														
Dimensions	110x50x12mm														
Case	ABS Plastic														
Buttons Type	Silicone Button														
Textplate	YES														
Weight (incl. batteries)	33g														
Battery	DC3.0V/CR2032 (Include)														
	<p>LPI-R06 Case polished</p> <p>Slim Design,Silicone button IR Remote Controller Application: Audio,GPS, Didital products, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr> <td>Number of keys</td><td>1~6 Keys</td></tr> <tr> <td>Dimensions</td><td>108x45x20mm</td></tr> <tr> <td>Case</td><td>ABS Plastic,Polish finish</td></tr> <tr> <td>Buttons Type</td><td>Silicone Button</td></tr> <tr> <td>Textplate</td><td>YES</td></tr> <tr> <td>Weight (excl. batteries)</td><td>40g</td></tr> <tr> <td>Battery</td><td>DC3.0V/AAA*2 (not include)</td></tr> </table>	Number of keys	1~6 Keys	Dimensions	108x45x20mm	Case	ABS Plastic,Polish finish	Buttons Type	Silicone Button	Textplate	YES	Weight (excl. batteries)	40g	Battery	DC3.0V/AAA*2 (not include)
Number of keys	1~6 Keys														
Dimensions	108x45x20mm														
Case	ABS Plastic,Polish finish														
Buttons Type	Silicone Button														
Textplate	YES														
Weight (excl. batteries)	40g														
Battery	DC3.0V/AAA*2 (not include)														
	<p>LPI-R07</p> <p>Small form factor remote control IR Remote Controller Application: Audio,GPS, Didital products, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr> <td>Number of keys</td><td>7 keys</td></tr> <tr> <td>Dimensions</td><td>75x40x12mm</td></tr> <tr> <td>Case</td><td>ABS Plastic</td></tr> <tr> <td>Buttons Type</td><td>PET Membrane</td></tr> <tr> <td>Textplate</td><td>YES</td></tr> <tr> <td>Weight (incl. batteries)</td><td>38g</td></tr> <tr> <td>Battery</td><td>DC3.0V/CR2025 (Include)</td></tr> </table>	Number of keys	7 keys	Dimensions	75x40x12mm	Case	ABS Plastic	Buttons Type	PET Membrane	Textplate	YES	Weight (incl. batteries)	38g	Battery	DC3.0V/CR2025 (Include)
Number of keys	7 keys														
Dimensions	75x40x12mm														
Case	ABS Plastic														
Buttons Type	PET Membrane														
Textplate	YES														
Weight (incl. batteries)	38g														
Battery	DC3.0V/CR2025 (Include)														
	<p>LPI-R07B/R10B/R13B with holder</p> <p>Small form factor remote control</p> <p>IR Remote Controller Application: Bathroom LCD TV, Steam Room TV... OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr> <td>Number of keys</td><td>7Keys/10Keys/13 keys</td></tr> <tr> <td>Dimensions</td><td>142x48x20mm</td></tr> <tr> <td>Case</td><td>ABS Plastic</td></tr> <tr> <td>Buttons Type</td><td>Silicone Button</td></tr> <tr> <td>Textplate</td><td>YES</td></tr> <tr> <td>Weight (excl. batteries)</td><td>49g</td></tr> <tr> <td>Battery</td><td>DC3.0V/AAA*2 (not include)</td></tr> </table>	Number of keys	7Keys/10Keys/13 keys	Dimensions	142x48x20mm	Case	ABS Plastic	Buttons Type	Silicone Button	Textplate	YES	Weight (excl. batteries)	49g	Battery	DC3.0V/AAA*2 (not include)
Number of keys	7Keys/10Keys/13 keys														
Dimensions	142x48x20mm														
Case	ABS Plastic														
Buttons Type	Silicone Button														
Textplate	YES														
Weight (excl. batteries)	49g														
Battery	DC3.0V/AAA*2 (not include)														



LPI-R12 with holder

Small form factor remote control

IR Remote Controller

Application: Bathroom LCD TV, Steam Room TV...

OEM & ODM are welcome

Specifications

Number of keys	7Keys/10Keys/13 keys
Dimensions	106x44x12mm
Case	ABS Plastic
Buttons Type	Silicone Button
Textplate	YES
Weight (excl. batteries)	29g
Battery	DC3.0V/CR2025 (Include)



LPI-R08/R10/R13 with holder

Small form factor remote control


IR Remote Controller

Application: Bathroom LCD TV, Steam Room TV...

OEM & ODM are welcome

Specifications

Number of keys	8Keys/10Keys/13 keys
Dimensions	150x38x15.5mm
Case	ABS Plastic
Buttons Type	Silicone Button
Textplate	YES
Weight (excl. batteries)	35g
Battery	DC3.0V/AAA*2 (not include)



LPI-A13

Small form factor remote control

Slim Design, Silicone button

IR Remote Controller

Application: Audio, GPS, Digital products, TV...

OEM & ODM are welcome

Specifications

Number of keys	1~13
Dimensions	121X36X9.5MM
Case	Aluminous house
Buttons Type	PET Membrane
Textplate	YES
Weight (excl. batteries)	35.5g
Battery	DC3.0V/CR2032 (Include)



LPI-R16

Small form factor remote control

IR Remote Controller

Application: Bathroom LCD TV, Steam Room TV...

OEM & ODM are welcome

Specifications

Number of keys	16 Keys
Dimensions	135x35x11mm
Case	ABS Plastic
Buttons Type	Silicone Button
Textplate	YES
Weight (incl. batteries)	50g
Battery	DC3.0V/CR2025 (Include)



LPI-R16B

Small form factor remote control

Slim Design, Silicone button

IR Remote Controller

Application: Audio, GPS, Digital products, TV...

OEM & ODM are welcome

Specifications

Number of keys	5~16Keys
Dimensions	88x40x10mm
Case	ABS Plastic
Buttons Type	Silicone Button
Textplate	YES
Weight (incl. batteries)	23g
Battery	DC3.0V/CR2025 (Include)

	<p>LPI-R21C</p> <p>Slim wireless remote instantly triggers shutter IR Remote Controller Application:Nikon/Sony/Canon/Olympus/Pentax OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr> <td>Number of keys</td><td>21 Keys</td></tr> <tr> <td>Dimensions</td><td>145x42x18mm</td></tr> <tr> <td>Case</td><td>ABS Plastic</td></tr> <tr> <td>Buttons Type</td><td>Silicone Button</td></tr> <tr> <td>Textplate</td><td>YES</td></tr> <tr> <td>Weight (excl. batteries)</td><td>42g</td></tr> <tr> <td>Battery</td><td>DC3.0V/AAA*2 (not include)</td></tr> </table>	Number of keys	21 Keys	Dimensions	145x42x18mm	Case	ABS Plastic	Buttons Type	Silicone Button	Textplate	YES	Weight (excl. batteries)	42g	Battery	DC3.0V/AAA*2 (not include)
Number of keys	21 Keys														
Dimensions	145x42x18mm														
Case	ABS Plastic														
Buttons Type	Silicone Button														
Textplate	YES														
Weight (excl. batteries)	42g														
Battery	DC3.0V/AAA*2 (not include)														
	<p>LPI-R17</p> <p>Slim Design,Silicone button IR Remote Controller Application: Audio,GPS, Didital products, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr> <td>Number of keys</td><td>1~17Keys</td></tr> <tr> <td>Dimensions</td><td>95x45x12mm</td></tr> <tr> <td>Case</td><td>ABS Plastic</td></tr> <tr> <td>Buttons Type</td><td>Silicone Button</td></tr> <tr> <td>Textplate</td><td>YES</td></tr> <tr> <td>Weight (excl. batteries)</td><td>30g</td></tr> <tr> <td>Battery</td><td>DC3.0V/CR2025 (Include)</td></tr> </table>	Number of keys	1~17Keys	Dimensions	95x45x12mm	Case	ABS Plastic	Buttons Type	Silicone Button	Textplate	YES	Weight (excl. batteries)	30g	Battery	DC3.0V/CR2025 (Include)
Number of keys	1~17Keys														
Dimensions	95x45x12mm														
Case	ABS Plastic														
Buttons Type	Silicone Button														
Textplate	YES														
Weight (excl. batteries)	30g														
Battery	DC3.0V/CR2025 (Include)														
	<p>LPI-R18</p> <p>Slim wireless remote instantly triggers shutter IR Remote Controller Application:Nikon/Sony/Canon/Olympus/Pentax OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr> <td>Number of keys</td><td>1~18 Keys</td></tr> <tr> <td>Dimensions</td><td>145x42x18mm</td></tr> <tr> <td>Case</td><td>ABS Plastic</td></tr> <tr> <td>Buttons Type</td><td>Silicone Button</td></tr> <tr> <td>Textplate</td><td>YES</td></tr> <tr> <td>Weight (excl. batteries)</td><td>42g</td></tr> <tr> <td>Battery</td><td>DC3.0V/AAA*2 (not include)</td></tr> </table>	Number of keys	1~18 Keys	Dimensions	145x42x18mm	Case	ABS Plastic	Buttons Type	Silicone Button	Textplate	YES	Weight (excl. batteries)	42g	Battery	DC3.0V/AAA*2 (not include)
Number of keys	1~18 Keys														
Dimensions	145x42x18mm														
Case	ABS Plastic														
Buttons Type	Silicone Button														
Textplate	YES														
Weight (excl. batteries)	42g														
Battery	DC3.0V/AAA*2 (not include)														
	<p>LPI-R19</p> <p>Small form factor remote control Slim Design,Silicone button IR Remote Controller Application: Audio,GPS, Didital products, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr> <td>Number of keys</td><td>7~19Keys</td></tr> <tr> <td>Dimensions</td><td>160X45X23MM</td></tr> <tr> <td>Case</td><td>ABS Plastic with keychain hole</td></tr> <tr> <td>Buttons Type</td><td>Silicone Button</td></tr> <tr> <td>Textplate</td><td>YES</td></tr> <tr> <td>Weight (excl. batteries)</td><td>47g</td></tr> <tr> <td>Battery</td><td>DC3.0V/AAA*2 (not include)</td></tr> </table>	Number of keys	7~19Keys	Dimensions	160X45X23MM	Case	ABS Plastic with keychain hole	Buttons Type	Silicone Button	Textplate	YES	Weight (excl. batteries)	47g	Battery	DC3.0V/AAA*2 (not include)
Number of keys	7~19Keys														
Dimensions	160X45X23MM														
Case	ABS Plastic with keychain hole														
Buttons Type	Silicone Button														
Textplate	YES														
Weight (excl. batteries)	47g														
Battery	DC3.0V/AAA*2 (not include)														
	<p>LPI-R21B</p> <p>Small form factor remote control Slim Design,Silicone button IR Remote Controller Application: Audio,GPS, Didital products, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr> <td>Number of keys</td><td>1~21</td></tr> <tr> <td>Dimensions</td><td>87x40x10mm</td></tr> <tr> <td>Case</td><td>ABS Plastic</td></tr> <tr> <td>Buttons Type</td><td>Silicone Button</td></tr> <tr> <td>Textplate</td><td>YES</td></tr> <tr> <td>Weight (incl. batteries)</td><td>46g</td></tr> <tr> <td>Battery</td><td>DC3.0V/CR2025 (Include)</td></tr> </table>	Number of keys	1~21	Dimensions	87x40x10mm	Case	ABS Plastic	Buttons Type	Silicone Button	Textplate	YES	Weight (incl. batteries)	46g	Battery	DC3.0V/CR2025 (Include)
Number of keys	1~21														
Dimensions	87x40x10mm														
Case	ABS Plastic														
Buttons Type	Silicone Button														
Textplate	YES														
Weight (incl. batteries)	46g														
Battery	DC3.0V/CR2025 (Include)														

	<p>LPI-R29</p> <p>Small form factor remote control Slim Design,Silicone button IR Remote Controller Application: Audio,GPS, Didital products, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr> <td>Number of keys</td><td>1~29</td></tr> <tr> <td>Dimensions</td><td>148x50x16mm</td></tr> <tr> <td>Case</td><td>ABS Plastic</td></tr> <tr> <td>Buttons Type</td><td>Silicone Button</td></tr> <tr> <td>Textplate</td><td>YES</td></tr> <tr> <td>Weight (excl. batteries)</td><td>67g</td></tr> <tr> <td>Battery</td><td>DC3.0V/AAA*2 (not include)</td></tr> </table>	Number of keys	1~29	Dimensions	148x50x16mm	Case	ABS Plastic	Buttons Type	Silicone Button	Textplate	YES	Weight (excl. batteries)	67g	Battery	DC3.0V/AAA*2 (not include)
Number of keys	1~29														
Dimensions	148x50x16mm														
Case	ABS Plastic														
Buttons Type	Silicone Button														
Textplate	YES														
Weight (excl. batteries)	67g														
Battery	DC3.0V/AAA*2 (not include)														
	<p>LPI-R31</p> <p>Small form factor remote control Slim Design,Silicone button IR Remote Controller Application: Audio,GPS, Didital products, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr> <td>Number of keys</td><td>31 Keys</td></tr> <tr> <td>Dimensions</td><td>140x45x18mm</td></tr> <tr> <td>Case</td><td>ABS Plastic</td></tr> <tr> <td>Buttons Type</td><td>Silicone Button</td></tr> <tr> <td>Textplate</td><td>YES</td></tr> <tr> <td>Weight (excl. batteries)</td><td>44g</td></tr> <tr> <td>Battery</td><td>DC3.0V/AAA*2 (not include)</td></tr> </table>	Number of keys	31 Keys	Dimensions	140x45x18mm	Case	ABS Plastic	Buttons Type	Silicone Button	Textplate	YES	Weight (excl. batteries)	44g	Battery	DC3.0V/AAA*2 (not include)
Number of keys	31 Keys														
Dimensions	140x45x18mm														
Case	ABS Plastic														
Buttons Type	Silicone Button														
Textplate	YES														
Weight (excl. batteries)	44g														
Battery	DC3.0V/AAA*2 (not include)														
	<p>LPI-R32B</p> <p>Small form factor remote control IR Remote Controller Application: Audio,GPS, Didital products, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr> <td>Number of keys</td><td>23-32</td></tr> <tr> <td>Dimensions</td><td>160X45X23MM</td></tr> <tr> <td>Case</td><td>ABS Plastic</td></tr> <tr> <td>Buttons Type</td><td>Silicone Button</td></tr> <tr> <td>Textplate</td><td>YES</td></tr> <tr> <td>Weight (excl. batteries)</td><td>57g</td></tr> <tr> <td>Battery</td><td>DC3.0V/AAA*2 (not include)</td></tr> </table>	Number of keys	23-32	Dimensions	160X45X23MM	Case	ABS Plastic	Buttons Type	Silicone Button	Textplate	YES	Weight (excl. batteries)	57g	Battery	DC3.0V/AAA*2 (not include)
Number of keys	23-32														
Dimensions	160X45X23MM														
Case	ABS Plastic														
Buttons Type	Silicone Button														
Textplate	YES														
Weight (excl. batteries)	57g														
Battery	DC3.0V/AAA*2 (not include)														
	<p>LPI-R33</p> <p>Small form factor remote control IR Remote Controller Application: Audio,GPS, Didital products, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr> <td>Number of keys</td><td>33</td></tr> <tr> <td>Dimensions</td><td>170x50x25mm</td></tr> <tr> <td>Case</td><td>ABS Plastic</td></tr> <tr> <td>Buttons Type</td><td>Silicone Button</td></tr> <tr> <td>Textplate</td><td>YES</td></tr> <tr> <td>Weight (excl. batteries)</td><td>74g</td></tr> <tr> <td>Battery</td><td>DC3.0V/AAA*2 (not include)</td></tr> </table>	Number of keys	33	Dimensions	170x50x25mm	Case	ABS Plastic	Buttons Type	Silicone Button	Textplate	YES	Weight (excl. batteries)	74g	Battery	DC3.0V/AAA*2 (not include)
Number of keys	33														
Dimensions	170x50x25mm														
Case	ABS Plastic														
Buttons Type	Silicone Button														
Textplate	YES														
Weight (excl. batteries)	74g														
Battery	DC3.0V/AAA*2 (not include)														
	<p>LPI-R33B</p> <p>Small form factor remote control IR Remote Controller Application: Audio,GPS, Didital products, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr> <td>Number of keys</td><td>1-32 Keys</td></tr> <tr> <td>Dimensions</td><td>112x45x12mm</td></tr> <tr> <td>Case</td><td>ABS Plastic</td></tr> <tr> <td>Buttons Type</td><td>Silicone Button</td></tr> <tr> <td>Textplate</td><td>YES</td></tr> <tr> <td>Weight (excl. batteries)</td><td>52g</td></tr> <tr> <td>Battery</td><td>DC3.0V/CR2025 (Include)</td></tr> </table>	Number of keys	1-32 Keys	Dimensions	112x45x12mm	Case	ABS Plastic	Buttons Type	Silicone Button	Textplate	YES	Weight (excl. batteries)	52g	Battery	DC3.0V/CR2025 (Include)
Number of keys	1-32 Keys														
Dimensions	112x45x12mm														
Case	ABS Plastic														
Buttons Type	Silicone Button														
Textplate	YES														
Weight (excl. batteries)	52g														
Battery	DC3.0V/CR2025 (Include)														

	<p>LPI-R34</p> <p>Small form factor remote control Slim Design,Silicone button IR Remote Controller Application: Audio,GPS, Didital products, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr> <td>Number of keys</td><td>34 Keys</td></tr> <tr> <td>Dimensions</td><td>152x47x24mm</td></tr> <tr> <td>Case</td><td>ABS Plastic</td></tr> <tr> <td>Buttons Type</td><td>Silicone Button</td></tr> <tr> <td>Textplate</td><td>YES</td></tr> <tr> <td>Weight (excl. batteries)</td><td>57g</td></tr> <tr> <td>Battery</td><td>DC3.0V/AAA*2 (not include)</td></tr> </table>	Number of keys	34 Keys	Dimensions	152x47x24mm	Case	ABS Plastic	Buttons Type	Silicone Button	Textplate	YES	Weight (excl. batteries)	57g	Battery	DC3.0V/AAA*2 (not include)
Number of keys	34 Keys														
Dimensions	152x47x24mm														
Case	ABS Plastic														
Buttons Type	Silicone Button														
Textplate	YES														
Weight (excl. batteries)	57g														
Battery	DC3.0V/AAA*2 (not include)														
	<p>LPI-R34B</p> <p>Small form factor remote control Slim Design,Silicone button IR Remote Controller Application: Audio,GPS, Didital products, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr> <td>Number of keys</td><td>1~34 Keys</td></tr> <tr> <td>Dimensions</td><td>165x50x25mm</td></tr> <tr> <td>Case</td><td>ABS Plastic</td></tr> <tr> <td>Buttons Type</td><td>Silicone Button</td></tr> <tr> <td>Textplate</td><td>YES</td></tr> <tr> <td>Weight (excl. batteries)</td><td>50g</td></tr> <tr> <td>Battery</td><td>DC3.0V/AAA*2 (not include)</td></tr> </table>	Number of keys	1~34 Keys	Dimensions	165x50x25mm	Case	ABS Plastic	Buttons Type	Silicone Button	Textplate	YES	Weight (excl. batteries)	50g	Battery	DC3.0V/AAA*2 (not include)
Number of keys	1~34 Keys														
Dimensions	165x50x25mm														
Case	ABS Plastic														
Buttons Type	Silicone Button														
Textplate	YES														
Weight (excl. batteries)	50g														
Battery	DC3.0V/AAA*2 (not include)														
	<p>LPI-R35</p> <p>Small form factor remote control Slim Design,Silicone button IR Remote Controller Application: Audio,GPS, Didital products, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr> <td>Number of keys</td><td>35 Keys</td></tr> <tr> <td>Dimensions</td><td>120x40x20mm</td></tr> <tr> <td>Case</td><td>ABS Plastic</td></tr> <tr> <td>Buttons Type</td><td>Silicone Button</td></tr> <tr> <td>Textplate</td><td>N/A</td></tr> <tr> <td>Weight (excl. batteries)</td><td>38g</td></tr> <tr> <td>Battery</td><td>DC3.0V/AAA*2 (not include)</td></tr> </table>	Number of keys	35 Keys	Dimensions	120x40x20mm	Case	ABS Plastic	Buttons Type	Silicone Button	Textplate	N/A	Weight (excl. batteries)	38g	Battery	DC3.0V/AAA*2 (not include)
Number of keys	35 Keys														
Dimensions	120x40x20mm														
Case	ABS Plastic														
Buttons Type	Silicone Button														
Textplate	N/A														
Weight (excl. batteries)	38g														
Battery	DC3.0V/AAA*2 (not include)														
	<p>LPI-R38</p> <p>Small form factor remote control IR Remote Controller Application: Audio,GPS, Didital products, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr> <td>Number of keys</td><td>23~38 Keys</td></tr> <tr> <td>Dimensions</td><td>128x45x18mm</td></tr> <tr> <td>Case</td><td>ABS Plastic</td></tr> <tr> <td>Buttons Type</td><td>Silicone Button</td></tr> <tr> <td>Textplate</td><td>YES</td></tr> <tr> <td>Weight (excl. batteries)</td><td>40g</td></tr> <tr> <td>Battery</td><td>DC3.0V/AAA*2 (not include)</td></tr> </table>	Number of keys	23~38 Keys	Dimensions	128x45x18mm	Case	ABS Plastic	Buttons Type	Silicone Button	Textplate	YES	Weight (excl. batteries)	40g	Battery	DC3.0V/AAA*2 (not include)
Number of keys	23~38 Keys														
Dimensions	128x45x18mm														
Case	ABS Plastic														
Buttons Type	Silicone Button														
Textplate	YES														
Weight (excl. batteries)	40g														
Battery	DC3.0V/AAA*2 (not include)														
	<p>LPI-R38B</p> <p>Small form factor remote control IR Remote Controller Application: Audio,GPS, Didital products, TV... OEM & ODM are welcome</p> <p>Specifications</p> <table> <tr> <td>Number of keys</td><td>38 Keys</td></tr> <tr> <td>Dimensions</td><td>168x50x28mm</td></tr> <tr> <td>Case</td><td>ABS Plastic</td></tr> <tr> <td>Buttons Type</td><td>Silicone Button</td></tr> <tr> <td>Textplate</td><td>YES</td></tr> <tr> <td>Weight (excl. batteries)</td><td>83g</td></tr> <tr> <td>Battery</td><td>DC3.0V/AAA*2 (not include)</td></tr> </table>	Number of keys	38 Keys	Dimensions	168x50x28mm	Case	ABS Plastic	Buttons Type	Silicone Button	Textplate	YES	Weight (excl. batteries)	83g	Battery	DC3.0V/AAA*2 (not include)
Number of keys	38 Keys														
Dimensions	168x50x28mm														
Case	ABS Plastic														
Buttons Type	Silicone Button														
Textplate	YES														
Weight (excl. batteries)	83g														
Battery	DC3.0V/AAA*2 (not include)														



LPI-R43

Small form factor remote control
Slim Design,Silicone button
IR Remote Controller
Application: Audio,GPS, Didital products, TV...
OEM & ODM are welcome

Specifications

Number of keys	23-32
Dimensions	210X45X23MM
Case	ABS Plastic
Buttons Type	Silicone Button
Textplate	YES
Weight (excl. batteries)	92g
Battery	DC3.0V/AAA*2 (not include)



LPI-R43B

Small form factor remote control
Slim Design,Silicone button
IR Remote Controller
Application: Audio,GPS, Didital products, TV...
OEM & ODM are welcome

Specifications

Number of keys	28~43 Keys
Dimensions	160X45X23MM
Case	ABS Plastic
Buttons Type	Silicone Button
Textplate	YES
Weight (excl. batteries)	56g
Battery	DC3.0V/AAA*2 (not include)



LPI-R45

Small form factor remote control
Slim Design,Silicone button
IR Remote Controller
Application: Audio,GPS, Didital products, TV...
OEM & ODM are welcome

Specifications

Number of keys	45 Keys
Dimensions	175x45x18mm
Case	ABS Plastic
Buttons Type	Silicone Button
Textplate	YES
Weight (excl. batteries)	56g
Battery	DC3.0V/AAA*2 (not include)



LPI-R48

Small form factor remote control
IR Remote Controller
Application: Audio,GPS, Didital products, TV...
OEM & ODM are welcome

Specifications

Number of keys	28~48
Dimensions	180x50x25mm
Case	ABS Plastic
Buttons Type	Silicone Button
Textplate	YES
Weight (excl. batteries)	63g
Battery	DC3.0V/AAA*2 (not include)



LPI-R50

Small form factor remote control
IR Remote Controller
Application: Audio,GPS, Didital products, TV...
OEM & ODM are welcome

Specifications

Number of keys	50 Keys
Dimensions	350x47x34mm
Case	ABS Plastic
Buttons Type	Silicone Button
Textplate	YES
Weight (excl. batteries)	152g
Battery	DC3.0V/AAA*2 (not include)



LPI-PCRC

Small form factor remote control
Slim Design, Silicone button
IR Remote Controller
Application: PC computer
OEM & ODM are welcome

Specifications

Number of keys
Dimensions
Case
Buttons Type
Textplate
Weight (excl. batteries)
Battery

DC3.0V/AAA*2 (not include)






LP International Industries Co., Limited

Email: info@Lpinte.com www.Lpinte.com

2.4G/433/315MHz Wireless RF Remote Control



LPI-W053-XS



**IR Remote Shutter for Digital Camera**

If your digital camera supports a remote cord or shutter release, this may be a wise investment if you often take digital photographs from a camera mounted to a tripod. By remotely causing a digital camera to take an exposure, you all but eliminate any chance of "camera shake" due to pressing the digital camera's built-in shutter button. This may be useful in nighttime, fireworks, cityscape, or panorama photography.

	LPI-001-ML3 Specifications <table><tr><td>Number of keys</td><td>1</td><td>Textplate</td><td>YES</td></tr><tr><td>Dimensions</td><td>60x28x6.5mm</td><td>Weight (incl. batteries)</td><td>9.5g</td></tr><tr><td>Case</td><td>ABS Plastic</td><td>Battery</td><td>DC3.0V/CR2025, Include</td></tr><tr><td>Buttons Type</td><td>PET Membrane</td><td></td><td></td></tr></table> Application <p>Nikon ML-3 D80, D70S, D70, D60, D50, D40, D40X, 8400, 8800, Pronea S,D3000,D5000,F75, F65, F55, N65, N75</p>	Number of keys	1	Textplate	YES	Dimensions	60x28x6.5mm	Weight (incl. batteries)	9.5g	Case	ABS Plastic	Battery	DC3.0V/CR2025, Include	Buttons Type	PET Membrane		
Number of keys	1	Textplate	YES														
Dimensions	60x28x6.5mm	Weight (incl. batteries)	9.5g														
Case	ABS Plastic	Battery	DC3.0V/CR2025, Include														
Buttons Type	PET Membrane																
	LPI-001-MLN Specifications <table><tr><td>Number of keys</td><td>1</td><td>Textplate</td><td>YES</td></tr><tr><td>Dimensions</td><td>60x28x6.5mm</td><td>Weight (incl. batteries)</td><td>9.5g</td></tr><tr><td>Case</td><td>ABS Plastic</td><td>Battery</td><td>DC3.0V/CR2025, Include</td></tr><tr><td>Buttons Type</td><td>PET Membrane</td><td></td><td></td></tr></table> Application <p>Sony a33/a55/NEX5/a230/a290/a330/a390/a450/a500/a550/a560/a580/a700/a900 Not apply for NEX3/a100/a200/a300/a350/a750/a850</p>	Number of keys	1	Textplate	YES	Dimensions	60x28x6.5mm	Weight (incl. batteries)	9.5g	Case	ABS Plastic	Battery	DC3.0V/CR2025, Include	Buttons Type	PET Membrane		
Number of keys	1	Textplate	YES														
Dimensions	60x28x6.5mm	Weight (incl. batteries)	9.5g														
Case	ABS Plastic	Battery	DC3.0V/CR2025, Include														
Buttons Type	PET Membrane																
 ML-S	LPI-001-MLS Specifications <table><tr><td>Number of keys</td><td>1</td><td>Textplate</td><td>YES</td></tr><tr><td>Dimensions</td><td>60x28x6.5mm</td><td>Weight (incl. batteries)</td><td>9.5g</td></tr><tr><td>Case</td><td>ABS Plastic</td><td>Battery</td><td>DC3.0V/CR2025, Include</td></tr><tr><td>Buttons Type</td><td>PET Membrane</td><td></td><td></td></tr></table> Application <p>OLYMPUS E510 E450 E520 E420 E330 E1 E3 E10 E20 E300 E410 E500 E400C750 C8080 C7000 C5060 C7070 E2100 E2500 E100PS C4040 C5050 C5000 C3030 C2100C770 C730 C755</p>	Number of keys	1	Textplate	YES	Dimensions	60x28x6.5mm	Weight (incl. batteries)	9.5g	Case	ABS Plastic	Battery	DC3.0V/CR2025, Include	Buttons Type	PET Membrane		
Number of keys	1	Textplate	YES														
Dimensions	60x28x6.5mm	Weight (incl. batteries)	9.5g														
Case	ABS Plastic	Battery	DC3.0V/CR2025, Include														
Buttons Type	PET Membrane																
	LPI-001-PTX Specifications <table><tr><td>Number of keys</td><td>1</td><td>Textplate</td><td>YES</td></tr><tr><td>Dimensions</td><td>60x28x6.5mm</td><td>Weight (incl. batteries)</td><td>9.5g</td></tr><tr><td>Case</td><td>ABS Plastic</td><td>Battery</td><td>DC3.0V/CR2025, Include</td></tr><tr><td>Buttons Type</td><td>PET Membrane</td><td></td><td></td></tr></table> Application <p>PENTAX K10D,K20D,K100,K100D,K110,K200D,K7,K-X / istDS2,istDS,istDL2,istDL, istD,S6,60,S5Z,S5N,S5i,S4i,S4,SV,SVi,550,555,750Z,330,430[rs],ist,MZ-6</p>	Number of keys	1	Textplate	YES	Dimensions	60x28x6.5mm	Weight (incl. batteries)	9.5g	Case	ABS Plastic	Battery	DC3.0V/CR2025, Include	Buttons Type	PET Membrane		
Number of keys	1	Textplate	YES														
Dimensions	60x28x6.5mm	Weight (incl. batteries)	9.5g														
Case	ABS Plastic	Battery	DC3.0V/CR2025, Include														
Buttons Type	PET Membrane																
	LPI-001-RC6 Specifications <table><tr><td>Number of keys</td><td>1</td><td>Textplate</td><td>YES</td></tr><tr><td>Dimensions</td><td>65x35x6.5mm</td><td>Weight (incl. batteries)</td><td>10g</td></tr><tr><td>Case</td><td>ABS Plastic</td><td>Battery</td><td>DC3.0V/CR2025, Include</td></tr><tr><td>Buttons Type</td><td>PET Membrane</td><td></td><td></td></tr></table> Application <p>Canon 5DII III 7D 600D 550D 60D 1000D 500D 550D 450D 400D 350D 300D 7D 5D II 60D 600D; EOS30V/30/33/50/300 Pro1 G9 G7 G6 G5 G3 G2 G1 S1is S70 S60 Pro90IS 300v 300x 3000vQD IXUS jr/ II /III</p>	Number of keys	1	Textplate	YES	Dimensions	65x35x6.5mm	Weight (incl. batteries)	10g	Case	ABS Plastic	Battery	DC3.0V/CR2025, Include	Buttons Type	PET Membrane		
Number of keys	1	Textplate	YES														
Dimensions	65x35x6.5mm	Weight (incl. batteries)	10g														
Case	ABS Plastic	Battery	DC3.0V/CR2025, Include														
Buttons Type	PET Membrane																

