



## Notebook Computer/DVD/PDA Polymer Li-ion Batteries List



No.	Mode No.	Battery mode	Model	Capacity		Nominal Voltage (V)	Dimensions (mm)			Weight Approx.(g)	Internal Impedance (mΩ)
				Typical (mAh)	Nominal (mAh)		Thickness (±0.2)	Width (±0.8)	Height (±0.8)		
				1	1		XX1147	501147	235	220	3.7V
2	601147	300	280	3.7V		5.8		11	46.7	6.5	85
3	2	XX1119	251119	50	45	3.7V	2.3	11	18.7	2	450
4	3	XX1129	301129	75	70	3.7V	2.8	11	28.7	2.5	350
5			401129	105	100	3.7V	3.8	11	28.7	3	250
6	4	XX1211	451211	35	30	3.7V	4.3	12	10.7	1.3	550
7	5	XX1225	501225	120	110	3.7V	4.8	12	24.7	3	250
8	6	XX1230	401230	105	100	3.7V	4	12.2	30	2.7	250
9			451230	130	120	3.7V	4.3	12	29.7	3	120
10			501230	150	140	3.7V	4.8	12	29.7	3.5	200
11	7	XX1235	401235	140	130	3.7V	3.8	12	34.7	3.5	200
12			431235	145	135	3.7V	4.1	12	34.7	3	200
13			501235	170	160	3.7V	4.8	12	34.7	3.5	200
14			541235	185	170	3.7V	5.2	12	34.7	3.5	200
15			601235	215	200	3.7V	5.8	12	34.7	4.5	140
16			701235	250	230	3.7V	6.8	12	34.7	6	120
17	8	XX1245	381245	140	135	3.7V	3.8	12	45	3.4	150
18			501245	230	210	3.7V	5	12	45	4.6	150
19			601245	260	250	3.7V	6	12	45	5.4	120
20	9	XX1247	601247	300	280	3.7V	5.8	12	46.7	7.5	100
21	10	XX1427	401427	130	120	3.7V	3.8	13.8	26.7	3	200

22	11	XX1430	251430	65	60	3.7V	2.3	13.8	29.7	2	400
23			361430	120	110	3.7V	3.4	13.8	29.7	3	250
24			401430	130	120	3.7V	3.8	13.8	29.7	3	200
25			401430H	150	140	3.7V	3.8	13.8	29.7	3.5	200
26			431430	150	140	3.7V	4.1	13.8	29.7	3.5	200
27			501430	165	155	3.7V	4.8	13.8	29.7	4	150
28			541430	195	180	3.7V	5.2	13.8	29.7	4	150
29			601430	205	190	3.7V	6	14	30	4.1	150
30	12	XX1432	421432	140	130	3.7V	4	13.8	31.7	3	200
31	13	XX1445	301445	115	110	3.7V	3	14	45	3.8	180
32			401445	175	170	3.7V	4	14	45	3.9	150
33			601445	310	300	3.7V	6	14	45	7	90
34	14	XX1522	401522	95	90	3.7V	3.8	14.8	21.7	2	280
35			551522	130	120	3.7V	5.3	14.8	21.7	3	200
36	15	XX1528	401528	105	100	3.7V	4	15	28	2.4	160
37	16	XX1546	401546	260	240	3.7V	3.8	14.8	45.7	5	100
38			431546	290	270	3.7V	4.1	14.8	45.7	6.5	120
39			501546	345	320	3.7V	4.8	14.8	45.7	7	100
40			601546	410	380	3.7V	5.8	14.8	45.7	7	70
41	17	XX1612	351612	45	40	3.7V	3.3	15.8	11.7	1.5	500
42			541612	75	70	3.7V	5.2	15.8	11.7	2.5	300
43	18	XX1628	401628	150	140	3.7V	3.8	15.8	27.7	3	200
44	19	XX1640	401640	235	220	3.7V	3.8	15.8	39.7	4.5	100
45			501640	300	280	3.7V	4.8	15.8	39.7	6	100
46			601640	365	340	3.7V	5.8	15.8	39.7	7.5	100
47	20	XX1730	401730	165	160	3.7V	4	17	30	3.7	180
48			451730	190	175	3.7V	4.5	17	30	4.1	150
49			501730	215	200	3.7V	4.8	16.7	29.7	4.5	140
50			601730	270	250	3.7V	5.8	16.7	29.7	5.5	120
51			401733	185	170	3.7V	3.8	16.7	32.7	3.5	150

52	21	XX1733	501733	250	230	3.7V	4.8	16.7	32.7	4.5	130
53			601733	300	280	3.7V	5.8	16.7	32.7	6	90
54	22	XX1741	501741	300	280	3.7V	5	17	41	6.8	120
55	23	XX1745	361745	260	240	3.7V	3.4	16.7	44.7	4.5	100
56			401745	260	250	3.7V	4	17	45	5.6	120
57			471745	310	300	3.7V	4.7	17	45	6	80
58			501745	330	320	3.7V	5	17	45	6.7	80
59			601745	390	380	3.7V	6	17	45	7.8	80
60	24	XX1747	361747	270	250	3.7V	3.4	16.7	46.7	4.5	120
61			471747	365	340	3.7V	4.5	16.7	46.7	6.5	80
62			541747	410	380	3.7V	5.2	16.7	46.7	7	80
63			601747	485	450	3.7V	5.8	16.7	46.7	9.5	80
64	25	XX1748	501748	390	360	3.7V	4.8	16.7	47.7	7	100
65			571748	465	430	3.7V	5.5	16.7	47.7	9.5	80
66	26	XX1753	451753	360	350	3.7V	4.5	16.5	52.5	7.6	80
67			551753	430	420	3.7V	5.4	16.5	52.5	8.7	70
68			601753	515	480	3.7V	6	17	53	10	80
69	27	XX1828	601828	220	200	3.7V	6	18	28	5	150
70	28	XX1838	501838	325	300	3.7V	4.8	17.7	37.7	7	85
71	29	XX1840	501840	345	320	3.7V	4.8	17.7	39.7	7	100
72	30	XX1854	541854	540	500	3.7V	5.2	17.7	53.7	11.5	80
73	31	XX1935	401935	235	220	3.7V	3.8	18.7	34.7	5	120
74	32	XX1939	401939	230	220	3.7V	4	19	38	5.2	85
75			651939	410	400	3.7V	6.5	19	38	8	80
76	33	XX2023	232023	65	60	3.7V	2.1	19.7	22.7	2.5	400
77			382023	130	120	3.7V	3.8	20	23	3	180
78			402023	140	130	3.7V	3.8	19.7	22.7	3	200
79			502023	185	170	3.7V	4.8	19.7	22.7	4	150
80			622023	225	210	3.7V	6	19.7	22.7	5	120
81			302025	110	105	3.7V	3	20.2	25	2.7	250

82	34	XX2025	402025	150	140	3.7V	4	20	25	3	180
83			422025	155	140	3.7V	4.2	20	25	3.4	150
84			502025	185	180	3.7V	5	20	25	3.8	120
85			602025	245	230	3.7V	6	20	25	4.8	120
86	35	XX2030	262030	120	110	3.7V	2.4	19.7	29.7	3	250
87			302030	125	120	3.7V	3	20	30	3.1	150
88			332030	160	150	3.7V	3.1	19.7	29.7	3.5	180
89			362030	180	170	3.7V	3.4	19.7	29.7	3.5	150
90			382030	185	170	3.7V	3.8	20	30	4.8	120
91			402030	195	190	3.7V	4	20	30	4	120
92			432030	215	200	3.7V	4.1	19.7	29.7	4	110
93	35	XX2030	452030	215	210	3.7V	4.5	20	30	4.5	110
94			482030	240	230	3.7V	4.8	20	30	5	110
95			502030	250	240	3.7V	5	20	30	5.3	110
96			552030	300	270	3.7V	5.5	20	30	6.2	120
97			582030	320	300	3.7V	5.8	20	30	5.9	140
98			602030	345	320	3.7V	6	20	30	7	110
99			672030	365	340	3.7V	6.5	19.7	29.7	7	120
100	36	XX2035	352035	210	200	3.7V	3.5	20	35	4.5	150
101			382035	215	210	3.7V	3.8	20	35	4.8	100
102			402035	240	230	3.7V	4	20	35	4.9	120
103			432035	260	250	3.7V	4.1	19.7	34.7	5	100
104			452035	270	250	3.7V	4.5	20	35	5.5	120
105			502035	310	300	3.7V	5	20	35	6.1	120
106			552035	340	330	3.7V	5.5	20	35	7	100
107			582035	350	340	3.7V	5.8	20	35	6.6	80
108			602035	410	380	3.7V	5.8	19.7	34.7	7	80
109			652035	430	400	3.7V	6.3	19.7	34.7	8	80
110			302040	215	200	3.7V	2.8	19.7	39.7	5	120
111			402040	290	270	3.7V	3.8	19.7	39.7	7	90

112	37	XX2040	452040	325	300	3.7V	4.5	20	40	6.5	120
113			502040	375	350	3.7V	4.8	19.7	39.7	8	100
114			602040	465	430	3.7V	6	20	40	8.8	80
115	38	XX2045	402045	345	320	3.7V	3.8	19.7	44.7	7	80
116			432045	375	350	3.7V	4.1	19.7	44.7	8	100
117	39	XX2050	552050	560	520	3.7V	5.3	19.7	49.7	13	60
118	40	XX2054	582054	580	560	3.7V	5.8	20	54	11.5	50
119	41	XX2060	402060	465	450	3.7V	4	20	60	9.5	80
120	42	XX2223	402223	145	140	3.7V	4	22	23	3.1	180
121			502223	170	160	3.7V	5	22	23	3.6	150
122	43	XX2225	362225	140	130	3.7V	3.4	21.7	24.7	3	180
123			382225	150	140	3.7V	3.6	21.7	24.7	4	200
124	44	XX2230	162230	75	70	3.7V	1.4	21.7	29.7	4	300
125	45	XX2233	502233	325	300	3.7V	5	22	33	6.9	120
126	46	XX2235	472235	325	300	3.7V	4.5	21.7	34.7	7	100
127			502235	355	330	3.7V	4.8	21.7	34.7	7	80
128			582235	430	400	3.7V	5.6	21.7	34.7	9	80
129			742235	560	520	3.7V	7.2	21.7	34.7	13	60
130	47	XX2236	302236	180	170	3.7V	3	22	36	4.1	150
131			502236	380	365	3.7V	5	22	36	7.4	80
132			602236	415	400	3.7V	6	22	36	8.3	75
133	48	XX2239	482239	360	350	3.7V	4.7	21	39	7.3	100
134	49	XX2248	302248	250	240	3.7V	3	22	48	5.8	100
135			402248	360	350	3.7V	4	22	48	8	85
136			502248	485	470	3.7V	5	22	48	10	75
137			602248	545	530	3.7V	6	22	48	10.5	65
138	50	XX2250	402250	410	380	3.7V	3.8	21.7	49.7	8	80
139	50	XX2250	472250	515	480	3.7V	4.5	21.7	49.7	10	80
140			602250	595	550	3.7V	5.8	21.7	49.7	13	60
141	51	XX2332	402332	280	260	3.7V	3.8	22.7	31.7	6	95

142	52	XX2333	402333	280	260	3.7V	3.8	22.7	32.7	6	95
143	53	XX2339	422339	320	310	3.7V	4.2	22.5	39	7.5	120
144	54	XX2343	242343	195	180	3.7V	2.2	22.7	42.7	4	140
145			402343	390	360	3.7V	3.8	22.7	42.7	7.5	80
146	55	XX2426	752426	375	350	3.7V	7.3	23.7	25.7	7	80
147	56	XX2430	302430	170	160	3.7V	2.8	23.7	29.7	3.5	140
148			402430	345	230	3.7V	3.8	23.7	29.7	5	100
149			602430	410	380	3.7V	5.8	23.7	29.7	9	80
150			642430	430	400	3.7V	6.2	23.7	29.7	9	80
151	57	XX2439	502439	415	400	3.7V	5	24	39	8.4	70
152			602439	520	500	3.7V	6	24	39	10.2	80
153	58	XX2447	372447	400	380	3.7V	3.6	34	47.2	12	150
154			562447	580	560	3.7V	5.6	34	47.2	13.5	120
155	59	XX2459	362459	560	520	3.7V	3.4	23.7	58.7	10.5	60
156			402459	580	540	3.7V	3.8	23.7	58.7	11.5	60
157	60	XX2529	542529	335	310	3.7V	5.2	24.5	28.7	7.5	100
158	61	XX2530	402530	270	250	3.7V	3.8	24.5	29.7	6	120
159			502530	345	320	3.7V	4.8	24.5	29.7	7	100
160			602530	430	400	3.7V	5.8	24.5	29.7	9	80
161	62	XX2533	452533	310	300	3.7V	4.4	24.5	33.2	6.6	120
162			502533	375	350	3.7V	5	25	33	7.2	100
163	63	XX2535	302535	215	200	3.7V	3	25	35	4.5	150
164			502535	410	380	3.7V	4.8	24.5	34.7	9	80
165			542535	430	400	3.7V	5.2	24.5	34.7	9.5	65
166			602535	515	480	3.7V	5.8	24.5	34.7	10	60
167	64	XX2540	402540	375	350	3.7V	3.8	24.5	39.7	8	80
168			432540	410	380	3.7V	4.1	24.5	39.7	8	80
169			502540	485	450	3.7V	4.8	24.5	39.7	10	60
170			542540	515	480	3.7V	5.2	24.5	39.7	11	60
171			602540	605	560	3.7V	5.8	24.5	39.7	12	60

172			742540	755	700	3.7V	7.2	24.5	39.7	12	45
173	65	XX2545	402545	430	400	3.7V	3.8	24.5	44.7	10	80
174	66	XX25100	6025100	1460	1400	3.7V	6	25	100	27.9	45
175	67	XX2730	302730	175	170	3.7V	3	27	30	4.2	150
176			362730	250	245	3.7V	3.6	27	30	5	80
177			382730	270	260	3.7V	3.8	27	30	5.4	80
178			652730	450	420	3.7V	6.5	27	30	9	100
179	68	XX2838	582838	595	550	3.7V	5.8	28	38	11	80
180	69	XX2850	402850	540	500	3.7V	3.8	27.5	49.7	11	60
181			522850	750	700	3.7V	5.2	28	50	14	70
182	70	XX2931	702931	580	560	3.7V	7	28.5	31.5	11	90
183	71	XX2933	402933	330	320	3.7V	4	29	33	6.9	70
184	72	XX2945	402945	515	480	3.7V	3.8	28.5	44.7	10.5	60
185	72	XX2945	502945	670	620	3.7V	4.8	28.5	44.7	13	60
186	73	XX3034	403034	400	370	3.7V	4	30	34	7.7	100
187	74	XX3040	403040	455	420	3.7V	3.8	29.5	39.7	9	80
188			503040	590	570	3.7V	5	30	40	11.5	50
189			603040	735	680	3.7V	5.8	29.5	39.7	6.5	42
190			703040	840	780	3.7V	6.8	29.5	39.7	15	45
191			823040	1025	950	3.7V	8	29.5	39.7	20	45
192	75	XX3042	633042	700	650	3.7V	6.3	30	42	14	80
193	76	XX3048	303048	370	360	3.7V	3	30	48	8.5	60
194			403048	615	600	3.7V	4	30	48	12.4	60
195			443048	665	650	3.7V	4.4	30	48	12.9	60
196			503048	740	720	3.7V	5	30	48	14.2	50
197			543048	810	750	3.7V	5.2	29.5	47.7	17	50
198			583048	825	800	3.7V	5.8	30	48	15.8	50
199			603048	920	900	3.7V	6	30	48	17.1	50
200			703048	1050	1000	3.7V	7	30	48	19.5	50
201			763048	1100	1050	3.7V	7.4	29.5	47.7	28	40

202			803048	1180	1100	3.7V	7.8	29.5	47.7	25	40
203	77	XX3052	423052	690	670	3.7V	4.2	30	52	13.5	50
204			753052	1185	1100	3.7V	7.3	29.5	51.7	24	40
205	78	XX30150	3830150	1800	1700	3.7V	3.6	30	150	38	30
206	79	XX3150	393150	600	580	3.7V	3.9	31	48	10.4	50
207			423150	700	680	3.7V	4.2	31	50	13.6	60
208			503150	720	700	3.7V	5	31	50	14.2	60
209			523150	820	800	3.7V	5.2	31	50	15.9	50
210			633150	950	900	3.7V	6.3	31	50	17.2	50
211			703150	1150	1100	3.7V	7	31	50	19.4	50
212			753150	1250	1200	3.7V	7.5	31	50	23	60
213	80	XX3173	473173	1240	1150	3.7V	4.5	30.5	72.7	24	30
214			503173	1240	1150	3.7V	4.8	30.5	72.7	26	30
215			543173	1295	1200	3.7V	5.2	30.5	72.7	28	30
216			573173	1405	1300	3.7V	5.5	30.5	72.7	28	30
217	81	XX3245	303245	390	360	3.7V	2.8	31.5	44.7	9	100
218			363245	485	450	3.7V	3.4	31.5	44.7	10	60
219			633245	950	880	3.7V	6.1	31.5	44.7	18	45
220			703245	1055	980	3.7V	6.8	31.5	44.7	21	40
221	82	XX3436	503436	615	600	3.7V	5	34	36	10.6	60
222			603436	650	630	3.7V	6	34	36	12.8	60
223	83	XX3438	473438	520	500	3.7V	4.7	34	38	10.6	60
224	84	XX3440	473440	645	600	3.7V	4.7	33.5	39.7	13.5	60
225			503440	700	650	3.7V	4.8	33.5	39.7	14	50
226			703440	1000	950	3.7V	6.8	33.5	39.7	20	40
227			803440	1080	1000	3.7V	7.8	33.5	39.7	25	40
228	85	XX3442	403442	565	550	3.7V	4	34	42	11.2	60
229			443442	670	650	3.7V	4.4	34	42	12.8	60
230			553442	740	720	3.7V	5.5	34	42	15.9	60
231	85	XX3442	613442	825	800	3.7V	6.1	34	42	17.7	50



232	86	XX3445	443445	710	660	3.7V	4.2	33.5	44.7	12	40
233			803445	1400	1300	3.7V	7.8	33.5	44.7	28	30
234	87	XX3448	303448	415	400	3.7V	3	34	48	9.7	65
235			383448	615	600	3.7V	3.8	34	48	12.3	60
236			403448	650	630	3.7V	4	34	48	12.8	60
237			443448	715	700	3.7V	4.4	34	48	12.6	60
238			503448	820	760	3.7V	5	34	48	15.5	60
239			523448	840	780	3.7V	5	33.5	47.7	17	50
240			603448	970	950	3.7V	6	34	48	18.9	50
241			743448	1295	1200	3.7V	7.2	33.5	47.7	25	40
242			783448	1340	1300	3.7V	7.8	34	48	24.5	50
243			803448	1400	1300	3.7V	7.8	33.5	47.7	28	40
244			903448	1600	1500	3.7V	8.8	33.5	47.7	30	40
245			88	XX3450	323450	515	500	3.7V	3.2	34	50
246	363450	600			580	3.7V	3.6	34	50	12	65
247	383450	670			650	3.7V	3.8	34	50	12	50
248	383450H	720			700	3.7V	3.8	34	50	12	50
249	433450	770			750	3.7V	4.3	34	50	15.3	60
250	473450	850			830	3.7V	4.7	34	50	16.3	65
251	503450	850			830	3.7V	5	34	50	16.7	65
252	523450	925			900	3.7V	5.2	34	50	17.7	65
253	603450	1030			1000	3.7V	6	34	50	19.5	45
254	653450	1110			1080	3.7V	6.5	34	50	20	50
255	753450	1350			1300	3.7V	7.5	34	50	24	50
256	89	XX3455	293455	520	500	3.7V	2.9	34	55	11	65
257			393455	720	700	3.7V	3.9	34	55	14.7	50
258			423455	800	780	3.7V	4.2	34	55	15.2	50
259			523455	1080	1050	3.7V	5.2	34	55	19.6	50
260			623455	1300	1250	3.7V	6.2	34	55	24.3	45
261			333456	615	570	3.7V	3.1	33.5	55.7	11	60

262	90	XX3456	403456	755	700	3.7V	3.8	33.5	55.7	13	45
263			803456	1700	1600	3.7V	7.8	33.5	55.7	32	30
264	91	XX3458	383458	780	750	3.7V	3.8	34	58	14.8	50
265			483458	1070	1000	3.7V	4.8	34	58	19.3	60
266			523458	1090	1050	3.7V	5.2	34	58	21.6	45
267	92	XX3460	603460	1240	1200	3.7V	6	34	60	24.5	50
268	93	XX3465	503465	1185	1100	3.7V	4.8	33.5	64.7	24	40
269			603465	1510	1400	3.7V	5.8	33.5	64.7	28	40
270	94	XX3565	643565	1550	1450	3.7V	6.2	33.5	64.7	32	40
271	95	XX3466	403466	1020	950	3.7V	4	34	66	20	60
272	96	XX3475	403475	1080	1000	3.7V	3.8	33.5	74.7	22	40
273			723475	1920	1800	3.7V	7	33.5	74.7	38	30
274	97	XX3480	603480	1580	1550	3.7V	6	34	80	28.4	50
275			653480	1650	1600	3.7V	6.5	34	80	31.5	50
276	98	XX34145	5034145	2600	2500	3.7V	4.8	34	145	48	30
277	99	XX3535	213535	205	190	3.7V	1.9	34.5	34.7	4	140
278	100	XX3562	383562	880	850	3.7V	3.8	35	62	16.5	50
279			403562	915	860	3.7V	3.8	34.5	61.7	18	45
280			423562	970	950	3.7V	4.2	35	62	17.8	35
281			483562	1135	1050	3.7V	4.8	35	62	22	60
282			503562	1240	1200	3.7V	5	35	62	22.5	50
283			803562	1860	1750	3.7V	7.8	34.5	61.7	37	30
284	101	XX3566	503566	1240	1200	3.7V	5	35	66	24.4	50
285			553566	1350	1300	3.7V	5.5	35	66	25.5	50
286			583566	1450	1400	3.7V	5.8	35	66	26.7	50
287			853566	1960	1900	3.7V	8.5	35	66	36.7	50
288	102	XX35130	5535130	2800	2600	3.7V	5.3	34.5	129.7	54	25
289			6535130	3400	3200	3.7V	6.3	34.5	129.7	65	25
290	103	XX35138	2735138	1290	1200	3.7V	2.5	34.5	137.7	28	30
291			6835138	3800	3600	3.7V	6.6	34.5	137.7	80	25

292	104	XX3650	753650	1280	1250	3.7V	7.5	36	50	22.8	50
293			853650	1440	1400	3.7V	8.5	36	50	26.8	50
294			883650	1700	1650	3.7V	8.8	36	50	30.2	50
295	105	XX3658	753658	1650	1600	3.7V	7.5	36	58	17.4	100
296	106	XX36110	5536110	2470	2400	3.7V	5.5	36	110	44.9	35
297	107	XX3759	373759	870	850	3.7V	3.7	37	59	16.8	50
298			503759	1150	1100	3.7V	5	37	59	19	40
299			563759	1350	1300	3.7V	5.6	37	59	24.7	50
300			583759	1390	1350	3.7V	5.8	37	59	24.7	50
301	108	XX3840	463840	680	650	3.7V	4.6	38	40	12.9	50
302	109	XX3853	503853	1080	1000	3.7V	4.8	3.8	52.7	21	40
303	110	XX3864	703864	1920	1800	3.7V	6.8	37.5	63.7	38	25
304			773864	2160	2000	3.7V	7.5	37.5	63.7	40	25
305	111	XX3875	383875	1050	1000	3.7V	3.8	38	75	22.3	40
306	112	XX38114	4238114	2050	2000	3.7V	4.2	38	114	41.5	35
307			6038114	2570	2500	3.7V	6	38	114	55	50
308			8038114	3550	3500	3.7V	8	37.5	113.5	64	50
309	113	XX3944	343944	550	530	3.7V	3.4	39	44	11.5	60
310			383944	650	620	3.7V	3.8	39	44	11.2	50
311	114	XX4085	504085	1910	1800	3.7V	4.8	39.5	84.7	32	25
312	115	XX4167	384167	1180	1100	3.7V	3.6	40.5	66.7	24	40
313	116	XX4169	304169	830	800	3.7V	3	41	69	16	50
314			384169	1150	1100	3.7V	3.8	41	69	23.5	50
315			454169	1480	1450	3.7V	4.5	41	69	27.5	45
316			554169	1550	1500	3.7V	5.5	41	69	30	45
317			634169	2050	2000	3.7V	6.3	41	69	37.2	40
318	117	XX4270	704270	2350	2200	3.7V	6.8	41.5	69.7	43	15
319	118	XX4296	554296	2160	2100	3.7V	5.5	42	96	43.4	40
320			604296	2850	2800	3.7V	6	42	96	27.8	50
321			654296	3000	2900	3.7V	6.5	42	96	53.2	60

322	119	XX42100	6042100	2950	2900	3.7V	6	42	100	53.8	35
323	120	XX4350	304350	620	600	3.7V	3	43	49	12.8	55
324	121	XX4365	804365	2460	2400	3.7V	7.9	43	65	45	35
325	122	XX4374	304374	990	920	3.7V	2.8	42.5	73.7	19	45
326			704374	2560	2400	3.7V	6.8	42.5	73.7	44	20
327	123	XX4087	444087	1550	1450	3.7V	4.4	40	87	30	45
328	124	XX43135	4543135	3050	3000	3.7V	4.5	43.5	133.5	58	45
329	125	XX4453	434453	1000	950	3.7V	4.1	44	53	20	50
330	126	XX4490	474490	1940	1800	3.7V	4.5	43.5	89.7	36	25
331			504490	2160	2000	3.7V	4.8	43.5	89.7	39	25
332			544490	2350	2200	3.7V	5.2	43.5	89.7	43	25
333	127	XX4555	744555	2050	1900	3.7V	7.2	44.5	54.7	40	25
334	128	XX45135	4045135	3090	3000	3.7V	4	45	135	57.2	40
335			4545135	3100	3000	3.7V	4.5	45	135	61.4	40
336			5045135	3700	3600	3.7V	5	45	135	65	50
337			5545135	4020	3900	3.7V	5.5	45	135	65.2	50
338			6045135	4150	4000	3.7V	6	45	135	80	40
339			6345135	4650	4500	3.7V	6.3	45	135	80	30
340			129	XX46125	5446125	3650	3500	3.7V	5.2	45.5	124.7
341	6046125	3650			3520	3.7V	5.8	45.5	124.7	75	25
342	130	XX4792	504792	2450	2300	3.7V	4.8	46.5	91.7	47	20
343	131	XX47125	5047125	3350	3200	3.7V	4.8	46.5	134.7	60	20
344			6047125	3650	3500	3.7V	5.8	46.5	124.7	75	20
345	132	XX48135	4048135	3000	2900	3.7V	4	48	135	55	50
346			4848135	3630	3550	3.7V	4.8	48	135	66.2	40
347			5048135	3650	3600	3.7V	5	48	133.5	59	45
348	133	XX4977	374977	1350	1300	3.7V	3.7	49	77	27	45
349			404977	1470	1430	3.7V	4	49	77	29.4	40
350			454977	1750	1700	3.7V	4.5	49	77	33.5	50
351			504977	2100	2000	3.7V	5	49	77	33.5	50

352	134	XX5060	305060	840	780	3.7V	2.8	49.5	59.7	17.5	60
353			435060	1400	1300	3.7V	4.1	49.5	59.7	28	40
354			605060	1920	1800	3.7V	5.8	49.5	59.7	38	25
355			675060	2160	2000	3.7V	6.5	49.5	59.7	41	25
356			725060	2370	2200	3.7V	7	49.5	59.7	42	25
357			755060	2400	2250	3.7V	7.3	49.5	59.7	45	20
358	135	XX5085	325085	1450	1400	3.7V	3.2	50	85	26	45
359			365085	1620	1500	3.7V	3.4	49.5	84.7	32	30
360			385085	1730	1700	3.7V	3.8	50	85	32.5	50
361			425085	1960	1900	3.7V	4.2	50	85	36.2	50
362			455085	2060	2000	3.7V	4.5	50	85	41.9	50
363			475085	2150	2050	3.7V	4.5	49.5	84.7	40	25
364			505085	2350	2200	3.7V	4.8	49.5	84.7	43	25
365			605085	2550	2500	3.7V	6	50	85	47.6	50
366			655085	3100	3000	3.7V	6.5	50	85	55.9	35
367			855085	4230	4100	3.7V	8.5	50	85	74	50
368	136	XX50110	5050110	3080	3000	3.7V	5	50	110	58.2	35
369	137	XX50140	6050140	4700	4500	3.7V	5.8	49.5	139.7	98	20
370	138	XX50150	6050150	5200	5000	3.7V	5.8	49.5	149.7	102	25
371	139	XX5165	385165	1335	1300	3.7V	3.8	51	65	26.2	50
372			505165	1800	1750	3.7V	5	50.5	65	34.2	5
373			555165	2050	2000	3.7V	5.5	51	65	38.2	45
374	140	XX5183	505183	2500	2400	3.7V	5	51	83	51	35
375	141	XX5251	365251	990	920	3.7V	3.4	51.5	50.7	21	45
376	142	XX5255	905255	2590	2400	3.7V	8.8	51.5	54.7	50.5	25
377	143	XX5280	405280	1960	1900	3.7V	4	52	78	36.9	40
378			455280	2190	2150	3.7V	4.5	52	78	39.6	50
379	144	XX5371	385371	1600	1500	3.7V	3.6	52.5	70.7	32	25
380			745371	3200	3000	3.7V	7.2	52.5	70.7	62	20
381			455460	1550	1500	3.7V	4.5	54	60	29.2	50

382	145	XX5460	565460	1850	1800	3.7V	5.6	54	60	34	50
383			585460	2050	2000	3.7V	5.8	54	60	37	50
384	146	XX5585	335585	1620	1500	3.7V	3.1	54.5	84.7	35	21
385			355585	1820	1700	3.7V	3.3	54.5	84.7	35	30
386			445585	2160	2000	3.7V	4.2	54.5	84.7	41	25
387			475585	2460	2300	3.7V	4.5	54.5	84.7	42	25
388			545585	2850	2700	3.7V	5.2	54.5	84.7	56	30
389			655585	3400	3200	3.7V	6.3	54.5	84.7	66	25
390			147	XX5590	385590	2450	2000	3.7V	3.6	54.5	89.7
391	148	XX5597	355597	1950	1900	3.7V	3.3	55	97	39	45
392	149	XX57100	3857100	2550	2400	3.7V	3.6	56.5	99.7	45	25
393			5057100	3150	3000	3.7V	4.8	56.5	99.7	60	20
394	150	XX58113	6558113	4850	4700	3.7V	6.3	57.5	112.7	95	15
395	151	XX5975	365975	1720	1600	3.7V	3.4	58.5	74.7	33	25
396			645975	3150	3000	3.7V	6.2	58.5	74.7	60	20
397	152	XX59156	6459156	6700	6500	3.7V	6.2	58.5	155.7	140	20
398			8059156	8200	8000	3.7V	7.8	58.5	155.7	170	8
399	153	XX6066	506066	2050	2000	3.7V	5	60	66	38	45
400			606066	2470	2400	3.7V	6	60	66	46	40
401	154	XX6095	406095	2350	2200	3.7V	3.8	59.5	94.7	45	20
402	155	XX6186	536186	3150	3000	3.7V	5.1	60.5	85.7	65	16
403	156	XX6294	506294	3100	3000	3.7V	5	62	93	52.8	40
404	157	XX6373	456373	2300	2250	3.7V	4.5	62	72.5	42.7	45
405	158	XX6469	746469	3650	3500	3.7V	7.2	63.5	68.7	70	20
406	159	XX6475	456475	2450	2400	3.7V	4.5	63.5	75.5	47	50
407	160	XX6479	496479	2750	2700	3.7V	4.7	63.5	78.5	52	45
408	161	XX6483	306483	1750	1700	3.7V	3	64	83	34	50
409			386483	2060	2000	3.7V	3.8	64	83	39.4	40
410			706483	4350	4200	3.7V	7	64	83	76.6	50
411	162	XX6570	606570	3150	3000	3.7V	5.8	64.5	69.7	60	20

412	163	XX6580	456580	2770	2700	3.7V	4.5	65	80	51.6	40
413	164	XX67100	3667100	2650	2500	3.7V	3.4	66.5	99.7	50	20
414			4067100	2950	2800	3.7V	3.8	66.5	99.7	56	20
415	164	XX67100	4567100	3400	3300	3.7V	4.5	67	100	61.5	40
416			5567100	4120	4000	3.7V	5.5	67	100	76.1	50
417			6567100	4650	4500	3.7V	6.3	66.5	99.7	90	20
418			6767100	5150	5000	3.7V	6.5	66.5	99.7	100	20
419	165	XX67103	3567103	2550	2500	3.7V	3.3	67	102.5	51.5	45
420	166	XX67140	7467140	8200	8000	3.7V	7.2	66.5	139.7	170	15
421	170	XX8561	408561	2220	2100	3.7V	3.8	84.5	60.7	44	25
422	171	XX88120	5588120	6650	6500	3.7V	5.3	87.5	119.7	140	15

**Notes:**

1. Rated discharge capacities of batteries above mention are measured according to the following conditions: at  $20\pm 5^{\circ}\text{C}$ , battery can be charged to 4.2V with constant current of 0.2C5mA, and then, charged continuously with constant voltage of 4.2V until the charged current is less than 0.01C5mA. Battery can be discharged to the voltage of 3.00V with constant current 0.2C5mA. Battery rated voltage is 3.7V.

2. Except high rate type battery, others' rapid charge and discharge condition is: at  $20\pm 5^{\circ}\text{C}$ , 65 $\pm$ 5%RH, rated capacities less than 1000mAh, it can be charged to 4.2V with constant current of 1C5mA, and then, charged continuously with constant voltage of 4.2V until the charged current is less than 0.01C5mA, then battery can be discharged to the voltage of 3.00V with constant current 1C5mA. The discharging time is not less than 54 minutes (or capacity is not less than 90% rated capacity); rated capacities more than 1000mAh, it can be charged to 4.2V with constant current of 0.5C5mA, and then, charged continuously with constant voltage of 4.2V until the charged current is less than 0.01C5mA, then battery can be discharged to the voltage of 3.00V with constant current 0.5C5mA. The discharging time is not less than 108 minutes (or capacity is not less than 90% rated capacity).