



ZHE JIANG WAYSING METAL PRODUCTS CO.,LTD

Add:West Side Of Shuang Shan Rd,Economical Development Zone Deqing

County,Zhejiang,China 313200

Tel:+86-572-8825970 Fax:+86-572-8823516

Mobile:+86-13362288855

E-Mail:richard@waysing.com

ZHE JIANG WAYSING METAL PRODUCTS CO.,LTD

<http://www.waysing.com>



Brief introduction

ZheJiang WAYSING Metal Products Co.,Ltd. specializes in the producing of hose coupling. We can provide the hose coupling in aluminum, brass and stainless steel. The product is produced strictly according with the F1122、A-A-59326 American standard or DIN2828 Germany standard,etc.

The company has the capability of self-development, mold design, gravity casting, forging and aluminum-alloy T6 heat treatment. We set up the whole process for product produce, quality control and so on. We have established friendly business relationship with clients throughout the world such as clients in Uk、USA、Australia. Etc.

We put all of our effort to produce the "world best hose coupling" with the highest quality and competitive price by means of continue development. With our strong technical background, we also can produce the product base on the clients' design and requirement. We sincerely welcome all friends from home and abroad for long-term cooperation.



Large Diameter Grooved Hose Coupling Set without Victaulic clamp



Hard Anodized

PART #	Size
LDHC-400-AL	4"
LDHC-600-AL	6"
LDHC-800-AL	8"
LDHC-1000-AL	10"
LDHC-1200-AL	12"

Victaulic Clamp



PART #	Size
VCLP400	4"
VCLP600	6"
VCLP800	8"
VCLP1000	10"
VCLP1200	12"

Large Diameter Grooved Hose Coupling Shank



PART #	Size
LDHCS-400-AL	4"
LDHCS-600-AL	6"
LDHCS-800-AL	8"
LDHCS-1000-AL	10"
LDHCS-1200-AL	12"

Large Diameter Grooved Hose Mender Full Set



PART #	Size
LDHM400-AL	4"
LDHM600-AL	6"
LDHM800-AL	8"
LDHM1000-AL	10"
LDHM1200-AL	12"

Large Diameter Grooved Hose Coupling Segment Clamp



PART #	Size
LDHCC-400-AL	4"
LDHCC-600-AL	6"
LDHCC-800-AL	8"
LDHCC-1000-AL	10"
LDHCC-1200-AL	12"

Large Diameter Grooved Hose Mender Shank



PART #	Size
LDHMS400-AL	4"
LDHMS600-AL	6"
LDHMS800-AL	8"
LDHMS1000-AL	10"
LDHMS1200-AL	12"

Large Diameter Grooved Hose Mender Segment Clamp



PART #	Size
LDHMC400-AL	4"
LDHMC600-AL	6"
LDHMC800-AL	8"
LDHMC1000-AL	10"
LDHMC1200-AL	12"

Large Diameter Storz Coupling Shank



PART #	Size
STS400-AL	4"
STS500-AL	5"
STS600-AL	6"
STS800-AL	8"
STS1000-AL	10"
STS1200-AL	12"

Camlock Type C & E with Segment Clamp



PART #	Size
LCAM-800	8"
LCAM-1000	10"
LCAM-1200	12"

Large Diameter Storz Coupling Clamp



PART #	Size
STC400-AL	4"
STC500-AL	5"
STC600-AL	6"
STC800-AL	8"
STC1000-AL	10"
STC1200-AL	12"

Large Diameter Storz Coupling Full Set



PART #	Size
ST400-AL	4"
ST500-AL	5"
ST600-AL	6"
ST800-AL	8"
ST1000-AL	10"
ST1200-AL	12"

Ductile Iron 90 Degree Elbow Long Radius



PART #	Size
90EL400	4"
90EL600	6"
90EL800	8"
90EL1000	10"
90EL1200	12"

Ductile Iron 90 Degree Elbow Short Radius



PART #	Size
90ES400	4"
90ES600	6"
90ES800	8"
90ES1000	10"
90ES1200	12"

Ductile Iron 45 Degree Elbow



PART #	Size
45E400	4"
45E600	6"
45E800	8"
45E1000	10"
45E1200	12"

Ductile Iron 22.5 Degree Elbow



PART #	Size
22.5E400	4"
22.5E600	6"
22.5E800	8"
22.5E1000	10"
22.5E1200	12"

Ductile Iron 11.25 Degree Elbow



PART #	Size
11E400	4"
11E600	6"
11E800	8"
11E1000	10"
11E1200	12"

Ductile Iron Equal Tee



PART #	Size
T400	4"
T600	6"
T800	8"
T1000	10"
T1200	12"

90°Coupling D X A



PART #	Size
90DA200-AL	2"
90DA300-AL	3"
90DA400-AL	4"
90DA500-AL	5"
90DA600-AL	6"

45°Coupling D X A



PART #	Size
45DA200-AL	2"
45DA300-AL	3"
45DA400-AL	4"
45DA500-AL	5"
45DA600-AL	6"

Ductile Iron Equal Cross



PART #	Size
EC400	4"
EC600	6"
EC800	8"
EC1000	10"
EC1200	12"

Ductile Iron Y



PART #	Size
Y400	4"
Y600	6"
Y800	8"
Y1000	10"
Y1200	12"

Coupler x machined hose shank



PART #	Size
C400MS-AL	4"
C600MS-AL	6"
C800MS-AL	8"

Adapter x machined hose Shank



PART #	Size
E400MS-AL	4"
E600MS-AL	6"
E800MS-AL	8"

Ductile Iron 45 Degree Lateral



PART #	Size
45L400	4"
45L600	6"
45L800	8"
45L1000	10"
45L1200	12"

Ductile Iron Flange Adapter




PART #	Size
IFA400	4"
IFA600	6"
IFA800	8"
IFA1000	10"
IFA1200	12"

Flange Saddle



PART #	Size
FLS800-AL	8"
FLS1000-AL	10"
FLS1200-AL	12"

Adapter Saddle



PART #	Size
AS800-AL	8"
AS1000-AL	10"
AS1200-AL	12"

Grooved Concentric Reducer



PART #	Size
8X22	19.1x60.3
8X62	19.1x168.3
10X4	273x114.3
10X8	273x219.1
12X4	323.9x114.3
12X10	323.9x273

Eccentric Reducer



PART #	Size
8X4	219.1x114.3
8X6	219.1x168.3
10X4	273x114.3
10X8	273x219.1
12X4	323.9x114.3
12X10	323.9x273

Y Shape Vic Coupling



PART #	Size
Y800-AL	8"
Y1000-AL	10"
Y1200-AL	12"

Aluminum Reducing Cone



PART #	Size
CON4X6	4"X6"
CON6X8	6"X8"
CON6X10	6"X10"
CON8X10	8"X10"
CON10X12	10"X12"

Reduced Adapter x Flange



PART #	Size
RAF600-AL	6"
RAF800-AL	8"
RAF1000-AL	10"
RAF1200-AL	12"

Camlock x Victaulic Coupling



PART #	Size
CAV6X8	6"X8"
CAV8X10	8"X10"
CAV10X12	10"X12"

Strainer



PART #	Size
RHS300	3"
RHS400	4"
RHS600	6"
RHS800	8"

Flange x Male End Class 150



PART #	Size
FLA200-AL	2"
FLA300-AL	3"
FLA400-AL	4"
FLA600-AL	6"
FLA800-AL	8"
FLA1000-AL	10"
FLA1200-AL	12"

Flange x victaulic coupling



PART #	Size
FVC 8X12	8"X12"
FVC 8X10	8"X10"

Grooved King Nipple



PART #	Size
V-GKC500	5"
V-GKC600	6"
V-GKC800	8"
V-GKC1000	10"

Lever Gate Valve



PART #	Size
LGV-200	2"
LGV-300	3"
LGV-400	4"
LGV-600	6"

Brass Ball Valve 600WOG Full Port



PART #	Size
BBV100	1"
BBV125	1 1/4"
BBV150	1 1/2"
BBV200	2"
BBV300	3"
BBV400	4"

King Nipple Zinc Plated



PART #	Size
Kc300	3"
KC400	4"
KC600	6"
KC800	8"
KC1000	10"

Ferrule



PART #	Ferrule ID
310F30P	3-9/16"
414F40P	4-14/16"
614F60P	6-14/16"
700F60P	7"
702F60P	7-1/16"

Butterfly Valve Lug Type



PART #	Size
BFVL300	3"
BFVL400	4"
BFVL600	6"
BFVL800	8"
BFVL1000	10"
BFVL1200	12"

Butterfly Valve Wafer Type



PART #	Size
BFVW300	3"
BFVW400	4"
BFVW600	6"
BFVW800	8"
BFVW1000	10"
BFVW1200	12"

Crimping King Nipple Zinc Plated



PART #	Size
GKC300	3"
GKC400	4"
GKC600	6"
GKC800	8"

Sleeve



PART #	Sleeve ID
310S30P3-9/16"	
415S40P4-14/16"	
700S60P6-14/16"	
706S60P7"	
904S80P7-1/16"	

Knife Gate Valve Steel



PART #	Size
KV300	3"
KV400	4"
KV600	6"
KV800	8"
KV1000	10"
KV1200	12"

Knife Gate Valve Stainless Steel



PART #	Size
KV300-SS	3"
KV400-SS	4"
KV600-SS	6"
KV800-SS	8"
KV1000-SS	10"
KV1200-SS	12"

Magnetic Meter



PART #	Size
MM300	3"
MM400	4"
MM600	6"
MM800	8"
MM1000	10"
MM1200	12"

Pressure Gauge



Specification:

Diameter: 1-1/2", 2", 2-1/2", 3", 4"
Case: Steel
Window: Glass, Acrylic
Inlet Thread: 1/8", 1/4", 3/8",
1/2", NPT, BSPT
Connection: rear entry
Range: 0-10000PSI

Large Diameter Hose Coupling High Pressure Male End



PART # Size

LDHCHP-400M-AL	4"
LDHCHP-500M-AL	5"
LDHCHP-600M-AL	6"
LDHCHP-800M-AL	8"
LDHCHP-1000M-AL	10"
LDHCHP-1200M-AL	12"

Large Diameter Hose Coupling High Pressure Set



PART # Size

LDHCHP-400-AL	4"
LDHCHP-500-AL	5"
LDHCHP-600-AL	6"
LDHCHP-800-AL	8"
LDHCHP-1000-AL	10"
LDHCHP-1200-AL	12"


Large Diameter Hose Coupling High Pressure Shank Clamp



PART # Size

LDHCHPSC-400-AL	4"
LDHCHPSC-500-AL	5"
LDHCHPSC-600-AL	6"
LDHCHPSC-800-AL	8"
LDHCHPSC-1000-AL	10"
LDHCHPSC-1200-AL	12"

Large Diameter Hose Coupling High Pressure Clamp



PART # Size

LDHCHPC-400-AL	4"
LDHCHPC-500-AL	5"
LDHCHPC-600-AL	6"
LDHCHPC-800-AL	8"
LDHCHPC-1000-AL	10"
LDHCHPC-1200-AL	12"

Large Diameter Hose Coupling High Pressure Female End



PART # Size

LDHCHP-400-AL	4"
LDHCHP-500-AL	5"
LDHCHP-600-AL	6"
LDHCHP-800-AL	8"
LDHCHP-1000-AL	10"
LDHCHP-1200-AL	12"

Drag Hose Coupling Set



PART # Size

DHCS400-AL	4"
DHCS450-AL	4-1/2"
DHCS500-AL	5"
DHCS550-AL	5-1/2"
DHCS600-AL	6"
DHCS800-AL	8"
DHCS1000-AL	10"

Drag Hose Coupling Hose Mender Set



PART # Size

DHMS400-AL	4"
DHMS450-AL	4-1/2"
DHMS500-AL	5"
DHMS550-AL	5-1/2"
DHMS600-AL	6"
DHMS800-AL	8"
DHMS1000-AL	10"

Ringlock Welding Type Full Set



PART # Size

RLW-300	3"
RLW-400	4"
RLW-500	5"
RLW-600	6"
RLW-800	8"
RLW-1000	10"
RLW-1200	12"

Ringlock Welding Female End



PART # Size

RLWF-300	3"
RLWF-400	4"
RLWF-500	5"
RLWF-600	6"
RLWF-800	8"
RLWF-1000	10"
RLWF-1200	12"

Drag Hose Coupling Hose Body



PART # Size

DHCB400-AL	4"
DHCB450-AL	4-1/2"
DHCB500-AL	5"
DHCB550-AL	5-1/2"
DHCB600-AL	6"
DHCB800-AL	8"
DHCB1000-AL	10"

Drag Hose Coupling hose sleeve



PART # Size

DHSL46-AL	4"-6"
DHSL78-AL	7"-8"
DHSL100-AL	10"

Ringlock Welding Male End



PART # Size

RLWM-300	3"
RLWM-400	4"
RLWM-500	5"
RLWM-600	6"
RLWM-800	8"
RLWM-1000	10"
RLWM-1200	12"

Ringlock Clamp



PART # Size

RLCL-300	3"
RLCL-400	4"
RLCL-500	5"
RLCL-600	6"
RLCL-800	8"
RLCL-1000	10"
RLCL-1200	12"

Drag Hose Coupling Ring Clamp



PART # Size

DHRC46	4"-6"
DHRC78	7"-8"
DHRC100	10"

Drag Hose Coupling Gasket



PART # Size

DHCG46	4"-6"
DHCG78	7"-8"
DHCG500100	10"

Ringlock Push-in Type Full Set



PART # Size

RLP-300	3"
RLP-400	4"
RLP-500	5"
RLP-600	6"
RLP-800	8"
RLP-1000	10"
RLP-1200	12"

Drag Hose Coupling Shank Clamp



PART # Size

DHCSC400-AL	4"
DHCSC450-AL	4-1/2"
DHCSC500-AL	5"
DHCSC550-AL	5-1/2"
DHCSC600-AL	6"
DHCSC800-AL	8"
DHCSC1000-AL	10"

Drag Hose Coupling Hose Mender Body



PART # Size

DHMB400-AL	4"
DHMB450-AL	4-1/2"
DHMB500-AL	5"
DHMB550-AL	5-1/2"
DHMB600-AL	6"
DHMB800-AL	8"
DHMB1000-AL	10"

Ringlock Push-in Type Male End



PART # Size

RLPM-300	3"
RLPM-400	4"
RLPM-500	5"
RLPM-600	6"
RLPM-800	8"
RLPM-1000	10"
RLPM-1200	12"

Ringlock Push-in Type Female End



PART # Size

RLPF-300	3"
RLPF-400	4"
RLPF-500	5"
RLPF-600	6"
RLPF-800	8"
RLPF-1000	10"
RLPF-1200	12"

Ringlock Barb Hose Shank Type Male End



PART #	Size
RLPM-300	3"
RLPM-400	4"
RLPM-500	5"
RLPM-600	6"
RLPM-800	8"
RLPM-1000	10"
RLPM-1200	12"

Ringlock Barb Hose Shank Type Female End



PART #	Size
RLPF-300	3"
RLPF-400	4"
RLPF-500	5"
RLPF-600	6"
RLPF-800	8"
RLPF-1000	10"
RLPF-1200	12"

KC Bauer Male Coupling with Serrated Hose End

Galvanized



PART #	Size
KC-BAUER-300M	3"
KC-BAUER-400M	4"
KC-BAUER-600M	6"
KC-BAUER-800M	8"

KC Bauer Female with Serrated Hose Shank

Galvanized



PART #	Size
KC-BAUER-300F	3"
KC-BAUER-400F	4"
KC-BAUER-600F	6"
KC-BAUER-800F	8"

Bauer Coupling Male Coupling with Hose End

Galvanized



PART #	Size
BAUER-300M	3"
BAUER-400M	4"
BAUER-600M	6"
BAUER-800M	8"
BAUER-1000M	10"

Bauer Coupling Female with Hose Shank

Galvanized



PART #	Size
BAUER-300F	3"
BAUER-400F	4"
BAUER-600F	6"
BAUER-800F	8"
BAUER-1000F	10"

KC-Bauer Locking Lever

Galvanized



PART #	Size
KC-BAUER-300L	3"
KC-BAUER-400L	4"
KC-BAUER-600L	6"
KC-BAUER-800L	8"

KC-Bauer O-ring



PART #	Size
KC-BAUER-300R	3"
KC-BAUER-400R	4"
KC-BAUER-600R	6"
KC-BAUER-800R	8"

Bauer Coupling Locking Lever

Galvanized



PART #	Size
BAUER-300L	3"
BAUER-400L	4"
BAUER-600L	6"
BAUER-800L	8"
BAUER-1000L	10"

Bauer Coupling O-ring



PART #	Size
BAUER-300R	3"
BAUER-400R	4"
BAUER-600R	6"
BAUER-800R	8"
BAUER-1000R	10"

Male 90°Coupling with Hose End

Galvanized

Supplied with clamp ring



PART #	Size
BFVL300	3"
BFVL400	4"
BFVL600	6"
BFVL800	8"
BFVL1000	10"
BFVL1200	12"

Male 45°Coupling with Hose End

Galvanized

Supplied with clamp ring



PART #	Size
ELBCM-3002	3"
ELBCM-4002	4"
ELBCM-6002	6"
ELBCM-8002	8"

Bauer Coupling Rib hose shank

Galvanized



PART #	Size
BAUER-300	3"
BAUER-400	4"
BAUER-600	6"
BAUER-800	8"
BAUER-1000	10"

KC Bauer Coupling Serrated hose shank



PART #	Size
KC-BAUER-300	3"
KC-BAUER-400	4"
KC-BAUER-600	6"
KC-BAUER-800	8"

Male Bauer X Male NPT Ball

Galvanized

Supplied with clamp ring



PART #	Size
ELBCM-4001	4"
ELBCM-6001	6"
ELBCM-8001	8"

Female Bauer X Male NPT

Galvanized



PART #	Size
ELBCM-4002	4"
ELBCM-6002	6"
ELBCM-8002	8"

Female Bauer coupling with 150# Flange

Galvanized



PART #	Size
FBFL-300	3"
FBFL-400	4"
FBFL-600	6"
FBFL-800	8"

Male Bauer coupling with 150# Flange



PART #	Size
MBFL-300	3"
MBFL-400	4"
MBFL-600	6"
MBFL-800	8"

Butt Welding Camlock F



PART #	Size
BWF-400-AL	4"
BWF-600-AL	6"
BWF-800-AL	8"

Butt Welding Camlock B



PART #	Size
BWB-400-AL	4"
BWB-600-AL	6"
BWB-800-AL	8"

Bauer Plug

Galvanized



PART #	Size
BP-400	4"
BP-600	6"
BP-800	8"

Bauer Cap

Galvanized



PART #	Size
BC-400	4"
BC-600	6"
BC-800	8"

Camlock Coupling with Urethane Lined



PART # Size

A400-ALPU	4"
B400-ALPU	4"
D400-ALPU	4"
F400-ALPU	4"
C400-ALPU	4"
E400-ALPU	4"
KC400-PU	4"

Aluminium Long Radius Elbow 45°



PART #	Size
45EL200-AL	2"
45EL250-AL	2-1/2"
45EL300-AL	3"
45ELB400-AL	4"
45EL600-AL	6"
45EL800-AL	8"

Double Female "Y" Bauer



PART #	Size
FBY-400	4"
FBY-600	6"
FBY-800	8"

Aluminium Long Radius Elbow 90°



PART #	Size
90EL200L-AL	2"
90EL250L-AL	2-1/2"
90EL300L-AL	3"
90EL300L-AL	4"
90EL301L-AL	5"
90EL302L-AL	6"
90EL303L-AL	8"

Aluminium Short Radius Elbow 90°



PART #	Size
90EL200S-AL	2"
90EL250S-AL	2-1/2"
90EL300S-AL	3"
90EL400S-AL	4"
90EL200S-AL	5"
90EL250S-AL	6"
90EL300S-AL	8"

Camlock Ductile Iron type C+E



PART # Size

C-400-DI	4"
E-400-DI	4"


Safety Cable (Hose to hose steel)



PART # Size

SCHTH201/8"x20-1/4"
SCHTH381/4"x38-1/4"

Hose Pinchers



PART # Size

HP-6006"
HP-8008"
HP-100010"
HP-120012"

Pig Catcher



PART # Size

PC-6006"
PC-8008"
PC-100010"
PC-120012"

Clean out Balls and Bar



Specifications:

Spong Balls and Bars for cleaning
Soft, medium, or hard available

TPU Layflat Hose/NBR Layflat Hose

Application:

Heavy-Duty,large diameter,polyurethane layflat hose designed for construction sites,waster water industry,agriculture and mining,transport of abrasive materials,flexible pipeline even in extreme terrain,irrigation and sludge disposal, for heavy duty service under toughest conditions.Perfectly prepared for hydraulic fraction in shales and oil fields.



Tube: TPU/NBR

Reinforcement: Polyester-Nylon texlile

Cover: TPU, ribbed or smooth

Temperature: (－) 58°F to (+)176°F

Lengths: 50FT,100FT,300FT/91.5M

Manufacturing: Through-the-weave technology


Technoogy

Part.No	Size	Hose I.D.(mm)	W.P.	Burst Pressure	Wall Thickness(mm)
PULDH 800	8"	204+3.0	215psi	645psi	4.5
PULDH 1000	10"	254+3.0	200psi	600psi	4.6
PULDH 1200	12"	305+3.0	150psi	450psi	4.7

PVC Reinforced Suction and Discharge Hose

Application: HD fish suction and transfer. Also HD water suction and transfer for rental,constraction and trash pumps.

- Tube:** PVC
- Reinforcement:** High Strength Polyeste Yarn
- Cover:** PVC, ribbed
- Temperature:** (－) 13°F to (+)140°F
- Lengths:** 90FT, 30FT
- Technoogy**




Part.No	Size	Hose I.D.(mm)	W.P.	Burst Pressure	Wall Thickness(mm)
PVCSD 300	3"	76.2	70psi	210psi	11.3
PVCSD 400	4"	101.6	65psi	195psi	15
PVCSD 500	5"	127	65psi	195psi	15.4
PVCSD 600	6"	152.4	55psi	165psi	14.8
PVCSD 800	8"	203.2	35psi	105psi	20.6
PVCSD 1000	10"	254	30psi	90psi	22.7
PVCSD 1200	12"	304.8	20psi	60psi	25.3

Water Suction and Discharge Hose

Application: Hardwall hose designed for suction and disvharge of water, and non-corrosive fluids used in construction sites and light duty industrial applications.

- Tube:** Synthetic Rubber or EPDM
- Reinforcement:** High Strength synthetic cord and helix wire
- Cover:** Black, smooth Synthetic rubber,weathering and ozone resistant
- Temperature:** (－) 4°F to (+)158°F
- Lengths:** 100FT/200FT
- Technoogy**



Part.No	Size	Hose I.D.(mm)	W.P.	Burst Pressure	Wall Thickness(mm)
RBSD 300	3"	76.2	150psi	450psi	13.8
RBSD 313	3-1/8"	79.4	150psi	450psi	15.6
RBSD 350	3-1/2"	88.9	150psi	450psi	15.1
RBSD 363	3-5/8"	92	150psi	450psi	15
RBSD 375	3-3/4"	95	150psi	450psi	16
RBSD 400	4"	101.6	150psi	450psi	16.4
RBSD 438	4-3/8"	111	150psi	450psi	16
RBSD 450	4-1/2"	114.3	150psi	450psi	15.7
RBSD 500	5"	127	150psi	450psi	18
RBSD 550	5-1/2"	140	150psi	450psi	18
RBSD 600	6"	152.4	150psi	450psi	17.6
RBSD 663	6-5/8"	168.3	150psi	450psi	17.7
RBSD 700	7"	178	150psi	450psi	20
RBSD 800	8"	203.2	150psi	450psi	20.8
RBSD 863	8-5/8"	219.1	150psi	450psi	19.9
RBSD 1000	10"	254	150psi	450psi	24
RBSD 1200	12"	304.8	150psi	450psi	23.2